
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





Bobbink & Atkins

NURSERYMEN SINCE 1898

1941 WHOLESALE PRICE-LIST

FOR MEMBERS OF THE TRADE ONLY

EXECUTIVE OFFICES
588 Paterson Avenue
East Rutherford, N. J.
Tel.: Ruth 2-0700

GREENHOUSES
588 Paterson Avenue
East Rutherford, N. J.
Tel.: Ruth 2-0700

N U R S E R I E S Valley Road, Clifton, N. J. Tel. SHerwood 2-2284

TERMS OF SALE

Prices printed in this 1941 Wholesale List cancel all previous quotations and subject to change without notice

PRICES: 2% ten days. Net 60 days. F.O.B. East Rutherford, N. J. No other discount unless specifically arranged.

PACKING AND BOXING CHARGES additional, billed at actual cost. Packing boxes and containers are not returnable for credit.

DORMANT ROSES (Except Standard Roses) AND PEREN-NIALS are packed free when cash accompanies order. Customer pays transportation charges.

QUANTITY RATES:

5 plants of one variety at 10 rate

25 plants of one variety at 100 rate

250 plants of one variety at 1000 rate

We do not supply less than 5 plants of a kind, excepting where stock is priced at each rate.

SHIPPING FACILITIES. Direct freight shipments from Nursery are routed via Erie Railroad. Small shipments are sent Express or Parcel Post. We deliver to other railroad terminals, motor express depots and boat lines in New York City.

TRUCK DELIVERY. Assures quicker arrival. Saves packing and boxing charges. Long-distance deliveries priced at actual cost.

We give no warranty, expressed or implied, nor do we guarantee plants to live. We will replace only such material as proved untrue to name. At no time will we be responsible for more than the original purchase price.

A carrier's receipt releases us from any responsibility. Claims for damage should be filed with carrier's agent at delivery point.

A charge will be made for digging items Balled and Burlapped where not so listed

SCHEDULE OF BOXING CHARGES

End Measurement of Boxes

Lengtl Feet	14 x 14 in.	16 x 16 in.	18 x 18 in.	20 x 20 in.	18 x 26 in.	24 x 24 in,	26 x 26 in.
3	\$0.90	\$1.05	\$1.20				\$1.90
31/2	1.00	1.20	1.35		\$1.80	\$2.00	2.20
4	1.15	1.30	1.50	\$1.70	1.90	2.15	2.40
5	1.30	1.50	1.75	2.00	2.20	2.45	2.70
6	1.55	1.80	2.05	2.30	2.55	2.85	3.15
7		2.05	2.25	2.55	2.85	3.15	3.45
8		2.25	2.55	2.90	3.20	3.55	3.90
10	£ 1 (1)	2.80	3.10	3.60	3.90	4.30	4.65
12		3.20	3.65	4.20	4.50	5.00	5.55

Bobbink & Atkins

Nurserymen Since 1898

588 Paterson Avenue, EAST RUTHERFORD, N. J.



Lambertus C. Bobbink
The head of the house of Bobbink & Atkins

BOBBINK & ATKINS have been, for many years, headquarters for rare plants, and the best of standard planting material, so why not come to headquarters and save time, worry, and money?

Here at East Rutherford is probably the world's most complete Commercial Collection of Roses; the best of European and Indica Azaleas, and our own Rutherfordiana Azaleas. Our perennials are planted in every section of the country. In addition, we have an unrivaled collection of trees, shrubs, Hybrid Rhododendrons, Hardy and Deciduous Azaleas, and evergreens. Yews and other evergreens grown in upright form for hedges are some of Bobbink & Atkins' specialties.

CP Jobbink

BOBBINK & ATKINS

CONTENTS

Nursery Section						2	to	31
Rose Section						32	to	36
PERENNIAL SECTION .						37	to	51
GREENHOUSE SECTION						52	tο	56

Nursery Section

Our extensive nurseries of 500 acres are located along the Valley Road in the Richfield section of Clifton, New Jersey. The fertile, loamy soil in that locality is well adapted for the growing of high-grade nursery stock, produces an excellent root system, and stock lifts with a fine ball of earth.

You will find large sections devoted to splendid evergreens, including Yews, Hemlocks, Junipers and Spruces; acres of named hardy Hybrid Rhododendrons, Pieris, Japanese Holly, evergreen

and deciduous Azaleas, etc.

Certain farms are solely devoted to the growing of French hybrid and Species Lilacs, Flowering Japanese Cherries, Weeping Japanese Flowering Cherries, Magnolias, Dogwoods and other deciduous flowering trees and shrubs.

Excellent large blocks of shade trees are to be seen, of which the Lindens and Ginkgos are unusually good, and splendid stock of American and European Beeches for use either as specimens

or for hedge purposes.

ABELIA grandiflora.

Evergreens, Broad-Leaved Evergreens, Deciduous Trees, Shrubs and Vines

Prices and sizes in this Price-List apply to the average grade of plants as they stand in our nursery rows. Extra-heavy or shapely plants selected at the Nursery will be quoted at special prices.

Each Per 10 Per 100

Glossy Abelia

Strong, pot-grown plants, 12 to 15 in Strong, pot-grown plants, 15 to 18 in		\$4 00 5 00
Edward Goucher. New. A beautiful hybrid with rich pink		
flowers. Compact habit and floriferous.		
Pot-grown plants, 12 to 15 in	1 00	37.77 17.
ABIES homolepis (umbilicata). 3 to 4 ft. B&B	3 50	Nikko Fir
4 to 5 ft. B&B	4 50	
5 to 6 ft. B&B	5 50	
ACER dasycarpum. 60 to 80 ft. 8 to 10 ft., 1½ to 1¾-in. cal	1 75	Silver Maple 14 50
10 to 12 ft., 13/4 to 2-in. cal	2 25	19 00
10 to 12 ft., 2 to 2½-in. cal	3 25	27 00
12 to 14 ft., 2½ to 3-in. cal	4 00	Amur Maple
6 to 8 ft	1 75	mun mupie
8 to 10 ft		
japonicum Parsonsi (filicifolium). 8 to 1		Fernleaf Maple
2½ to 3 ft. B&B	6 00	40 00 50 00
4 to 5 ft. B&B	8 50	70 00
5 to 6 ft. B&B	11 00	90 00
6 to 8 ft. B&B palmatum. 12 to 15 ft.	12 50	Japanese Maple
2 to 3 ft. B&B	1 75	14 50
3 to 4 ft. B&B	2 25	19 00
palmatum atropurpureum. 10 to 12 ft.	Red- lea	
2 to 2½ ft. B&B	2 25	19 00 25 00
3 to 4 ft. B&B	4 50	37 50 \$300 00
4 to 5 ft. B&B	6 50	55 00 435 00
5 to 6 ft. B&B	7 50	62 50 500 00
6 to 7 ft. B&Bpalmatum atropurpureum dissectum.	. 10 00 4 to 5 f	85 00
Cutlea	f Purnle	Japanese Maple
$1\frac{1}{2}$ to 2-ft. spread. B&B	2 75	•
2 to $2\frac{1}{2}$ -ft. spread. B&B	3 25	
platanoides. 50 to 75 ft.		Norway Maple
10 to 12 ft., 1½ to 1¾-in. cal	3 00	25 00
12 to 14 ft., 2½ to 3-in. cal	5 25	43 50
14 to 16 ft., 3 to 3½-in. cal 15 to 17 ft., 3½ to 4-in. cal	8 50	55 00 70 00
15 to 17 ft., 4 to 5-in. cal	. 13 00	110 00
16 to 18 ft., 5 to 6-in. cal	. 17 50	

There will be an extra charge for B&B on any items not so offered in this Catalogue. If stock is too far advanced for safe transplanting bare-rooted, we will B&B whenever we deem it necessary and will have to charge extra on your invoice.

Acer platanoides globosum. 10 ft.	Each	
5½-it. stem, crown 2 to 2½-ft, spread	Gt 66 00	obe Norway Maple
3½-II. Stem. crown 2½ to 3-ft spread	7 50	
platanoides Schwedleri. 40 to 60 ft. 10 to 12 ft., 1½ to 1¾-in. cal.	4 00	Schwedler Maple
10 to 12 it., 1% to 2-m. cal	4 50	
rubrum. 50 to 75 ft. 10 to 12 ft., 1½ to 1¾-in. cal	2 50	Red Maple
	4 75	
		4.00
ACTINIDIA arguta. 20 to 30 ft. 4-yr. extra-strong plants	75	Bower Actinidia 6 00
ÆSCULUS Hippocastanum. 60 to 80 ft.	73	
8 to 10 it., 2 to 24/6-m, cal	3 75	$Horse ext{-}Chestnut$
10 to 12 ft., 2½ to 3-in. cal. 12 to 14 ft., 3 to 3½-in. cal.	4 50	
12 to 14 ft., 3½ to 4-in, cal	6 00 7 50	
14 to 16 ft., 4 to 4½-in. cal Hippocastanum rubicunda.	8 50	
8 to 10 ft	4 50	Red Horse-Chestnut
parviflora (macrostachya). ('reamu W	hite i	Bottlebrush Buckeye
3 to 4 ft	2 00 2 75	
5 to 6 ft	3 50	
AKEBIA lobata.		Threeleaf Akebia
Strong plants, 4½-in. pots	60	5 00
Strong plants, 4-in. pots	45	Fiveleaf Akebia 3 50
ALNUS glutinosa. 70 to 80 ft.	10	European Alder
4 to 5 ft	80	6 50
5 to 6 ftincana. 40 to 50 ft.	1 10	
4 to 5 ft	90	
5 to 6 ft	1 20	
6 to 7 ft	1 50	12 50
AMELANCHIED		D 01 11.1
AMELANCHIER canadensis. 20 to 30 ft.	45	Downy Shadblow 3 75 \$30 00
1½ to 2 ft	65	3 75 \$30 00 5 50
1½ to 2 ft 2 to 3 ft 3 to 4 ft		3 75 \$30 00 5 50 6 50
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	65 80	3 75 \$30 00 5 50 6 50 8 25
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots.	65 80 1 00	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft.	65 80 1 00 55 <i>Po</i>	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampetopsis
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular	55 Po 55 (ta).	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 rcelain Ampelopsis 4 50 35 00 Amur Ampelopsis
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots.	65 80 1 00 55 <i>Po</i>	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular	55 Po 55 (ta).	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00 Virginia Creeper
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni.	55 Po 55 2da). 45	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 rcelain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00 Virginia Creeper 3 00 Engelmann Creeper
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft.	55 Po 55 (a). 45 36	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots.	55 Po 55 2a). 45 36 40	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi.	55 Po 55 2a). 45 36 40	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta.	55 Po 55 Po 45 36 40 36	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 00 Engelmann Creeper 3 00 Engelmann Creeper 4 00 35 00 Geranium Creeper 4 00 35 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots.	55 Po 55 Po 45 36 40	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 4 50
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft.	55 Po 55 Po 45 36 40 36	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 4 50 Hercules Club
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft.	$\begin{array}{c} 65\\ 80\\ 1\\ 00\\ \\ 55\\ Po\\ 45\\ \\ 36\\ 40\\ \\ 36\\ \\ 50\\ \\ 50\\ \\ \\ 30\\ \\ 85\\ \end{array}$	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 Hercules Club 2 50 20 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft.	55 Po 55 36 40 36 50 50 30 30	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Amur Ampelopsis 4 00 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 4 50 Hercules Club 2 50 20 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho.	55 80 1 00 55 80 40 36 40 36 50 85 1 10	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 Hercules Club 2 50 20 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho. Pot-grown plants, 4½-in. pots.	$\begin{array}{c} 65\\ 80\\ 1\\ 00\\ \\ 55\\ Po\\ 45\\ \\ 36\\ 40\\ \\ 36\\ \\ 50\\ \\ 50\\ \\ \\ 30\\ \\ 85\\ \end{array}$	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 Hercules Club 2 50 20 00 Dutchman's Pipe
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho.	55 80 1 00 55 80 40 36 40 36 50 85 1 10	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 25 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 Hercules Club 2 50 20 00 Dutchman's Pipe
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho. Pot-grown plants, 4½-in. pots. ARONIA arbutifolia. 8 to 10 ft. 1½ to 2 ft.	65 800 1 000 55 Poo 55 55 600 300 855 1 100 75 20 300 300 800 300 800 800 800 800 800 80	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 00 25 00 Geranium Creeper 4 00 35 00 4 50 Hercules Club 2 50 20 00 Dutchman's Pipe Red Chokeberry 1 50 12 00 2 25 18 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho. Pot-grown plants, 4½-in. pots. ARONIA arbutifolia. 8 to 10 ft. 1½ to 2 ft. 2 to 3 ft.	65 80 1 00 55 Po 55 36 40 36 50 50 30 85 1 10 75	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 00 Geranium Creeper 4 00 35 00 Hercules Club 2 50 20 00 Dutchman's Pipe Red Chokeberry 1 50 12 00 2 25 18 00 3 25 25 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho. Pot-grown plants, 4½-in. pots. ARONIA arbutifolia. 8 to 10 ft. 15 to 18 in. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra). 8 to 10 ft.	65 800 1 000 55 Poo 55 52 4a) . 45 366 400 366 500 300 855 1 100 755	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 00 25 00 Geranium Creeper 4 00 35 00 Hercules Club 2 50 20 00 Dutchman's Pipe Red Chokeberry 1 50 12 00 2 25 18 00 3 25 25 00 4 50 35 00 Purple Chokeberry
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots, staked. tricuspidata robusta. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho. Pot-grown plants, 4½-in. pots. ARONIA arbutifolia. 8 to 10 ft. 15 to 18 in. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra). 8 to 10 ft.	65 800 1 000 55 Pool 55 50 40 36 50 50 30 85 1 10 75 20 30 40 55 20 20 20 20 20 20 20 20 20 20	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 00 25 00 Boston Ivy 3 00 25 00 Geranium Creeper 4 00 35 00 4 50 Hercules Club 2 50 20 00 Dutchman's Pipe Red Chokeberry 1 50 12 00 2 25 18 00 3 25 25 00 Purple Chokeberry 1 50 12 00
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. AMPELOPSIS aconitifolia. 15 to 20 ft. Strong plants, 4-in. pots. heterophylla. 25 to 30 ft. Strong plants, 4-in. pots. heterophylla amurensis (A. brevipeduncular Strong plants, 4-in. pots. quinquefolia. 35 to 50 ft. Extra-strong, field-grown plants. quinquefolia Engelmanni. Strong plants, 4-in. pots. tricuspidata (Veitchi). 40 to 50 ft. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots. tricuspidata Lowi. Strong plants, 4-in. pots. ARALIA spinosa. 18 to 20 ft. 2 to 3 ft. 5 to 6 ft. 6 to 8 ft. ARISTOLOCHIA Sipho. Pot-grown plants, 4½-in. pots. ARONIA arbutifolia. 8 to 10 ft. 15 to 18 in. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra). 8 to 10 ft.	65 800 1 000 55 Poo 55 52 4a) . 45 366 400 366 500 300 855 1 100 755	3 75 \$30 00 5 50 6 50 8 25 Monkshood Vine 4 50 35 00 reclain Ampelopsis 4 50 35 00 Virginia Creeper 3 00 Engelmann Creeper 3 00 25 00 Geranium Creeper 4 00 35 00 Hercules Club 2 50 20 00 Dutchman's Pipe Red Chokeberry 1 50 12 00 2 25 18 00 3 25 25 00 4 50 35 00 Purple Chokeberry

Deciduous and Native Azaleas

Deciduous and Native	Λ	Za.	ieas	
AZALEA altaclarensis. 4 to 6 ft.	Ea		Per 10	Per 100 re Azalea
Bright yellow.			Audian	e maneu
1½ to 2 ft. B&B	\$3 4	50 50	Swe	et Azalea
White, tinged pink. 15 to 18 in. B&B. 1½ to 2 ft. B&B. 2 to 2½ ft. B&B. 2½ to 3 ft. B&B. 3 to 4 ft. B&B. calendulacea. 4 to 5 ft. Orange-red.	2 2 3	75	\$13 50 16 50 20 00 30 00 38 00 Flan	ne Azalea
15 to 18 in. B&B. 1½ to 2 ft. B&B. 2 to 2½ ft. B&B. 2½ to 3 ft. B&B. 3 to 4 ft. B&B. mollis. 4 to 6 ft. Mixed Colors: Yellow, apricot and	2 3 3	75	13 50 16 50 25 00 30 00 45 00 Chines	se Azalea
salmon shades. 12 to 15 in. B&B. 15 to 18 in. B&B. 1½ to 2 ft. B&B. mollis, Louisa Hunnewell. 5 to 6 ft. Very showy; orange-yellow shading to	2	50 00 40	12 50 17 00 20 00	\$100 00 135 00
salmon. 12 to 15 in. B&B mucronulatum. 4 to 5 ft.	1	50	12 50 Dahuria	n $Azalea$
Lavender-pink, flowering in early April. 15 to 18 in. B&B. 1½ to 2 ft. B&B. 2 to 2½ ft. B&B. 2½ to 3 ft. B&B. 3 to 4 ft. B&B.	3	95 40 00	12 50 16 00 20 00 25 00	100 00
nudiflora. 6 to 7 ft. Showy flowers, varying from white to			Pin:	xterbloom
pink. 15 to 18 in. B&B. 1½ to 2 ft. B&B. 2 to 2½ ft. B&B. 2½ to 3 ft. B&B. 3 to 4 ft. B&B. 4 to 5 ft. B&B. pontica. 6 to 8 ft. Mixed shades from yellow to reddish	1 2 3 4	70 75 50	13 50 15 00 22 50 31 00 37 50	ic Azalea
orange. 15 to 18 in. B&B. 1½ to 2 ft. B&B. 2 to 2½ ft. B&B. 2½ to 3 ft. B&B. 3 to 3½ ft. B&B.	2 3 4	00 40 25 10 00	16 50 20 00 27 00 34 00	

We have a rare collection of grafted, named Azaleas Pontica and Rustica fl.-pl. Write for our special list.

poukhanensis. 4 to 5 ft.			$K\epsilon$	orean	Azalea
Bluish lavender flowers.					
15 to 18 in. B&B	1	80	15	00	
1½ to 2 ft. B&B	2	70	22	50	
2 to 2½ ft. B&B			30	00	
$2\frac{1}{2}$ to $\tilde{3}$ ft. B&B			38	00	
rosea. 6 to 7 ft.		Do	wny i	Pinxt	erbloom
1½ to 2 ft. B&B	2	25			
Schlippenbachi. 5 to 6 ft.			I	Royal	Azalea
Pale rose-pink.					
12 to 15 in. B&B	1	50	12	50	
15 to 18 in. B&B			15	00	
Vaseyi. 10 to 12 ft.			Pini	kshell	Azalea
Semi-double; delicate pink.					
15 to 18 in. B&B	1	80	15	00	
1½ to 2 ft. B&B			18	00	
2 to 2½ ft. B&B			25	00	
2½ to 3 ft. B&B				00	

Deciduous and Native Azaleas, continued

Deciduous and Native Azaleas						
viscosa. 9 to 10 ft. White, tinged rose.	Ea	ich			Per 1 Aza	
15 to 18 in. B&B. 1½ to 2 ft. B&B. 2 to 2½ ft. B&B. 2½ to 3 ft. B&B. 3 to 4 ft. B&B. yodogawa. 3 to 4 ft. Semi-evergreen. Double, purplish pink 1½ to 2 ft. B&B. 2 to 2½ ft. B&B.	2 3 3 	15 75 25 75 Very 40 75	18 23 27 31 <i>Yodo</i> hard 20 22	00 00 50 00 gawe y. 00 50	\$110 150 185 220 a Aza	00 00 00
Azaleas, Hardy Evergreen	1	Va:	rieti	es		
Bright, rosy purple flowers in May. The hardiest of the evergreen Azaleas. 10 to 12-in. diam. B&B. 12 to 15-in. diam. B&B. 15 to 18-in. diam. B&B. 1½ to 2-ft. diam. B&B. 2 to 2½-ft. diam. B&B. amæna superba. 5 to 6 ft.	1 2 2	85 05 50 00 50		50		
Darker purple than Amœna, with a slightly larger flower. As hardy as the former, but of more upright habit. 10 to 12 in. high. B&B. 12 to 15 in. high. B&B. 15 to 18 in. high. B&B. 2 to 2½ ft. high. B&B. 2½ to 3 ft. high. B&B. Benigiri. 4 to 5 ft.	1 1 3	85 05 50 00 75	8 12 25	00 50 50 00 50	200 250	
Deep bright red, almost scarlet. 10 to 12 in. B&B		35 80		00 00		
The most popular of all the red ever- green Azaleas, and one of the hardiest. 8 to 10-in. diam. B&B	1 1 2 3	85 10 50 20 25	9 12	00 00 50 00		
hardy as Hinodegiri, is attaining increasing popularity due to its lovely color Flowers last very long. 8 to 10-in. diam. B&B	. 1	. 50	12 16	00 50 50 Tore	80 100 ch Azo	
12 to 15 in. high. B&B	ì	. 25	10	00		
B&B 15 to 18 in. high, strong, bushy plants	, 1	50		50 50		
B&B. 18 in. high, strong, bushy plants, B&B. ledifolia (indica) Hybrids. 6 to 7-ft. spre. Large, single flowers in all shades o lavender, pink, and rosy red. Very hardy Mixed Colors.	. 2 ad. f	70		00		
12 to 15-in. spread. B&B	. 1 . 2 . 3 . 3	40 00 75	11 16 23 32	00 50 00 00 00	140 190 250	00 00 00 00
June. Compact grower of exceptiona hardiness. 6 to 8-in. diam. B&B		75 95	6	25 00		

II. I. F A. dans		:			
Hardy Evergreen Azaleas, c Maxwelli. 5 to 6-ft. spread.		itiiii ach		10	Per 100
Large: single: glowing deep rose.					101 100
1½ to 2-ft. diam. B&B	\$2 3	70 60	\$24 30	00	
Maxwelli alba. New. 6 ft. high x 5-ft. spread.					
Single, snow-white flowers about 2½ to 3 inches across. Very hardy; loose, spread-					
ing habit and fast grower.	1	٥0	15	00	
12 to 15 in. high. B&B	2	50		00 00	
$1\frac{1}{2}$ to 2 ft. high. B&B	3	00	25	00	
Japanese Kurume Azaleas	,	Eνε	ergr	ee	n
Apple Blossom. 2½ to 3-ft. spread. Delightful, light pink, semi-double					
flowers. 6 to 8-in. diam		75	6	00	
8 to 10-in. diam	1	00	8	00	
White inside with light lavender edges.					
A compact, slower grower. 6 to 8-in. diam		75	6	00	
8 to 10-in. diam	1	00		00	
Pure light pink blooms in dense clusters.					
8 to 10-in. diam		05 35		00 00	\$70 00 90 00
10 to 12-in. diam	1	90	16	00	125 00
14 to 16-in. diam	2	40	20	00	
Madder-red, suffused with copper					
shades. Strong, upright grower. 10 to 12 in. high	1	20	10	00	
12 to 15 in. high	1	60		00	
Hardy Firefly. 4 to 5 ft.	2	00	10	00	
Dark scarlet, overlaid copper. 8 to 10-in. diam	1	00	8	00	
10 to 12-in. diam	1	50	12	50	
12 to 15-in. diam	1	80	15	00	
Medium-sized, beautiful, dainty mauve					
flowers, very freely produced, transforming the plant to a solid mass of bloom.					
6 to 8-in. diam		75	6	00	
Semi-double; salmon-rose blotched					
deeper at center. 8 to 10-in. diam	1	10	9	00	
10 to 12-in. diam			12	00	
Sunstar. 2½ to 3-ft. spread. Single, dark rose-pink.					
8 to 10-in. diam			9 12	00	
BERBERIS Chenaulti. 3 to 4 ft.	•				Danhama
12 to 15 in. B&B	1	85		50	Barberry
15 to 18 in. B&B	1	95 Win		00 een	Barberry
12 to 15 in. B&B		75	6	00	50 00
15 to 18 in. B&B	1	10 50		00 50	75 00 100 00
Thunbergi. 5 to 7 ft.			apan	ese	Barberry
12 to 15 in				00 20	8 00 10 00
Thunbergi atropurpurea. 5 to 6 ft. 12 to 15 in	1	$rac{1}{18}$		168e 50	Barberry 12 00
15 to 18 in		22	1	90	15 00
1½ to 2 ft		35 45		90 50	
2½ to 3 ft	n	60	4	50	ımahamı:
A new form of Barberry, perfectly up-	1	ruen	euge	con	ımnberry
right and pyramidal, with very dense growth and heavy foliage. Very desirable					
for compact hedges. Can also be grown					
into symmetrical specimens like boxwood. 1½ to 2 ft		38	3	20	25 00
2 to 2½ ft		45		80	30 00

Tive fluidred Acres of Nurse	ery Stock 1
Berberis triacanthophora, 4 to 5 ft.	ach Per 10 Per 100 Threespine Barberry
10 to 12 in. B&B	75 6 00
	Warty Barberry 85 7 00 10 9 00
	40 11 50 European White Birch
5 to 6 ft	90 7 50 50 12 50
8 to 10 ft	tleaved Weening Birch
6 to 8 ft	00 16 50 00 25 00 River Birch
5 to 6 ft	
BIGNONIA grandiflora. 25 to 35 ft. Strong, pot-grown plants	Chinese Trumpet Vine 60 5 00 \$40 00
Mme. Galen. 25 to 35 ft. Strong, pot-grown plants.	Galen Trumpet Vine 60 5 00 40 00
radicans. 30 to 40 ft. Strong, field-grown plants	Trumpet Creeper 20 1 50 10 00
Strong, pot-grown plantsBUDDLEIA.	30 2 50 20 00 Butterfly Bush
Charming. 6 ft. Large, full spikes of lavender-pink. Aug., Sept	30 2 50
Davidi magnifica superba. 6 ft. Lilac with yellow eye. Aug., Sept Dubonnet. New. True dubonnet in color;	30 2 50
in sunshine nearly a red. Aug., Sept Ile de France. 6 ft. Rose-purple suffused	45 3 80
violet. Aug., Sept	30 2 50 Common Boxwood
4 to 6 in., for edging	1 00 8 00 1 30 10 00
8 to 10 in., for edgingsempervirens myrtifolia.	$egin{array}{ccc} 1 & 90 & 15 & 00 \\ Myrtleleaf Box \end{array}$
4 to 6 in., for edgingsempervirens rotundifolia aurea.	90 7 00
6 to 8 insempervirens suffruticosa. 5 to 6 ft. 4 to 6 in	45 3 50 True Dwarf Box 1 20 10 00
CALLICARPA japonica. 4 to 5 ft. 3 to 4 ft	Tapanese Beauty-Berry 50 4 00
purpurea. 4 to 5 ft. 1½ to 2 ft	Chinese Beauty-Berry 30 2 50
CALYCANTHUS floridus. 8 to 9 ft.	Common Sweet Shrub 30 2 50
3 to 4 ft	38 3 00 Fernleaf Pea-Tree
1½ to 2 ft	75 00
CARPINUS Betulus. 50 to 60 ft.	European Hornbeam 25 10 00
4 to 5 ft	95 16 00 40 20 00 25 27 00
CATALPA Bungei. 10 to 15 ft. 1-yr. head on 5½-ft. stem	
CEDRUS atlantica glauca. 60 to 70 ft.	50 12 50 Blue Atlas Cedar
3 to 4 ft. B&B	50 20 00 50 62 50 00 85 00
10 to 12 ft. B&B	
6 to 8 ft. B&B	50 00
10 to 12 ft. B&B	American Bittersweet
Strong, 3-yr. field-grown plants	25
12 to 15 in. B&B 1	00


o Bobbink & Atkins, East Numer	1010	1, 14.	J.	
Ea CERCIDIPHYLLUM japonicum. 20 to 30 ft 5 to 6 ft. \$2 6 to 8 ft. 3 8 to 10 ft. 5	50 50	Per 1 Ko \$21 0 29 0 42 5	atsu 0 0 0	Per 100 ra Tree
3 to 4 ft	40 60 90 20	1 meric 3 0 5 0 7 5 10 0	0 00 50	Redbud \$25 00 40 00
CHAMÆCYPARIS (Retinospora). obtusa Crippsi. 10 to 12 ft.	Crip _I 25	os Gold	len	Cypress
2½ to 3 ft. B&B. 2 obtusa gracilis. 12 to 15 ft. Sl. 4 to 5 ft. B&B. 5	75 ender 50	45 (00	Cypress
obtusa nana. 3 to 4 ft. L 6 to 9 in. B&B	50 war; 85 80	62 5 f Hind 7 5 16 5	oki (50	Cypress
12 to 15 in. B&B. 2 15 to 18 in. B&B. 3 pisifera. 30 ft.	50	22 5	50	200 00 Cypress
6 to 8 ft. B&B	50	-		Cypress
	00			Cypress
12 to 15 in. B&B. 15 to 18 in. B&B. 1½ to 2 ft. B&B. 2 to 2½ ft. B&B. 1	70 90 15 50	5 ; 7 ; 10 ; 12 ;	50 50 50 50	45 00 60 00 75 00 100 00
15 to 18 in. B&B	90 15	7 10	50 50	Cypress 60 00 75 00 Cypress
12 to 15 in. B&B	80 10 50	6 9 12	50 00 50	
pisifera squarrosa Veitchi. 25 to 30 ft. 1½ to 2 ft. B&B	05	Moss . 8 11	50	inospora
CHIONANTHUS virginica. 20 to 25 ft. 3 to 4 ft	60 90 30	5	00 50	nge Tree 85 00
CLADRASTIS lutea. 40 to 50 ft.	30			ow-wood
6 to 8 ft	00 50		1 eu	ou-u oou
CLEMATIS, Large-flowering. Staked plants in 4-in. pots.				
Belle of Woking. Very fine, double, soft silvery gray flowers	00	8	00	
fragrant pure white flowers	50	4	30	35 00
Gypsy Queen. A dark but bright velvety purple	50	4	30	35 00
finest form	50	4	30	35 00
violet-purple flowers	50 1 00		30 00	35 00
Lanuginosa candida. Moderate climber	1 00		00	
with very large, dazzling white flowers Lawsoniana. Bright rose-purple flowers	60		00	40 00
with darker veinsLord Neville. Large; plum-color, rich vel-	60		00	40 00
vety texture	1 00 50	_	00 30	35 0
Nellie Moser. Petals pale mauve and white	1 00	8	00	
Ramona. Clear violet-blue flowers	50	4	30	35 0

Ville de Lyon. Bright carmine with deeper	Ead		Per	10	Per 100
William E. Gladstone. Beautiful large	60	50	\$4	30	\$35 00
William Kennett. Deep layender: very	1		8		
large flowers. Splendid variety CLEMATIS, Small-flowering.	1	00	8	00	
crispa. A slender vine 3 to 4 feet high with					
showy, purple, bell-shaped flowers		30	2	50	
Pot-grown plants paniculata. Japanese Virgin's Bower; The most useful and beautiful of hardy	Su	eet	Autur	nn	Clematis
vines. A luxuriant grower and profuse bloomer with fine foliage. The white flow-					
ers are very pretty, fragrant and resemble snowflakes in late summer.					
Strong, pot-grown plants, 4-in. pots		35		80	lon's Lon
Rampant climber to 30 feet. The fra- grant white flowers are borne in clusters			17	ave	ler's Joy
in July and September. Strong, pot-grown plants, 5-in. pots		35	2	90	
CLERODENDRUM trichotomum.			_		ry-Bower
4 to 5 ft		75	equin	Gio.	ry- Do wer
5 to 6 ft	1	00	S_2	ımn	ner Sweet
1½ to 2 ft 2 to 2½ ft		36 48	3	00	
COLUTEA arborescens. 10 to 12 ft.			non~Bl	add	ler-Senna
1½ to 2 ft		30 36	_	50 00	
COMPTONIA asplenifolia.				Si	veet-Fern
1½ to 2 ft. B&B		90 05		50 50	
2½ to 3 ft. B&B			11		
CORNUS alba (sibirica). 8 to 10 ft.		ed- 28	branck 2		Dogwood 18 00
4 to 5 ft		38	3	20	25 00 Dogwood
3 to 4 ft	1	15	9	50	75 00
4 to 5 ft 5 to 6 ft. B&B	3	00	12 25		100 00 200 00
6 to 8 ft RaB	4	50	37	50	300 00
10 to 12-ft. Standards. B&B. florida plena. 15 to 25 ft. 6 to 8 ft. B&B. florida pendula. Weeping W	$\dot{V}h$	ite	floweri	ng	Dogwood
florida pendula. Weeping V	$\overline{W}h$	00 ite-,	floweri	ng	Dogwood
2 to 3 ft	1	15	9	50	75 00
3 to 4 ft 4 to 5 ft. B&B	_	75	16 30		125 00
5 to 6 ft. B&B	5	00			
8 to 10 ft. B&B	-	00 50			
12 to 14 ft. B&B	15	00,	2.4.0.	•	Dogwood
stolonifera. 7 to 8 ft.		21	$1 \frac{ea}{1} \frac{Os}{7}$		14 00
3 to 4 ft		28	2 3		18 00
CORYLOPSIS spicata. 8 to 10 ft. 2 to 3 ft. B&B	2	00	pike V	/ in	ter Hazel
3 to 4 ft. B&B					
CORYLUS americana. 7 to 8 ft.		35		an 00	Hazelnut
3 to 4 ft.		50	4	00	1 13 271 -
Avellana atropurpurea. 10 to 12 ft. 3 to 4 ft.	1	$\frac{P}{20}$	ur ple-l 10		$ed\ Filbert$
4 to 5 ft	1	65 00	14 16	00	110 00
5 to 6 ft		00	10	JU	-44

There will be an extra charge for B&B on any items not so offered in this Catalogue. If stock is too far advanced for safe transplanting bare-rooted, we will B&B whenever we deem it necessary and will have to charge extra on your invoice.

Peking Cotoneast Peking Coto	EOTONEASTER. acutifolia. 9 to 10 ft.	Εa	ech		10 Per 10
Dammeri 12 to 15 in		\$0	55		
4 to 6-in. spread, pot-grown. 50 4 00 Dielsiana. 6 ft. 12 to 15 in., pot-grown. 75 6 00 15 to 18 in., pot-grown. 75 6 00 Spreading Cotoneast 70 10 to 12 in., pot-grown. 55 4 50 Trancheti. 6 ft. 5		40	55	ΨΞ	30
Dielsana			50	4	00
12 to 15 in., pot-grown 75 6 00 15 to 18 in., pot-grown 75 4 50 10 to 12 in., pot-grown 50 4 00 12 to 15 in., pot-grown 50 4 00 12 to 15 in., pot-grown 60 5 00 13 to 12 in., pot-grown 65 5 50 10 to 12 in., pot-grown 65 5 50 10 to 12 in., spread, pot-grown 80 6 50 10 to 12 in., spread, pot-grown 60 5 00 12 to 15 in., spread, pot-grown 60 5 00 13 to 15 in., spread, pot-grown 75 6 00 14 to 16 13 to 16 13 to 16 14 15 to 18 in., pot-grown 75 6 00 12 to 15 in., pot-grown 75 6 00 12 to 15 in., pot-grown 75 6 00 13 to 12 in., pot-grown 75 6 00 14 to 16 in., pot-grown 75 70 15 to 18 in., pot-grown 75 70 16 to 8 in., pot-grown 75 75 70 16 to 8 in., pot-grown 75 75 75 17 to 17 to 18 to 18 to 19 18 to 10 in., pot-grown 75 75 75 19 to 12 in., pot-grown 75 75 75 10		• •	-		
15 to 18 in., pot-grown			75		
10 to 12 in., pot-grown			Spi		
Francheti					
10 to 12 in., pot-grown				ranche	et Cotoneast
12 to 15 in., pot-grown	10 to 12 in., pot-grown				
Arroviana. 6 ft. 8 to 10-in. spread, pot-grown.	12 to 15 in., pot-grown				00
8 to 10-in. spread, pot-grown. 80 6 50 norizontalis. 2 to 3 ft. 6 to 8-in. spread, pot-grown. 80 6 50 Rock Cotoneast 8 to 10 in. spread, pot-grown. 75 6 00 ucida. 8 to 10 ft. 70 6 00 1½ to 2 ft. pot-grown. 85 7 00 8 to 10 in., pot-grown. 60 5 00 8 to 10 in., pot-grown. 60 5 00 10 to 12 in., pot-grown. 75 6 00 nicrophylla glacialis. 1½ to 2 ft. Prostrate Cotoneast 6 to 8-in. spread, pot-grown. 85 4 50 8 to 10-in. spread, pot-grown. 85 4 50 8 to 10-in. spread, pot-grown. 80 6 5 50 10 to 12-in. spread, pot-grown. 80 6 5 50 nicrophylla thymifolia. 2 to 3 ft. 6 to 8-in. spread, pot-grown. 80 6 50 nicrophylla thymifolia. 2 to 3 ft. 6 to 8-in. spread, pot-grown. 80 6 50 nicrophylla thymifolia. 2 to 3 ft. 6 to 8-in. spread, pot-grown. 80 6 50 nicrophylla thymifolia. 2 to 3 ft. 8 to 10-in. spread, pot-grown. 80 6 50 nicrophylla thymifolia. 2 to 3 ft. 8 to 10 in., pot-grown. 80 6 50 notocumbers. 1½ to 2 ft. 8 to 8 in. spread, pot-grown. 80 6 50 notoundifolia. 1½ to 2 ft. Roundleaf Cotoneast 8 to 10 in., pot-grown. 80 6 50 notoundifolia. 1½ to 2 ft. Roundleaf Cotoneast 8 to 10 in., pot-grown. 80 6 50 notoundifolia. 1½ to 2 ft. Roundleaf Cotoneast 8 to 10 in., pot-grown. 80 6 50 notoundifolia. 1½ to 2 ft. Roundleaf Cotoneast 8 to 10 in., pot-grown. 80 6 50 notoundifolia. 1½ to 15 ft. Roundleaf Cotoneast 8 to 10 in., pot-grown. 95 80 6 50 nalicifolia. 6 to 8 ft. Graceful Willowleaf Cotoneast 8 to 10 in., pot-grown. 95 80 6 50 notoundifolia. 12 to 15 ft. 25 6 00 notoundifolia. 12 to 15 ft. 25 18 50 notoundifolia. 12 to 15 ft. 15 10 10 10 10 10 10 10 10 10 10 10 10 10			•		
10 to 12-in, spread, pot-grown			65	5	50
				6	50
6 to 8-in. spread, pot-grown. 75 6 00 ucida. 8 to 10-in. spread, pot-grown. 75 6 00 ucida. 8 to 10 ft. 75 6 00 1½ to 2 ft., pot-grown. 85 7 00 nicrophylla. 1½ to 2 ft. 80ckspray Cotoneast. 6 to 8 in., pot-grown. 50 4 00 10 to 12 in., pot-grown. 75 6 00 10 to 12 in., pot-grown. 75 6 00 10 to 12 in., spread, pot-grown. 55 4 50 8 to 10 in., pot-grown. 55 4 50 10 to 12-in. spread, pot-grown. 55 4 50 10 to 12-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 80 6 50 microphylla thymifolia. 2 to 3 ft. 6 to 8 in., pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 55 4 50 8 to 10-in. spread, pot-grown. 55 4 50 8 to 10-in. spread, pot-grown. 55 5 50 10 to 12-in. pot-grown. 65 5 50 10 to 12-in. pot-grown. 80 65 5 50 10 to 12-in. pot-grown. 95 4 50 10 to 12-in. pot-grown. 95 4 50 10 to 12-in. pot-grown. 95 5 0 55 10 to 18 in., pot-grown. 95 8 00 10 to 12-in. pot-grown. 90 7 50 11-12-12-12-12-12-12-12-12-12-12-12-12-1				Rock	k $Cotoneast$
Sto 10-in. spread, pot-grown. 75 6 00 ucida. Sto 10 ft. 15 to 18 in., pot-grown. 70 6 00 1½ to 2 ft., pot-grown. 85 7 00 nicrophylla. 1½ to 2 ft. Rockspray Cotoneast. 6 to 8 in., pot-grown. 50 4 400 8 to 10 in., pot-grown. 75 6 00 8 to 10 in., pot-grown. 75 6 00 10 to 12 in., pot-grown. 75 6 00 10 to 12 in., spread, pot-grown. 55 4 50 8 to 10-in. spread, pot-grown. 55 4 50 8 to 10-in. spread, pot-grown. 55 4 50 8 to 10-in. spread, pot-grown. 65 5 50 8 to 10-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 65 5 50 10 to 10 in., spread, pot-grown. 65 5 50 10 to 12 in., spread, pot-grown. 65 5 50 10 to 12 in., pot-grown. 80 6 5 50 10 to 12 in., pot-grown. 80 6 5 50 10 to 12 in., pot-grown. 80 6 5 50 10 to 12 in., pot-grown. 80 6 5 50 10 to 12 in., pot-grown. 80 6 50 15 to 18 in., pot-grown. 80 6 50 15 to 18 in., pot-grown. 90 7 50 16 to 18 in., pot-grown. 90 7 50 17 to 18 in., pot-grown. 90 7 50 18 to 19 in., pot-grown. 90 7 50 19 to 19 in., pot-grown. 90 7 50 10 to 12 in., pot-grown. 90 7 50 20 to 18 in., pot-grown. 90 7 50 20 to 18 in., pot-grown. 90 7 50 20 to 18 in., pot-grown. 90 7 50 21 to 19 in., pot-grown. 90 7 50 22 to 19 in., pot-grown. 90 7 50 23 to 4 ft. 1 1 1 1 1 1 1 1 1			60	5	00
ucida. 8 to 10 ft. 15 to 18 in, pot-grown. 70 6 00 1½ to 2 ft., pot-grown. 85 7 00 nicrophylla. 1½ to 2 ft. Rockspray Cotoneast. 6 to 8 in., pot-grown. 50 4 00 8 to 10 in., pot-grown. 60 5 00 10 to 12 in., pot-grown. 75 6 00 microphylla glacialis. 1½ to 2 ft. Prostrate Cotoneast. 6 to 8-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 60 50 incrophylla thymifolia. 2 to 3 ft. Thyme Cotoneast. 6 to 8 in. spread, pot-grown. 60 50 sto 10 in. spread, pot-grown. 55 4 50 8 to 10-in. spread, pot-grown. 65 5 50 8 to 10 in., pot-grown. 65 5 50 8 to 10 in., pot-grown. 65 5 50 8 to 10 in., pot-grown. 80 6 50 8 to 10 in., pot-grown. 80 6 50 10 to 12 in., pot-grown. 80 6 50 15 to 18 in., pot-grown. 80 6 50 15 to 18 in., pot-grown. 80 6 50 15 to 18 in., pot-grown. 80 6 50 10 to 12 in., pot-				6	00
15 to 18 in., pot-grown. 11/2 to 2 ft., pot-grown. 85 7 00 Rockspray Cotoneast. 6 to 8 lin., pot-grown. 80 5 00 10 to 12 in., pot-grown. 60 5 00 10 to 12 in., pot-grown. 60 5 5 00 10 to 12 in., pot-grown. 61 6 to 8-in. spread, pot-grown. 62 8 to 10-in. spread, pot-grown. 63 5 5 5 8 to 10-in. spread, pot-grown. 64 6 to 8 in., pot-grown. 65 5 50 8 to 10-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 66 5 5 50 10 to 12-in. spread, pot-grown. 67 6 to 8 in. spread, pot-grown. 68 to 10-in. spread, pot-grown. 69 5 5 50 10 to 12 in., pot-grown. 60 5 00 10 to 12 in., pot-grown. 11 to 18 in., pot-grown. 12 to 15 in., pot-grown. 13 to 18 in., pot-grown. 14 to 15 in., pot-grown. 15 to 18 in., pot-grown. 16 to 8 ft. 17 to 18 in., pot-grown. 18 to 10 in., pot-grown. 19 to 18 in., pot-grown. 20 to 19 to 19 in., pot-grown. 21 to 15 in., pot-grown. 22 to 15 in., pot-grown. 23 to 4 ft. 24 to 5 ft. 25 to 6 ft. 25					
1½ to 2 ft., pot-grown			70	6	00
Second S					
6 to 8 in., pot-grown. 50 4 00 8 to 10 in., pot-grown. 75 6 00 10 to 12 in., pot-grown. 75 6 00 nicrophylla glacialis. 1½ to 2 ft. 6 to 8-in. spread, pot-grown. 55 4 50 8 to 10-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 65 5 50 nicrophylla thymifolia. 2 to 3 ft. 6 to 8 in., pot-grown. 65 5 50 nicrophylla thymifolia. 2 to 3 ft. 6 to 8 in., spread, pot-grown. 60 5 00 nicrophylla thymifolia. 2 to 3 ft. 6 to 8 in., spread, pot-grown. 65 5 50 nicrophylla thymifolia. 2 to 3 ft. 6 to 8 in. spread, pot-grown. 65 5 50 8 to 10-in. spread, pot-grown. 65 5 50 8 to 10-in. spread, pot-grown. 65 5 50 8 to 10-in. spread, pot-grown. 65 5 50 10 to 12 in., pot-grown. 80 6 50 10 to 12 in., pot-grown. 80 6 50 10 to 12 in., pot-grown. 80 6 50 115 to 18 in., pot-grown. 80 6 50 12 to 15 in., pot-grown. 80 6 50 13 to 18 in., pot-grown. 80 6 50 15 to 18 in., pot-grown. 85 7 00 10 to 12 in., pot-grown. 75 6 00 10 to 12 in., pot-grown. 75 6 00 10 to 12 in., pot-grown. 85 7 00 CRATEGUS Carrierei. 18 to 20 ft. 25 10 to 6 ft. 1 0 10 10 10 10 10 10 10 10 10 10 10 10					
8 to 10 in., pot-grown. 75 6 00 nicrophylla glacialis. 1½ to 2 ft. 6 to 8-in. spread, pot-grown. 55 4 50 10 to 12-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 65 5 50 10 to 12-in. spread, pot-grown. 60 5 00 nicrophylla thymifolia. 2 to 3 ft. 6 to 8 in., pot-grown. 60 5 00 nicrophylla thymifolia. 2 to 3 ft. 6 to 8 in., pot-grown. 60 5 00 nicrophylla thymifolia. 2 to 3 ft. 6 to 8 in., pot-grown. 65 5 50 nocumbens. 1½ to 2 ft. 6 to 8-in. spread, pot-grown. 65 5 50 nacemiflora Veitchi (soongarica). 5 to 6 ft. 8 to 10 in., pot-grown. 65 5 50 notundifolia. 1½ to 2 ft. 8 noundleaf Cotoneast 65 5 50 10 to 12 in., pot-grown. 80 6 50 10 to 12 in., pot-grown. 80 6 50 15 to 18 in., pot-grown. 90 7 50 nalicifolia. 1½ to 2 ft. 8 noundleaf Cotoneast 12 to 15 in., pot-grown. 90 7 50 nalicifolia floccosa. 6 to 8 ft. 6 raceful Willowleaf Cotoneast 8 to 10 in., pot-grown. 95 8 00 nalicifolia floccosa. 6 to 8 ft. 6 raceful Willowleaf Cotoneast 8 to 10 in., pot-grown. 95 8 00 nalicifolia floccosa. 6 to 8 ft. 6 raceful Willowleaf Cotoneast 8 to 10 in., pot-grown. 85 7 00 CRATÆGUS Carrierei. 18 to 20 ft. 25 18 50 6 to 8 ft. 12 to 15 ft. 15 15 11 60 13 00 5 to 6 ft. 15 15 15 15 15 15 15 15 15 15 15 15 15					
10 to 12 in., pot-grown 75					
	10 to 12 in not-grown				
6 to 8-in. spread, pot-grown. 55	nicrophylla glacialis 11/6 to 2 ft				
8 to 10-in. spread, pot-grown. 80 6 50 nicrophylla thymifolia . 2 to 3 ft. 6 to 8 in., pot-grown. 80 6 50 roccumbens. 1½ to 2 ft. 6 to 8-in. spread, pot-grown. 60 5 00 8 to 10-in. spread, pot-grown. 65 5 50 acemiflora Veitchi (soongarica). 5 to 6 ft. 8 to 10-in. spread, pot-grown. 65 5 50 acemiflora Veitchi (soongarica). 5 to 6 ft. 8 to 10-in. pot-grown. 80 6 50 otundifolia. 1½ to 2 ft. Roundleaf Cotoneast. 12 to 15 in., pot-grown. 80 6 50 otundifolia. 1½ to 2 ft. Roundleaf Cotoneast. 12 to 15 in., pot-grown. 90 7 50 alicifolia. 6 to 8 ft. Willowleaf Cotoneast. 12 to 15 in., pot-grown. 90 7 50 alicifolia floccosa. 6 to 8 ft. Willowleaf Cotoneast. 12 to 15 in., pot-grown. 95 8 00 alicifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneast. 8 to 10 in., pot-grown. 75 6 00 alicifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneast. 8 to 10 in., pot-grown. 75 6 00 alicifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneast. 8 to 10 in., pot-grown. 75 6 00 alicifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneast. 8 to 10 in., pot-grown. 75 6 00 CRATÆGUS Carrierei. 18 to 20 ft. 25 CRATÆGUS Carrierei. 18 to 20 ft. 25 Crus-galli. 2 to 15 ft. 3 5 11 00 4 to 5 ft. 1 50 15 ft. 3 5 10 00 ato 4 ft. 25 5 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 6 to 8 ft. 25 50 20 00 6 to 8 ft. 3 00 25 00 A to 5 ft. 5 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 25 50 20 00 ordata. 12 to 15 ft. 15 50 25 22 50 00 ordata. 12 to 15 ft. 15 50 25 22 50 00 ordata. 12 to 15 ft. 15 50 25 22 50 00 ordata. 12 to 15 ft. 15 50 25 22 50 00 ordata. 12 to 15 ft. 15 50 25 22 50 00 ordata. 12 to 15 ft. 15 50 25 22 50 00 ordata. 12 to 15 ft. 15 50 25 2					
10 to 12-in. spread, pot-grown. 80 6 50 Thyme Cotoneast 6 to 8 in., pot-grown. 60 5 00 5 0				ŧ	50
Thyme Cotoneast					
6 to 8 in., pot-grown	nicrophylla thymifolia 2 to 3 ft				e Cotoneast
Stot 1/2 10 2 11 12 15 15 15 15 15				Ingni	00
6 to 8-in. spread, pot-grown. 65 5 50 8 to 10-in. spread, pot-grown. 65 5 50 accemiflora Veitchi (soongarica). 5 to 6 ft. 8 to 10 in., pot-grown. 65 5 50 10 to 12 in., pot-grown. 80 6 50 otundifolia. 1½ to 2 ft. Roundleaf Cotoneast. 12 to 15 in., pot-grown. 80 6 50 alicifolia. 6 to 8 ft. Willowleaf Cotoneast. 12 to 18 in., pot-grown. 80 6 50 alicifolia. 6 to 8 ft. Willowleaf Cotoneast. 12 to 18 in., pot-grown. 90 7 50 alicifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneast. 8 to 10 in., pot-grown. 95 8 00 alicifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneast. 8 to 10 in., pot-grown. 75 6 00 10 to 12 in., pot-grown. 85 7 00 CRATÆGUS Carrierei. 18 to 20 ft. Carriere Hawthor. 3 to 4 ft. 125 occinea. 12 to 15 ft. Picket Hawthor. 1 25 occinea. 12 to 15 ft. 160 13 00 5 to 6 ft. 2 25 18 50 6 to 8 ft. 3 50 29 00 ordata. 12 to 15 ft. Washington Thor. 5 to 6 ft. 2 50 20 00 6 to 8 ft. 3 00 25 00 8 to 8 ft. 3 00 25 00 6 to 8 ft. 4 to 5 ft. 25 5 to 6 ft. 2 5 5			00	3	00
8 to 10-in. spread, pot-grown			55	4	50
Sto 10 in., pot-grown Sto 6 ft. Coral-fruited Cotoneast					
Coral-fruited Cotoneast S to 10 in., pot-grown S	encemiflora Veitchi (soongarica) 5 to f	f+	05	3	50
8 to 10 in., pot-grown	aceiminora vertein (soongarica). 5 to 0		ral.	fraite	d Cotoneast
10 to 12 in., pot-grown	8 to 10 in not move	C			
Cotundifolia. 1	10 to 19 in pot-grown	•			
12 to 15 in., pot-grown					
15 to 18 in., pot-grown	12 to 15 in not grown				
Ralicifolia. 6 to 8 ft. Willowleaf Cotoneasts 12 to 15 in., pot-grown 95					
12 to 15 in., pot-grown 95 8 00 13 to 18 in., pot-grown 95 8 00 13 licifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneast 8 to 10 in., pot-grown 75 6 00 10 to 12 in., pot-grown 85 7 00 CRATÆGUS Carrierei. 18 to 20 ft. Carriere Hawthon 3 to 4 ft. 1 25 10 cocinea. 12 to 15 ft. Picket Hawthon 4 to 5 ft. 1 60 13 00 10 to 8 ft. 1 60 13 00 10 to 9 to 6 ft. 1 60 13 00 10 to 12 in., pot-grown 1 60 13 00 11 to 12 in., pot-grown 1 60 13 00 12 to 6 ft. 1 60 13 00 13 to 4 ft. 1 60 13 00 14 to 5 ft. 1 60 13 00 15 to 6 ft. 1 25 18 50 16 to 8 ft. 1 3 50 29 00 16 to 8 ft. 1 3 50 29 00 17 to 6 to 8 ft. 1 3 50 29 00 18 to 10 ft. 1 4 50 37 50 18 to 10 ft. 1 5 to 6 ft. 1 2 55 18 to 6 ft. 1 5 to 18 ft. 17 5 14 50 18 to 5 to 6 ft. 1 2 5 18 50 18 to 6 ft. 1 2 5 18 50 18 to 6 ft. 1 2 5 18 50 18 to 6 ft. 1 5 to 18 ft. 15 to 18 ft. 15 to 6 ft. 17 5 14 50 19 to 6 to 8 ft. 1 1 50 12 50 19 to 6 to 8 ft. 1 1 50 12 50 19 to 6 to 8 ft. 1 1 50 12 50 19 to 6 to 8 ft. 1 1 50 12 50 19 to 6 ft. 1 1 50 12 50 19 to 6 ft. 1 1 50 12 50 19 to 6 ft. 1 1 50 12 50 19 to 6 ft. 1 2 50 19 to 6 ft. 1 2 50 19 to 6 ft. 1 2 50 19 to 6 ft. 1 1 50 12 50 19 to 6 ft. 1 2 50 19 to 6 ft. 1 2 50 19 to 6 ft. 1 2 50		٠. ١			
15 to 18 in., pot-grown		,		6	50
Ralicifolia floccosa. 6 to 8 ft. Graceful Willowleaf Cotoneasts 8 to 10 in., pot-grown 75 6 00 10 to 12 in., pot-grown 85 7 00 CRATÆGUS Carrierei. 18 to 20 ft. Carriere Hawthor 3 to 4 ft. 1 25 1				8	00
8 to 10 in., pot-grown	salicifolia floccosa 6 to 8 ft Grace	 oful]			
10 to 12 in., pot-grown. 85 7 00 CRATÆGUS Carrierei. 18 to 20 ft. 125 Soccinea. 12 to 15 ft. 150 13 11 00 4 to 5 ft. 160 13 00 5 to 6 ft. 160 13 00 5 to 6 ft. 17 5 18 50 6 to 8 ft. 17 5 10 5 10 6 to 8 ft. 18 50 10 ft. 18 50 6 to 8 ft. 18 50 6	8 to 10 in not-grown	sjac i			
CRATÆGUS Carrierei. 18 to 20 ft. 3 to 4 ft	10 to 12 in not-grown				
3 to 4 ft. 1 25 occinea. 12 to 15 ft. 1 35 11 00 4 to 5 ft. 1 60 13 00 5 to 6 ft. 2 25 18 50 6 to 8 ft. 3 50 29 00 ordata. 12 to 15 ft. Washington Thor 5 to 6 ft. 2 50 20 00 6 to 8 ft. 3 00 25 00 8 to 10 ft. 4 50 37 50 Crus-galli. 20 to 25 ft. Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei. 20 ft. Lavalle's Hawthon Very large scarlet fruit about 34 in. diam. Very lustrous, leathery foliage. 3 to 4 ft. 1 75 14 50 5 to 6 ft. 2 25 18 50 5 to 6 ft. 2 25 18 50 5 to 6 ft. 1 2 25 18 50 5 to 6 ft. 1 2 25 18 50 5 to 6 ft. 1 2 75 22 50 nollis. 15 to 18 ft. Downy Hawthon Dayacantha. 12 to 15 ft. Two-stone English Hawthon 2 to 3 ft. 75 6 25 3 to 4 ft. 1 50 12 50 Dayacantha albo-plena. 15 ft. Double White English Hawthon Dayacantha albo-plena. 15 ft. Double White English Hawthon	10 to 12 m., pot-grown	• •	00	•	00
3 to 4 ft	CRATÆGUS Carrierei. 18 to 20 ft.		(Carrier	re Hawthon
Picket Hawthon 3 to 4 ft.		1			0 11000000
3 to 4 ft. 1 35 11 00 4 to 5 ft. 1 60 13 00 5 to 6 ft. 2 25 18 50 6 to 8 ft. 3 50 29 00 cordata. 12 to 15 ft. Washington Thor 5 to 6 ft. 2 50 20 00 6 to 8 ft. 3 00 25 00 8 to 10 ft. 4 50 37 50 Crus-galli. 20 to 25 ft. Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei. 20 ft. Lavalle's Hawthor Crusy large scarlet fruit about 3/4 in. diam. Very lustrous, leathery foliage. 3 to 4 ft. 1 75 14 50 4 to 5 ft. 2 25 5 to 6 ft. 2 25 18 50 5 to 6 ft. 1 2 25 18 50 5 to 6 ft. 1 2 25 18 50 5 to 6 ft. 1 2 25 18 50 5 to 6 ft. 1 2 25 18 50 5 to 6 ft. 1 2 5 10 00 Crusyacantha. 12 to 15 ft. Two-stone English Hawthor Crusyacantha 12 to 15 ft. Two-stone English Hawthor Crusyacantha 15 ft. Double White English Hawthor Crusyacantha 15 to 6 ft. 150 12 50 Crusyacantha 150 15 to 6 ft. 150 12 50 Crusyacantha 150 15 to 6 ft. 150 12 50 Crusyacantha 150 15 to 15 to 15 to 15 to 6 ft. 150 12 50 Crusyacantha 150 15 to 15 t	occinea. 12 to 15 ft.			Pick	et Hawthor
4 to 5 ft. 1 60 13 00 5 to 6 ft. 2 25 18 50 6 to 8 ft. 3 50 29 00 cordata. 12 to 15 ft. Washington Thor 5 to 6 ft. 2 50 20 00 6 to 8 ft. 3 00 25 00 8 to 10 ft. 4 50 37 50 Crus-galli. 20 to 25 ft. Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 6 to 8 ft. 4 00 32 50 Crus-galli. 20 ft. Lavalle's Hawthor Crus-galli. 20 ft. 1 75 14 50 A to 5 ft. 2 25 18 50 5 to 6 ft. 2 25 18 50 5 to 6 ft. 2 25 18 50 Crus-galli. 20 ft. 1 1 50 Crus-galli. 20 15 ft. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	35		
5 to 6 ft. 2 25 18 50 6 to 8 ft. 3 50 29 00 ordata. 12 to 15 ft. Washington Thor 5 to 6 ft. 2 50 20 00 6 to 8 ft. 3 00 25 00 8 to 10 ft. 4 50 37 50 Crus-galli. 20 to 25 ft. Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei. 20 ft. Lavalle's Hawthor Very large scarlet fruit about 34 in. diam. Very lustrous, leathery foliage. 1 75 14 50 3 to 4 ft. 1 75 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 nollis. 15 to 18 ft. Downy Hawthor 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dygacantha albo-plena. 15 ft. Double White English Hawthor 5 to 6 ft. 2 00					
6 to 8 ft. 3 50 29 00 ordata. 12 to 15 ft. Washington Thor 5 to 6 ft. 2 50 20 00 6 to 8 ft. 3 00 25 00 8 to 10 ft. 4 50 37 50 Crus-galli. 20 to 25 ft. Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei. 20 ft. Lavalle's Hawthor Very large scarlet fruit about 34 in. diam. Very lustrous, leathery foliage. 3 to 4 ft. 175 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 1 2 25 18 50 5 to 6 ft. 1 2 5 50 Oxyacantha. 12 to 15 ft. Two-stone English Hawthor 2 to 3 ft. 75 6 25 3 to 4 ft. 1 50 12 50 Oxyacantha albo-plena. 15 ft. Double White English Hawthor 5 to 6 ft. 2 00					
ordata. 12 to 15 ft. Washington Thor 5 to 6 ft. 2 50 20 00 20 6 to 8 ft. 3 00 25 00 3 7 50 8 to 10 ft. 4 50 37 50 Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 6 to 8 ft. Lavalle's Hawthor Lavalle's Hawthor .avallei. 20 ft. Lavalle's Hawthor Lavalle's Hawthor 2 25 18 50 5 to 4 ft. 1 75 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 5 to 6 ft. 2 00 Downy Hawthor 5 to 6 ft. 2 00 2 00 5 to 6 ft. 1 25 10 00 4 to 5 ft. 1 25 10 00 4 to 5 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 2 00	6 to 8 ft				
5 to 6 ft. 2 50 20 00 6 to 8 ft. 3 00 25 00 8 to 10 ft. 4 50 37 50 Crus-galli. 20 to 25 ft. Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei. 20 ft. Lavalle's Hawthor Very large scarlet fruit about ¾ in. diam. Very lustrous, leathery foliage. 1 75 14 50 3 to 4 ft. 1 75 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 nollis. 15 to 18 ft. Downy Hawthor 5 to 6 ft. 2 00 Dxyacantha. 12 to 15 ft. Two-stone English Hawthor 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dxyacantha albo-plena. 15 ft. Double White English Hawthor 5 to 6 ft. 2 00	_				
6 to 8 ft. 3 00 25 00 8 to 10 ft. 4 50 37 50 Crus-galli 20 to 25 ft. Cockspur Thor 4 to 5 ft. 2 25 5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei 20 ft. Lavalle's Hawthor Very large scarlet fruit about ¾ in. diam. Very lustrous, leathery foliage. 3 to 4 ft. 175 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 nollis. 15 to 18 ft. Downy Hawthor 5 to 6 ft. 2 to 3 ft. 75 6 25 3 to 4 ft. 150 12 50 Oxyacantha. 12 to 15 ft. Two-stone English Hawthor 2 to 3 ft. 75 6 25 3 to 4 ft. 150 12 50 Oxyacantha albo-plena. 15 ft. Double White English Hawthor 5 to 6 ft. 2 00		2	50		
8 to 10 ft					
Crus-galli. 20 to 25 ft. 2 25 4 to 5 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei. 20 ft. Lavalle's Hawthor Very large scarlet fruit about 3/4 in. diam. Very lustrous, leathery foliage. 3 to 4 ft. 175 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 nollis. 15 to 18 ft. Downy Hawthor 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dayacantha. 12 to 15 ft. Two-stone English Hawthor 2 to 3 ft. 1 50 12 50 Dayacantha 15 ft. Double White English Hawthor 5 to 6 ft. 2 00					
4 to 5 ft			-		
5 to 6 ft. 3 00 25 00 6 to 8 ft. 4 00 32 50 Lavallei. 20 ft. Lavalle's Hawthor Very large scarlet fruit about 3/4 in. diam. Very lustrous, leathery foliage. 1 75 14 50 3 to 4 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 1 oollis. 15 to 18 ft. 2 00 Downy Hawthor 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dowgacantha albo-plena. 15 ft. Double White English Hawthor 5 to 6 ft. 2 00	4 to 5 ft	2	25	000	kspur 1 noi
6 to 8 ft				25	00
Lavallei. 20 ft. Lavalle's Hawthon Very large scarlet fruit about 34 in. diam. Very lustrous, leathery foliage. 3 to 4 ft. 1 75 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 nollis. 15 to 18 ft. Downy Hawthon 5 to 6 ft. 2 00 Downy Hawthon 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dygacantha albo-plena. 15 ft. Double White English Hawthon 5 to 6 ft. 2 00					
Very large scarlet fruit about ¾ in. diam. Very lustrous, leathery foliage. 3 to 4 ft					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			L	avane	s Hawinor
3 to 4 ft. 1 75 14 50 4 to 5 ft. 2 25 18 50 5 to 6 ft. 2 75 22 50 nollis. 15 to 18 ft. Downy Hawthon 5 to 6 ft. 2 00 Dxyacantha. 12 to 15 ft. Two-stone English Hawthon 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dxyacantha albo-plena. 15 ft. Double White English Hawthon 5 to 6 ft. 2 00	diam Vary lustrous losthors folia-	11.			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1	75	1.4	50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					
Double White English Hawthon 5 to 6 ft. 2 00 Dxyacantha. 12 to 15 ft. Two-stone English Hawthon 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dxyacantha albo-plena. 15 ft. Double White English Hawthon 5 to 6 ft. 2 00					
5 to 6 ft. 2 00 Oxyacantha. 12 to 15 ft. Two-stone English Hawthon 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Oxyacantha albo-plena. 15 ft. Double White English Hawthon 5 to 6 ft. 2 00		2	75	-	
Dxyacantha. 12 to 15 ft. Two-stone English Hawthon 2 to 3 ft. 75 6 25 3 to 4 ft. 1 25 10 00 4 to 5 ft. 1 50 12 50 Dxyacantha albo-plena. 15 ft. Double White English Hawthon 5 to 6 ft. 2 00	noins. 15 to 18 it.	_	~~	Down	ay Hawthor
3 to 4 ft	0 to 0 it	2	00	77 7.	7 **
3 to 4 ft	Expansion 12 to 15 ft. Tu	vo-sta	me	Englis	Bh_Hawthon
4 to 5 ft	2 to 3 ft		75	6	25
Oxyacantha albo-plena. 15 ft. Double White English Hawthon 5 to 6 ft 2 00	3 to 4 ft	1	25	10	00
5 to 6 ft 2 00	4 to 5 ft	1	50	_ 12	50
5 to 6 ft 2 00	T 100 0 110		ita	H'malis	sh Hawthor
xyacantna, Charles X. Scarlet English Hawthon	Oxyacantha albo-plena. 15 ft. $Doubl$	e W h	ine	Linging	110000
	Oxyacantha albo-plena. 15 ft. Double 5 to 6 ft	2	00		

F	ach	Per 10 Per 100
Cratægus Oxyacantha Pauli. 12 to 15 ft.		
9 10 0 10	,	English Hawthorn
6 to 8 ft. Oxyacantha, Princeps Simplex. Double Sco.	50	
Oxyacantha rosea plena. 12 to 15 ft. Double	Pink	English Hawthorn
punctata. 20 to 25 ft.	2 50	Dotted Hawthorn
3 to 4 ft	25	10 00
4 to 5 ft	50	12 50 19 00
CRYPTOMERIA japonica dacrydioides. 2	0 to	25 ft.
2 to 2½ ft. B&B		Fern Cryptomeria
7 to 8 ft, B&B	50	10 00 105 00
japonica Lobbi. 20 to 25 ft. 2 to 3 ft. B&B	1	Lobb's $Cryptomeria$
8 to 10 ft, B&B	00	12 50 85 00
10 to 12 ft. B&B	00	
CYDONIA japonica. 3 to 5 ft.	30	Flowering Quince 2 50 \$20 00
3 to 4 ft	45	3 75 30 00
japonica alba. 3 to 5 ft. 1½ to 2 ft	W hi	te-flowering Quince
japonica rosea. 5 to 6 ft. 15 to 18 in.	Pir	k-flowering Quince
13 to 18 in	40 50	3 25 4 00
2 to 3 ft	90	7 50
CYTISUS scoparius. 5 to 6 ft. Pot-grown plants	50	Scotch Broom 4 00
DAPHNE Cneorum. 12 to 18 in.		$Rose\ Daphne$
9 to 12-in. diam	85 25	7 00 10 00
Genkwa. 3 ft.		$Lilac\ Daphne$
	. 00	8 00 65 00
DESMODIUM. See Lespedeza. DIERVILLA trifida. 3 to 4 ft. Du	varf	Bush-Honeysuckle
1½ to 2 ft	30	2 50
ELÆAGNUS umbellata. 8 to 10 ft. 2 to 3 ft	45	Autumn Eleagnus 3 50
ENKIANTHUS campanulatus. 10 to 12 ft.		
15 to 18 in. B&B 1	. 25	10 00
1½ to 2 ft. B&B	90	15 00
EUONYMUS alatus. 6 to 8 ft.		$Winged\ Euonymus$
2 to 3 ft	60 00	
alatus compactus. 4 to 5 ft. Dw. 5 to 6-ft. specimen. B&B	50	w ingea Euonymas
Bungeanus. 12 to 14 ft. 3 to 4 ft	Win 50	terberry Euonymus 4 00
4 to 5 ft	60	5 00
patens. 8 to 10 ft. 2 to 3 ft	. Sp	reading Euonymus 8 00
radicans. 15 to 20 ft.	30	Wintercreeper 2 50 20 00
12 to 15 in., 2-yr	40	3 40 27 50
radicans Carrierei. 3 to 4 tt.	Gl: 40	ossy Wintercreeper 3 40
10 to 12 in., 3-yrradicans coloratus. 6 ft.	Pu	rple Wintercreeper
12 to 15 in., 2-yr \$175 per 1000. Strong, pot-grown plants.	30 40	2 50 20 00 3 40 27 50
radicans variegatus. 12 to 15 in. Varieg	ated- 40	leaf Wintercreeper 3 40 27 50
Strong, pot-grown plants	40	3 10 27 30
As a bush grows 3 to 4 ft.; as a vine		
against a wall it grows 10 to 12 ft. 10 to 12 in., pot-grown plants	45	3 75 30 00
EXOCHORDA Giraldi Wilsoni. 10 to 12 ft.		ilson's Pearl Bush
2 to 3 ft	45 55	3 50 4 50
grandiflora 10 to 12 ft.	$C\epsilon$	ommon Pearl Bush 3 00
2 to 3 ft	36 42	3 50
o 10 4 16		



Ginkgo biloba

	E	ach	Per 10 Per 100
FAGUS americana. 60 to 80 ft.			$American\ Beech$
4 to 5 ft. B&B			\$25 00
5 to 6 ft. B&B			30 00
6 to 8 ft. B&B	. 4	80	40 00
sylvatica. 75 to 100 ft.			$European\ Beech$
3 to 4 ft. B&B			12 50 \$100 00
4 to 5 ft. B&B			19 00 150 00
5 to 6 ft. B&B		40	28 00 225 00
6 to 8 ft. B&B		50	37 50 300 00
8 to 10 ft. B&B		00	65 00
10 to 12 ft. B&B	. 9	75	80 00
sylvatica Riversi. 60 to 80 ft. 6 to 7 ft. B&B	7	50	vers' Purple Beech
0 to / It. D&D	. ,	30	
FORSYTHIA intermedia. 6 to 8 ft.			$Border\ Forsythia$
3 to 4 ft		30	2 50
intermedia spectabilis. 8 to 9 ft.		show	$y\ Border\ For sythia$
3 to 4 ft		33	2 80 22 00
4 to 5 ft		40	3 40 27 00
6-ft. clumps	. 2	50	
ovata. 6 to 8 ft.	ore c	an G	oldenbell Forsythia
3 to 4 ft		60	5 00
suspensa. 4 to 6 ft.			$Weeping\ Forsythia$
2 to 3 ft		30	2 50 20 00
3 to 4 ft		38	3 25 25 00
suspensa Fortunei. 7 to 8 ft.		30	Fortune Forsythia
3 to 4 ft	•	30	2 50 20 00
FRANKLINIA (Gordonia) alatamaha.			
1½ to 2 ft. B&B	. 1	. 35	
GINKGO biloba. 50 to 75 ft.			Maidenhair Tree
6 to 8 ft	. 1	50	13 50 125 00
8 to 10 ft		50	20 00 160 00
10 to 12 ft., 1½ to 1¾-in. cal		50	35 00 300 00
12 to 14 ft., 2 to 2½-in. cal			50 00 400 00
12 to 14 ft., 2½ to 3-in. cal			
biloba fastigiata. 60 to 80 ft.	Co	lum	n Maidenhair Tree
biloba fastigiata. 60 to 80 ft. 5 to 6 ft	. 1	50	
6 to 7 ft		25	
GLEDITSIA triacanthos. 60 to 70 ft.		0	
4 to 5 ft		<i>∵om</i> 75	mon Honey Locust
5 to 6 ft		75 00	
		. 00	
HALESIA tetraptera. 12 to 15 ft.			$Great\ Silverbell$
8 to 10 ft	. 1	50	

,		11. 0.	
HAMAMELIS japonica. 20 to 30 ft.	Japan	Per 10 ese Witch \$9 00	
3 to 4 ft	Chin 25	10 00 ese Witch 10 00	h- Hazel
vernalis. 6 to 8 ft	Ver	nal Witc	h- Hazel
virginiana. 10 to 12 ft. 2 to 3 ft		non Witc 4 00	h- Hazel
3 to 4 ft	60 90 35	5 00 7 50 11 00	
HEDERA Helix. 20 to 50 ft. 3-in. pots, ready for transplanting or re-			glish Ivy
potting\$85 per 1000 4 to 4½-in. pots, 2 to 3 ft 4½-in. pots, 2½ to 3 ft., staked 7-in. pots, 5 to 6 ft., staked, specimen 7-in. pots, 6 to 7 ft., staked, specimen Helix baltica.		1 25 2 75 3 50 17 00 20 00	\$10 00 22 50 27 50 135 00 160 00 altic Ivy
4-in. pots. Helix gracilis. 8 to 10 ft. 2½-in. pots. 3-in. pots.	40 Small 25 35	3 50 l -leaf Eng	25 00
HIBISCUS SYRIACUS. 10 to 12 ft. Shrub Anemonæflorus. Double; pink.	Altheo	ı; Rose o	f Sharon
Extra-heavy standards, 2-ft. stem, crown 4 to 5 ft. high	2 25		
Ardens. Double; rose-violet.	30	2 50	
Extra-heavy standards, 2-ft. stem, crown 4 to 5 ft. high	2 25		
2 to 3 ft	30	2 50	
2 to 3 ft Extra-heavy standards, 2-ft. stem, crown	30	2 50	20 00
4 to 5 ft. high Pulcherrimus. Double; pink with crimson center.	2 25		
2 to 3 ft	30	2 50	udnamaea
HYDRANGEA hortensis, Blue. 4 to 5 ft. Extra-strong, field-grown clumps. B&B opuloides acuminata. 4 to 5 ft. Hardy U	1 80 Inriah	15 00 t Blue H	ydrangea ydrangea
1½-ft., field-grown plants. B&B	Hardi	y Blue H	ydrangea
Extra-fine, field-grown plants. B&B	1		ydrangea
2 to 3 ftpaniculata grandiflora. 8 to 10 ft.	36	3 00	ydrangea
2 to 3 ftpetiolaris. 35 to 40 ft. Vine. Strong, pot-grown plants	Cli 80	mbing H 6 50	!ydrangea
ILEX aquifolium. 10 to 12 in., 6-in. pots	1 00	8 50	ish Holly ese Holly
cornuta. 10 ft. 3 to 4-ft. specimen. B&B	6 00 8 50	Chin	ese mong
crenata. 8 to 10 ft.	1 50	12 50	
1½ to 2 ft. B&B	2 00 2 65 3 40 4 50	17 00 22 00 28 00 37 50	175 00 225 00
crenata convexa (bullata). 3 to 4 ft. 8 to 10 in. B&B		af Japan 8 50	nese Holly 75 0 0
12 to 15 in. B&B	1 33	11 00 16 00	
crenata Fortunei. 10 to 12 ft.	ι.	17 00	`
1½ to 2 ft. B&B	2 65 3 40	22 00 28 00))



Ilex crenata (Japanese Holly)

	E	ach	Per 10 Per 100
Ilex crenata microphylla. 6 to 8 ft.	Lit	tlelee	of Japanese Holly
8 to 10 in. B&B	90	25	\$7 50 \$60 00
		25	• • • • • • • • • • •
12 to 15 in. B&B		25	10 50
15 to 18 in. B&B		75	14 00
1½ to 2 ft. B&B	. 2	50	20 00
2 to 21% ft B&B	3	00	25 00
2 to 2½ ft. B&B	. 3	75	31 00
	. э	13	
glabra. 5 to 6 ft.			Inkberry
15 to 18 in. B&B	. 1	45	12 00
1½ to 2 ft. B&B	. 2	20	18 00
verticillata. 7 to 9 ft.			Winterberry
		1 =	
2 to 3 ft		45	3 50
3 to 4 ft		60	
JASMINUM nudiflorum. 4 to 5 ft.			$Winter\ Jasmine$
Strong, pot-grown plants		55	4 50 35 00
JUNIPERUS chinensis. 15 to 20 ft.			$Chinese\ Juniper$
6 to 7 ft ReR	5	50	Cititiede & antipei
6 to 7 ft. B&B	٠ ۾		<i>αι</i> · · · ·
chinensis columnaris. 18 to 23 ft.	Co		n Chinese Juniper
8 to 10 it. B&B	. 9	50	
chinensis columnaris viridis. 18 to 20 ft	t.		
		lum	n Chinese Juniper
C. L. O. C. D. D.	100	cam.	a Catalese 5 antper
6 to 8 ft. B&B	. 0	50	
8 to 10 ft. B&B	. 9	50	
ahinansis Fartunai 19 to 15 ft			$Fortune\ Juniper$
5 to 6 ft. B&B	5	50	2 ortante o antiper
6 to 7 tt. DaD	. 5		
6 to 7 ft. B&B	. 7	00	
chinensis japonica. 4 to 5 ft.			$Japanese\ Juniper$
3 to 4 ft. B&B	. 4	00	
chinensis neaboriensis. 8 to 10 ft.	C_{ℓ}	mice	d Chinese Juniper
5 to 6 ft. B&B	1		a camere o aniper
	. 4	UU	
chinensis oblonga. 10 to 12 ft.			011
			$Oblong\ Juniper$
7 to 8 ft. B&B	. 8	00	$Oblong\ Juniper$
7 to 8 ft. B&B 5 to 6 ft	. 8	00	
chinensis Pfitzeriana. 5 to 6 ft.			Pfitzer $Juniper$
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B	. 1	75	Pfitzer Juniper 14 50
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B	. 1	75 50	Pfitzer Juniper 14 50 20 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B	. 1	75 50	Pfitzer Juniper 14 50 20 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B	. 1 . 2	75 50	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B.	. 1 . 2 . Ca	75 50 mpe	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B.	. 1 . 2 . Ca . 2 . 2	75 50 mpo 00 75	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B.	. 1 . 2 . Co . 2 . 2 . 3	75 50 mpe 00 75 25	Pfitzer Juniper 14 50 20 00 20 Pfitzer Juniper 16 50 22 50 27 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B.	. 1 . 2 . Co . 2 . 2 . 3	75 50 mpe 00 75 25	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B.	. 1 . 2 . Co . 2 . 2 . 3	75 50 mpo 00 75 25	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Iorizontal Juniper
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B.	. 1 . 2 . Co . 2 . 2 . 3	75 50 00 75 25 H	Pfitzer Juniper 14 50 20 00 20 Pfitzer Juniper 16 50 22 50 27 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B.	. 1 . 2 . Co . 2 . 2 . 3	75 50 mpo 00 75 25	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Horizontal Juniper 9 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B.	. 1 . 2 . Ca . 2 . 3 . 3	75 50 00 75 25 10	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Iorizontal Juniper
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B. chinensis Sargenti. 1½ to 2 ft. 12 to 15-in. spread. B&B.	. 1 . 2 . Ca . 2 . 3 . 3	75 50 00 75 25 H	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Horizontal Juniper 9 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B. chinensis Sargenti. 1½ to 2 ft. 12 to 15-in. spread. B&B.	. 1 . 2 . Ca . 2 . 3 . 3	75 50 00 75 25 10	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Horizontal Juniper 9 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B. chinensis Sargenti. 1½ to 2 ft. 12 to 15-in. spread. B&B. 15 to 18-in. spread. B&B.	. 1 . 2 . Ca . 2 . 3 . 1 . 4	75 50 00 75 25 10 00 25 75	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Horizontal Juniper 9 00 Sargent Juniper
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. 2 to 1½-ft. spread. B&B. 3 to 15-in. spread. B&B. 3 to 4-ft. spread. B&B. chinensis Sargenti. 1½ to 2 ft. 12 to 15-in. spread. B&B. 15 to 18-in. spread. B&B. communis depressa (canadensis). 15 to	. 1 . 2 . 2 . 2 . 3 . 1 . 4	75 50 00 75 25 10 00 25 75 in.	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Iorizontal Juniper 9 00 Sargent Juniper
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B. chinensis Sargenti. 1½ to 2 ft. 12 to 15-in. spread. B&B. 15 to 18-in. spread. B&B. communis depressa (canadensis). 15 to 18-in. diam. B&B.	. 1 . 2 . 2 . 2 . 3 . 1 . 4	75 50 00 75 25 10 00 25 75 in.	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Iorizontal Juniper 9 00 Sargent Juniper Canada Juniper 9 00
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B. chinensis Sargenti. 1½ to 2 ft. 12 to 15-in. spread. B&B. 15 to 18-in. spread. B&B. communis depressa (canadensis). 15 to 15 to 18-in. diam. B&B. 1½ to 2-ft. diam. B&B.	. 1 . 2 . Co	75 50 00 75 25 10 00 25 75 in. 10 65	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Iorizontal Juniper 9 00 Sargent Juniper
chinensis Pfitzeriana. 5 to 6 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. chinensis Pfitzeriana compacta. 4 ft. 15 to 18-in. spread. B&B. 1½ to 2-ft. spread. B&B. 2 to 2½-ft. spread. B&B. chinensis procumbens. 1 to 1½ ft. 15 to 18-in. spread. B&B. 3 to 4-ft. spread. B&B. chinensis Sargenti. 1½ to 2 ft. 12 to 15-in. spread. B&B. 15 to 18-in. spread. B&B. communis depressa (canadensis). 15 to 18-in. diam. B&B.	. 1 . 2 . Co	75 50 00 75 25 10 00 25 75 in. 10 65	Pfitzer Juniper 14 50 20 00 act Pfitzer Juniper 16 50 22 50 27 00 Iorizontal Juniper 9 00 Sargent Juniper Canada Juniper 9 00

	. , -	
Juniperus communis depressa plumosa. 1 t	o 2	
15 to 18-in. spread. B&B	00 Î	reading Juniper \$8 00 11 00
communis suecica. 20 to 22 ft. 1½ to 2 ft. B&B	00	Swedish Juniper
2 to 2½ ft. B&B	- (Creeping Juniper
15 to 18-in. spread. B&B	35	8 50 11 00 14 50
sabina fastigiata. 12 to 15 ft. 6 to 7 ft. B&B		
sabina tamariscifolia. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 12 to 15-in. spread. B&B	20	Tamarix Savin 10 00
15 to 18-in. spread. B&B		13 50 caly-leaf Juniper
15 to 18-in. spread. B&B 1 6	55	13 50
2 to 2½-ft, spread, B&B 2 2	25	
2½ tố 3-ft. spread. B&B	บบ าก	
squamata Meyeri, 6 to 8 ft.		$Meyer\ Juniper$
4 to 5 ft. B&B 0	00 50	
5 to 6 ft. B&B	7ari	egated Red Cedar
virginiana albo-spicata. 18 to 20 ft. 7 to 8 ft. B&B	50	
8 to 10 ft. B&B	50	Burk's $Cedar$
11/6 to 2 ft. B&B 1 V	00	8 00
10 to 12 ft. B&B	50	100 00 Cannart Cedar
4 to 5 ft. B&B 4		Carriar Cours
5 to 6 ft R&R		Goldtip Red Cedar
	25 °	oldiep Itea Ceaa
6 to 7 ft. B&B 0 :	50	Silver Red Cedar
virginiana glauca. 20 to 25 ft. 5 to 6 ft B&B	25	Suver Rea Ceaar
6 to 7 ft. B&B 0	50	01.1 0.1
virginiana globosa. 3 to 4 ft. 2½ to 3 ft. B&B	50	$Globe\ Cedar$
3 to 31/6 ft. B&B	50	54 00
inciniana Keteleeri. 16 to 18 ft.		Keteleer Cedar
5 to 6 ft. B&B	υu	57 50
0 to 10 ft B&B	00 50	80 00
10 to 12 ft. B&B		Smith's Juniper
7 4 5 E f + B 6 B	50 75	45 00
5 to 6 ft. B&B	For	untain Red Cedar
virginiana tripartita. 3 to 4 ft. B&B	50	
0.1.0.01		Mountain Laurel
KALMIA latifolia. 6 to 8 ft. 1½ to 2 ft. B&B	90 50	20 00 165 00
2 to 2½ tt. B&B		31 00 250 00
KERRIA japonica. 4 to 5 ft.	65	Kerria 5 25
2 to 2½ ftjaponica fl. 4 to 5 ft.	60	Double Kerria
1½ to 2 ft	60 75	5 00 6 00
2 to 3 it		Varnish Tree
KŒLREUTERIA paniculata. 25 to 30 ft.	85	7 00
6 to 8 ft	25	18 50
KOLKWITZIA amabilis. 6 to 8 ft.	36	Beauty Bush 3 00
t ADUDNIIM alninum, 30 ft.	10	Scotch Laburnum 9 00
9 to 1 ft	35	11 00
37 • 10 +0 19 ft		Toss Golden Chain
Longer racemes and hardier than		
	75	
F 1 = C f4	65 50	
6 to 8 ft	55	

16 Bobbink	& Atkin	s, East	Kuthe	rtord,	N. J.
			E	ach l	Per 10 Per 100
Laburnum vulga	are. 25 to 3	30 ft.			$Golden\ Chain$
3 to 4 ft			\$1	00 35	
4 to 5 ft 6 to 8 ft					
Watereri. 14 to	16 ft.			Wa	$terer\ Laburnum$
Very rare.			es of		
yellow bloom. 3 to 4 ft			1	75	
LARIX europæa					European Larch
5 to 6 ft. B	&B		4		32 50
6 to 8 ft. B	&B		5	50	44 00
10 to 12 ft. B 14 to 16 ft. B					82 50
LESPEDEZA bic			10		rub Bush Clover
4 to 5 ft				36	3 00
formosa. 8 to 10					ple Bush Clover
3 to 4 ft				45	3 50
LEUCOTHOE Ca 12 to 15 in. B				90	oping Leucothoe 7 50
15 to 18 in. B					10 00
LIGUSTRUM ar	nurense.	l2 to 15 ft			Amur Privet
$2 \text{ to } 3 \text{ ft.} \dots$				12	90 \$7 00
3 to 4 ft coriaceum. 4 to			· · · · · · · · · · · · · · · · · · ·	15 Iveraree	1 25 10 00 n Dwarf Privet
6 to 8 in., 3-i	n. pots			30	2 50
12 to 15 in..				60	5 00
3 to 3½ ft Ibolium. 8 to 10		• • • • • • • •	1	95	16 00 Ibolium Privet
2 to 3 ft				12	1 00
3 to 4 ft				15	1 20
Ibota. 8 to 10 ft. 1½ to 2 ft	•			15	Ibota Privet 1 20 8 00
$2 \text{ to } 3 \text{ ft.} \dots$				18	1 50 12 00
Ibota regelianur	m. 5 to 6 ft				Regel Privet
$1\frac{1}{2}$ to 2 ft				30 45	2 50 20 00
2 to 2½ ft 2½ to 3 ft				60	3 75 30 00 5 00 40 00
ovalifolium. 12	to 15 ft.				alifornia Privet
2 to 3 ft				77. */ D	60 5 00
2 to 3 ft				'пие Ве 30	ell Honeysuckle 2 50
3 to 4 ft				38	3 25 25 00
Heckrotti. 15 to Pot-grown pla	20 ft. Vine	.	Ever	bloomin	ng Honeysuckle
Henry 15 to 20	ft Wine			$H_{\alpha \alpha \alpha}$	a Homononaldo
Pot-grown pla japonica chinen	nts			45	3 75 30 00
japonica chinen	sis. 15 to 20	ft. Vine.	Purple	Japane	se Honeysuckle
Strong, pot-gre japonica Halliar	own piants.	ft. Vine	Hall's	45 Ianane	3 75 30 00
Strong plants,					
japonica reticul	ata aurea.	8 to 10 ft	Vine.	7	77 11
Strong, pot-gr	own plants	Y e	uownet .	<i>36</i>	se Honeysuckle
Maacki podocar				La	te Honeysuckle
3 to 4 ft				42	3 50
Morrowi. 6 to 8 2 to 3 ft				<i>M orro</i> 30	w Honeysuckle 2 50
3 to 4 ft				36	3 00
sempervirens. 1					et Honeysuckle
3-yr., f eld-gro tatarica grandifi				60 Rmi	5 00 de Honeysuckle
2 to 3 ft				30	2 50
3 to 4 ft				36	3 00
MAGNOLIA Fra				F	raser Magnolia
White flowe 14 to 16 ft. B			15	00	
glauca. 15 to 20			10	00	Sweet Bay
White.			_		
2 to 3 ft 3 to 4 ft			1 1		9 50 75 00 15 00 125 00
4 to 5 ft. B&I	3		2		15 00 125 00 22 50 180 00
5 to 6 ft. B&I	3		3	65	30 00 240 00
6 to 8 ft. B&I Kobus. 20 to 30			5		42 50 335 00
White.	10.			K	Kobus Magnolia
5 to 6 ft. B&	\mathbf{B}			50	
	B			00	
8 to 10 ft. B&	B	• • • • • • • • •	10	. 00	


A Most Complete Collection of I	Ma	gnolias 17
Magnolia Soulangeana. 15 to 18 ft. White, purplish outside.	ch	Per 10 Per 100 Saucer Magnolia
3 to 4 ft. B&B. \$2 4 to 5 ft. B&B. 3 5 to 6 ft. B&B. 5 6 to 8 ft. B&B. 7 10 to 12-ft. specimen. B&B. 20	60 50 00 00	\$22 50 30 00 45 00 57 50
6 to 8 ft. B&B 7	90 00 00 50	
Soulangeana Alexandrina. 15 to 18 ft. Darker and blooms five days later than Soulangeana.		exander Magnolia
	50	25 00 36 00 54 00 70 00
Similar to, but lighter than Soulangeana. 4 to 5 ft. B&B	75 00 50	Lenne Magnolia
Deep crimson inside, white outside 2 to 3 ft. B&B	60	20 00 30 00
Striped purple outside, white inside. 3 to 4 ft. B&B	25 25	l Saucer Magnolia 27 00
5 to 6 ft. B&B	50 85	Star Magnolia
	75 75	
Light pink Star Magnolia. Vigorous grower. Light pink.	75	
tripetala. 35 to 40 ft.	50 500 500	42 00 50 00
MAHONIA Aquifolium. 5 to 6 ft. 1½ to 2 ft. B&B. 1 2 to 2½ ft. B&B. 2	60	13 00 19 00
MALUS Arnoldiana. 10 to 12 ft. White flowers tinged pink. Yellow fruit. 3 to 4 ft	75	
5 to 6 ft	l 10 l 35	
Deep carmine flowers. 3 to 4 ft	1 05 1 20 1 65	10 00
White flowers. Yellow fruit. 4 to 5 ft	1 20 1 60 2 40 3 00	13 50 20 00
coronaria. 15 to 18 ft. Pink or rosy red flowers.	1 00	Wild Sweet-Crab
5 to 4 ft	1 20	10 00
Eleyi. 18 to 20 ft. 4 to 5 ft	1 25	

18 Flowering Crab-Apples Are Glorious in Bloom

	Each	
Malus, Eva Rathke. 10 to 12 ft.		Teeping Crab-Apple
Forms a picturesque tent-like tree cov		
ered with clusters of pinkish white flowers followed by rather large, edible fruits		
Standards, 5-ft. stem, crown 3 x 3 ft	\$4 00	
floribunda. 12 to 15 ft.		ese Flowering Crab
Bud red, opening to pink. Yellow fruit	· o wpwn	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
3 to 4 ft	. 90	\$7 50 \$60 00
4 to 5 ft		11 00 85 00
5 to 6 ft	. 1 65	14 00 110 00
6 to 8 ft	. 2 25	D 1 (1)
Halliana Parkmani. 10 to 12 ft.		Parkman Crab
Semi-double; pink. 3 to 4 ft	1 25	
Hoppi. 12 to 15 ft.		Red-flowering Crab
Purple foliage and bloom; flowers large		itea-jiowering Crao
Fruit red-purple.	•	
5 to 6 ft	. 1 65	
ioensis plena. 12 to 15 ft.		$Bechtel\ Crab$
Double; pink.		
3 to 4 ft		
4 to 5 ft	. 1 60	$Redvein\ Crab$
Niedzwetzkyana. 12 to 15 ft. Deep pink flowers, fading white.		Reavern Crao
4 to 5 ft	. 90	7 50
5 to 6 ft		10 00
6 to 8 ft		12 50
prunifolia. 15 to 18 ft.		$Pearleaf\ Crab$
White flowers.		0.00
4 to 5 ft		8 00 13 00
5 to 6 ft		16 50
prunifolia robusta. 10 to 12 ft.	. 2 00	Cherry Crab
White or blush-pink flowers.		0
4 to 5 ft		8 00
5 to 6 ft		13 00
6 to 8 ft	. 2 00	16 50
White flowers. Fruit dark red.		Sargent Crab
4 to 5 ft	1 80	15 00
5 to 6 ft		20 00
Scheideckeri. 12 to 15 ft.		Scheidecker Crab
Large, double, light rose flowers.		
3 to 4 ft		7 50 60 00
4 to 5 ft		11 00 14 00
6 to 8 ft		11 00
Soulardi. 12 to 15 ft.		Soulard Crab
Blush-pink flowers. Yellow fruit.		
5 to 6 ft	1 65	14 00 110 00
6 to 8 ft		22 50 175 00
spectabilis. 12 to 15 ft. Coral-red buds, paling to delicate rose	Chines	e Flowering Crab
4 to 5 ft		
5 to 6 ft	1 65	
6 to 8 ft	. 2 25	18 50
theifera. 15 to 18 ft.		$Tea\ Crab$
Flowers white or pale pink. Fruit yel low with crimson cheek.	-	
4 to 5 ft	1 15	0.50 75.00
5 to 6 ft		9 50 75 00 12 50 100 00
6 to 8 ft		21 00 165 00
Zumi (Sieboldi) calocarpa. 12 to 15 ft.	,	Thick-fruited Crab
Spreading habit. Clusters of smal	.1	•
white flowers deeply tinged with pink in		
the bud, followed by abundant berry-like red fruits.	е	
3 to 4 ft	1 00	
4 to 5 ft	. 1 25	
5 to 6 ft	. 1 75	
MORUS alba pendula. 8 to 10 ft.	Tea's	Weening Mulherry
MORUS alba pendula. 8 to 10 ft. 2-yr. head, 5½-ft. stem	. 2 50	22 50
MYRICA carolinensis. 5 to 6 ft.		
2 to 3 ft	. 75	Bayberry 6 00
3 to 4 ft	. 73	7 50
NYSSA sylvatica. 40 to 60 ft.	,,	
6 to 8 ft	. 2 25	Sour Gum

Bobbink & Atkins, East Ruther	ford	, N. J.	19
E	ach	Per 10	Per 100
OSMANTHUS Aquifolium. 6 to 8 ft.	1	Holly Osi	
15 to 18 in. B&B\$1	00	\$8 50	
		Tree; Se	
2 to 3 ft. B&B	75	6 50	\$50 00
3 to 4 ft. B&B	10	9 50 12 50	75 00 100 00
4 to 5 ft. B&B	00	17 00	135 00
6 to 8 ft. B&B	25	27 50	100 00
8 to 10 ft. B&B 4	50	37 50	
PERIPLOCA græca. Vines 15 to 18 ft.		recian S	ilk- $Vine$
1½ to 2 ft	40		
PHELLODENDRON amurense. 30 to 40 ft.		Amur C	ork- $Tree$
5 to 6 ft 1	20	10 00	
6 to 8 ft 1	. 80	15 00	
8 to 10 ft	1 10	20 00	
	, 00		
PHILADELPHUS.	S	tar Mock	-Orange
Falconeri. 8 ft. Single, fragrant, small, star-like flowers.	~	itai mooi	v-Orange
2 to 3 ft	36	3 00	
9.4- 4.64	45	3 50	
inodorus grandiflorus, 7 to 8 ft. Big	Scent	tess Moci	c-Orange
Very large, single white flowers. Vigor-			
ous grower. 2 to 3 ft	25	2 00	17 50
3 to 4 ft.	30	2 50	
nivalis 8 to 9 ft	Snowb	ank Moc	k-Orange
Single, fragrant, pure white flowers,			
$\frac{3}{4}$ to 1 in. diam. 3 to 4 ft	36	3 00	
	30	3 00	
Norma. 8 ft. Fragrant, single white flowers 1 in. diam.			
2 to 3 ft	45	3 50	
3 to 4 ft.	60	5 00	
Souv. de Billiard. 6 to 8 ft.			
Single, pure white flowers 1 to 1¼ in. diam. Late-flowering.			
4 to 5 ft	55	4 50	
PHOTINIA villosa. 12 to 15 ft.	Rec	d-berried	Photinia
3 to 4 ft	75	6 00	
4 to 5 ft	1 00	8 50	
5 to 6 ft	1 25	10 50	
PHYSOCARPUS opulifolius. 9 to 10 ft.			Ninebark
2 to 3 ft	25 30	2 00 2 50	
3 to 4 ft	36	3 00	
4 to 5 ft	45	3 50	_
lifolius aureus. 9 to 10 ft.			Ninebark
2 to 3 ft	25	2 00 2 50	
3 to 4 ft	30	2 30	
PICEA.		1100	ck Spruce
Alcockiana (bicolor). 75 to 100 ft.	4 50	40 00	ck Sprace
3 to 4 ft. B&B	6 50		
# to 6 ft R&B	0 00		
6 to 8 ft B&B	12 50	n	С
olea Clanbrasiliana. 4 to 5 IV.		Bar	ry Spruce
3 to 4 ft. B&B	7 50		
excelsa echinæformis. 3 to 4 ft. B&B	2 75		
4 1 - E f4 R e R	3 75		
5 to 6 ft. B&B	5 50	45 00	
la- Cwagoryana			ry Spruce
	8 50	70 00	
2½ to 3-ft. diam. B&B	0 00		ne Spruce
excelsa microsperma.	3 50		-
116 to 2 tt. D&D			O
	Weepi		ay Spruce
	6 50 8 50	67 50)
6 to 7 ft. B&B	10 00	80 0	0
7 to 8 ft. B&B excelsa procumbens. 2 ft.	Prostr	ate Noru	vay Spruce
excelsa procumbens. 2 4	3 50)	
91/ to 3-tt diam. D&D	5 50) 	nau Samue
excelsa pygmæa. 1 to 2 ft. 1½ to 2-ft. diam. B&B	Pyg	my wori	vay Spruce
	4 00)	
$1\frac{1}{2}$ to 2-ft, diam. B&B	4 00)	

Bobbin & Hillio, Edst Harris	
Picea excelsa pyramidalis. 40 to 50 ft. Pyra	00
excelsa repens. 1½ ft. Creation 1½ to 2-ft. diam. B&B. 4 2 to 2½-ft. diam. B&B. 6	eeping Norway Spruce 00 \$32 50 00 50 00
Koyamai. 40 to 50 ft. 3 to 4 ft. B&B. 2 4 to 5 ft. B&B. 3	Koyamai Spruce 75 75
5 to 6 ft. B&B	Doumet Spruce
2½ to 3-ft. diam. B&B	Serbian Spruce
5 to 6 ft. B&B. 9 6 to 7 ft. B&B 12	00 50 80 00 00 100 00
7 to 8 ft. B&B	Oriental Spruce 90 00
polita. 60 to 75 ft. 6 to 7 ft. B&B. 9 7 to 8 ft. B&B. 11	Tigertail Spruce 00 70 00 00 90 00
8 to 10 ft. B&B	50 Koster Blue Spruce
4 to 5 ft. B&B. 6 5 to 6 ft. B&B. 8 6 to 7 ft. B&B. 12 7 to 8 ft. B&B. 15	00 50 00 50 70 00 50 100 00
8 to 10 ft. B&B	Japanese Andromeda 80 15 00
1/2 00 2 101 202 11111111111111111111111	
Pinus . Pines	
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B. 5 4 to 5-ft. diam. B&B. 7	50 62 50
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B. 5 4 to 5-ft. diam. B&B. 7 5 to 6-ft. diam. B&B. 11 montana mughus. 3 to 4 ft. 12 to 15-in. diam. B&B. 1 15 to 18-in. diam. B&B. 1	50
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B. 5 4 to 5-ft. diam. B&B. 7 5 to 6-ft. diam. B&B. 11 montana mughus. 3 to 4 ft. 12 to 15-in. diam. B&B. 1 15 to 18-in. diam. B&B. 1 3 to 4-ft. diam. B&B. 6 4 to 5-ft. diam. B&B. 8 5 to 6-ft. diam. B&B. 12	50
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B	50
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B. 5 4 to 5-ft. diam. B&B. 7 5 to 6-ft. diam. B&B. 11 montana mughus. 3 to 4 ft. 12 to 15-in. diam. B&B. 1 15 to 18-in. diam. B&B. 1 3 to 4-ft. diam. B&B. 6 4 to 5-ft. diam. B&B. 12 6 to 7-ft. diam. B&B. 17 nigra. 50 to 60 ft. 4 4 to 5 ft. B&B. 4 5 to 6 ft. B&B. 6 6 to 7 ft. B&B. 6 6 to 7 ft. B&B. 9 8 to 10 ft. B&B. 9 8 to 10 ft. B&B. 12 resinosa. 60 to 75 ft.	50
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B. 5 4 to 5-ft. diam. B&B. 7 5 to 6-ft. diam. B&B. 11 montana mughus. 3 to 4 ft. 12 to 15-in. diam. B&B. 1 15 to 18-in. diam. B&B. 1 3 to 4-ft. diam. B&B. 6 4 to 5-ft. diam. B&B. 8 5 to 6-ft. diam. B&B. 12 6 to 7-ft. diam. B&B. 17 nigra. 50 to 60 ft. 4 to 5 ft. B&B. 4 5 to 6 ft. B&B. 6 6 to 7 ft. B&B. 9 8 to 10 ft. B&B. 9 8 to 10 ft. B&B. 12 resinosa. 60 to 75 ft. 2 to 3 ft. B&B. 12 strobus. 75 to 100 ft. 3 to 4 ft. B&B. 3 3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B	50
PINUS montana. 10 to 12 ft. 3 to 4-ft. diam. B&B	50



Polygonum Auberti (Chinese Fleece-Vine)

		ıch	Per 10	Per 100
POLYGONUM amplexicaule rubra.	4 to 6	ft.		
	Red_{\perp}	loun	$tain\ Fleec$	
Strong, pot-grown plants	\$0	35	\$3 00	\$25_00
Auberti. 25 ft. Vine.			$hinese\ Fle$	
Strong, pot-grown plants		35	3 00	25 00
3-yr., field-grown		30	2 50	20 00
POPULUS Eugenei (canadensis). 75	to 90 f	t.	Caroline	a Po_lar
8 to 10 ft		75	6 00	•
10 to 12 ft		10	9 00	
Maximowiczi. 80 to 100 ft.			Japanes	e $Poplar$
8 to 10 ft	1	00	8 00	
nigra italica. 50 to 60 ft.			Lombard;	y $Poplar$
8 to 10 ft		60	5 00	40 00
10 to 12 ft		90	7 50	60 00
12 to 14 ft	1	50	13 50	100 00
Simoni. 25 to 30 ft.			Simon	n $Poplar$
6 to 8 ft		65	5 00	40 00
8 to 10 ft		90	7 50	60 00
10 to 12 ft	1	20	10 00	80 00
tremulaides pendula. 12 to 15 ft.	W	eepi	lngQuakin	$ig\ Aspen$
6 to 8 ft	2	00		
POTENTILLA fruticosa. 2 to 4 ft.		i	Shrubby C	inquefoil
12 to 15 in		25	2 00	eneques jour
PRUNUS glandulosa rosea plena. 5	to 6 ft			
L	${\it Ouble\ 1}$	Pink	$ ext{-flowering}$	Almond
2 to 3 ft		50	4 00	
3 to 4 ft		60	5 00	
Mume.			Japanes	e A pricot
2 to 3 ft		60	5 00	
tomentosa. 6 to 8 ft.				ng Cherry
2 to 3 ft		52	4 25	35 00
3 to 4 ft		_ 60		40 00
triloha plena. 7 to 8 ft.			ble-flo veri	ing Plum
2 to 3 ft		50		
3 to 4 ft		70		
Standards, 3-yr. crown. B&B	2	2 50		
JAPANESE FLOWERING CHERRIE				
Serrulata albo-plena.		D_{i}	ouble Whi	ite Cherry
3 to 4 ft	1	00		Ü
4 to 5 ft	1	1 25		
5 to 6 ft		1 50		
Autumnalis. See Jugatsu-zakura.				
Ronichi				
Double; rosy pink, shading to blu	ısh.			
3 to 4 ft		1 25		
4 to 5 ft		1 50)	
T 00 0 10				

Japanese Flowering Cherries, continued Daybreak (Akebono).					•
Single: pink.	Ea	ch	Per	10	Per 100
4 to 5 ft	. \$1	50			
3 to 4 ft	. 1	25			
3 to 4 ft	. 1	25		1	
4 to 5 ft	. 1	50	On	e-le	af Cherry
3 to 4 ft	. 1 . 1	25 50			
Semi-double; pink. Graceful habit.	. 1	25			
4 to 5 ft	. 1	50			
3 to 4 ft		25 50			
Mount Fuji (Shirotæ). 30 ft. Double; snow-white.	1	25	¢10	00	
3 to 4 ft	. 1	25 50 75	\$10 12	50	
Paul Wohlert. Semi-double; pink. 3 to 4 ft		25			
Sargenti. Single; rose-pink. 3 to 4 ft	. 1	25			
4 to 5 ft		50 75			
3 to 4 ft		25 50			
Sieboldi (Naden). Double; pink. 3 to 4 ft	. 1	25 50		00 50	
5 to 6 ft		75 25			
Victory. Delicate pink, changing to white. 3 to 4 ft	. 1	25			
4 to 5 ft	. 1	50 75	F.C		
WEEPING JAPANESE FLOWERING CF Prunus subhirtella pendula. 12 to 15 ft. Single Pink				am a	o Chamai
$5\frac{1}{2}$ to 6-ft. stem, 1-yr. crown	. 2 . 3	40 25	20 27	00 00	
PSEUDOTSUGA Douglasi.70 to 80 ft. Do	. 4	50	37	50	Hemlock
6 to 8 ft. B&B	. 10	00	54	00 Kui	dzu Vine
Pot-grown plants		40		00	
1½ to 2 ft., pot-grown		1t. 50		50	Firethorn Thite Oak
12 to 14 ft., 1¾ to 2-in. cal	. 4 . 6	75 50		00 00	
palustris. 75 to 90 ft. 10 to 12 ft., 1½ to 1¾-in. cal	. 4	00 00			Pin Cak \$200 00 270 00
10 to 12 ft., 2 to 2½-in. cal	. 5 . 6	50 50	46 54	00 00	370 00
Robur fastigiata. 35 to 50 ft. 8 to 10 ft. B&B.	F	yra		00 Eng	glish Oak
rubra. 75 to 90 ft. 10 to 12 ft., 1½ to 1¾-in. cal	. 4	50	37	50	Red~Oak
10 to 12 ft., 1¾ to 2-in. cal	. 5 . 6 . 8	00 50 50		00	
14 to 16 ft., 3 to 3½-in. cal	. 10	00			

	Each	Per 10	Per 100
RHAMNUS cathartica. 8 to 10 ft.		$fommon\ B$	
$1\frac{1}{2}$ to 2 ft	.\$0 25	\$2 25	\$18 00
frangula. 8 to 10 ft.		Glossy~B	uckthorn
3 to 4 ft	. 38	3 25	25 00

Named Hybrid Rhododendrons

Our Named Hybrid Rhododendrons are carefully grown under ideal conditions. Frequently transplanted, assuring fine, fibrous root systems. This list includes a complete selection of colors. You will be pleased with this stock.

(A) designates very high growth $\begin{array}{ll} (C) \ \ designates \ medium \ growth \\ (D) \ \ designates \ medium \ low \ growth \end{array}$ (B) designates high growth (D) designates (E) designates low or dwarf growth

A Variety

Album elegans. (A) Light blush, changing to white. $1\frac{1}{2}$ to 2 ft. 4 to 4½-ft. specimen

B, C and D Varieties

Amphion. (C) White center with wide margins of warm pink.

1½ to 2 ft. Catawbiense album. (C) White. 1½ to 2 ft. 2 to 2½ ft. 21/2 to 3 ft. Charles Bagley. (B) Cherry-red. 1½ to 2 ft.

Dr. H. C. Dresselhuys. (B) Anil 1½ to 2 ft. 2 to 2 ft.

E. S. Rand. (C) Rich scarlet. 1½ to 2 ft. 2 ft. 2 to 2 ft. 2 ft. 2 to 2 ft. 2 Aniline-red.

2 to $2\frac{1}{2}$ ft. 21/2 to 3 ft. 2 to 2½ ft.

3 to 3½-ft. specimen

Everestianum. (D) Rosy lilac.

1½ to 2 ft.
2½ to 3-ft. specimen

Ignatius Sargent. (C) Rose-scarlet.

1½ to 2 ft.

Lady Grey Egerton. (B) Silvery blush.

1½ to 2 ft.

Lee's Dark Purple. (D) Dark purple.

1½ to 2 ft. 2 to 2½ ft.

1½ to 2 ft.

Mrs. C. S. Sargent. (C) Bright pink with yellow eye 11/2 to 2 ft.

Old Port. (D) Rich plum-color.

11/2 to 2 ft.

Parson's Gloriosa. (B) Soft pir 2 to 21/2 ft. 2 to 21/2 ft.

(B) Soft pink. 3 to 31/2-ft. specimen Purpureum elegans. (C) Fine purple.

1½ to 2 ft. Purpureum grandiflorum. (B) Purple.

2 to 2½ ft. $1\frac{1}{2}$ to 2 ft. Roseum elegans. (C) Good rose. 2½ to 3-ft. specimen 3 to 3½-ft. specimen.

B. C and D Varieties A Variety

	Avai			
		Per 10	Each	Per 10
and a control DAD			\$3 25	\$30 00
1 ½ to 2 ft. B&B			4 00	35 00
2 to 2 ½ ft. B&B			5 25	00 00
2½ to 3 ft. B&B			6 00	55 00
2½ to 3-ft. specimen. B&B				65 00
2 to 21/ ft enecimen RAB			7 00	05 00
4 to 4½-ft. specimen. B&B	10 00	\$95 00		
4 10 4 ½-11. Specimen. Bas.				


4 to 4 ½-ft. specimen. B&B	
E Variety	
Boule de Neige. (E) Large, white flowers early in the season. Flower trusses are conspicuous in size and form. 15 to 18-in. diam. B&B	Per 10
Hybrid Seedlings. Mixed colors. 1½ to 2 ft. B&B. 2 50 2 to 2½ ft. 3&B. 3 00 2½ to 3 ft. B&B. 4 25 3 to 3½ ft. B&B. 5 00	\$21 00 25 00 35 00

There will be an extra charge for B&B on any items not so offered in this Catalogue. If stock is too far advanced for safe transplanting bare-rooted, we will B&B whenever we deem it necessary and will have to charge extra on your invoice.



Native and Other Rhododendrons

	Each Per 10
RHODODENDRON carolinianum	
	$White\ Carolina\ Rhododendron$
2 to 2½ ft. B&B	
$2\frac{1}{2}$ to $\bar{3}$ ft. B&B	4 00
3 to 4 ft. B&B	5 00
4 to 5 ft B&B	6.50
catawbiense. 6 to 8 ft. Native. 1½ to 2 ft. B&B.	$Catawba\ Rhododendron$
1½ to 2 ft. B&B	2 25
2 to 21/6 ft. B&B	3 25
$2\frac{1}{2}$ to 3 ft. B&B	4 25
2½ to 3 ft. B&B	$Rosebay\ Rhododendron$
$1\frac{1}{2}$ to 2 ft. B&B	1 95 \$16 00
2 to 21% ft B&B	2 40 20 00
racemosum. $1 \text{ to } 2 \text{ ft.}$	$May flower\ Rhodod end ron$
racemosum. 1 to 2 ft. 8 to 10-in. spread. P&B.	1 50
Wilsoni. 4 to 5 ft. 12 to 15-in. spread. B&B	$Wilson\ Rhododendron$
15 to 18-in, spread. B&B	3 25
$1\frac{1}{2}$ to 2-ft. spread. B&B	
-	
PHOPOTYPOGI :: 1 - 44 5	Each Per 10 Per 100
RHODOTYPOS kerrioides. 4 to 5	
2 to 3 ft	\$0 45 \$3 50
	FO 4.00
3 to 4 ft	
RHUS cotinus. 10 to 12 ft.	$Common\ Smoketree$
RHUS cotinus. 10 to 12 ft. 3 to 4 ft	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft	Common Smoketree 1 00 Smooth Rose-Acacia
RHUS cotinus. 10 to 12 ft. 3 to 4 ft	Common Smoketree 1 00 Smooth Rose-Acacia
RHUS cotinus. 10 to 12 ft. 3 to 4 ft	Common Smoketree 1 00 Smooth Rose-Acacia B&B. 4 50
RHUS cotinus. 10 to 12 ft. 3 to 4 ft	Common Smoketree 1 00 Smooth Rose-Acacia B&B. 4 50 ee page 36.
RHUS cotinus. 10 to 12 ft. 3 to 4 ft	Common Smoketree 1 00 Smooth Rose-Acacia B&B. 4 50 ee page 36.
RHUS cotinus. 10 to 12 ft. 3 to 4 ft	Common Smoketree Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 00 8 00
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft.	Common Smoketree 1 00 Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 00 8 00 1 25 10 00
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft.	Common Smoketree 1 00 Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 00 8 00 1 25 10 00
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). Some standards of the stand	Common Smoketree 1 00 Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 00 8 00 1 25 10 00 Goat or European Pussy Willow 25 2 00 \$15 00
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). Se SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft.	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). Sc SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. elegantissima. 60 to 70 ft. 6 to 8 ft.	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). Sc SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. elegantissima. 60 to 70 ft. 6 to 8 ft. 8 to 10 ft.	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. elegantissima. 60 to 70 ft. 6 to 8 ft. 8 to 10 ft. pentandra (laurifolia). 10 to 20 ft.	Common Smoketree
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. elegantissima. 60 to 70 ft. 6 to 8 ft. 8 to 10 ft. pentandra (laurifolia). 10 to 20 ft.	Common Smoketree Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 00 8 00 1 125 10 00 Goat or European Pussy Willow 25 2 00 \$15 00 30 2 50 20 00 45 3 80 30 00 Thurlow Weeping Willow 90 7 50 60 00 Thurlow Weeping Willow 1 25 10 00 Laurel Willow 60 5 00 40 00
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. elegantissima. 60 to 70 ft. 6 to 8 ft. 8 to 10 ft. pentandra (laurifolia). 10 to 20 ft. 4 to 6 ft. vitellina aurea. 30 to 40 ft.	Common Smoketree Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 00 8 00 1 25 10 00 Goat or European Pussy Willow 25 2 00 \$15 00 30 2 50 20 00 45 3 80 30 00 Thurlow Weeping Willow 90 7 50 60 00 Thurlow Weeping Willow 1 25 10 00 Laurel Willow 60 5 00 40 00 Russian Golden Willow
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). Sc SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. elegantissima. 60 to 70 ft. 6 to 8 ft. 8 to 10 ft. yentandra (laurifolia). 10 to 20 ft. 4 to 6 ft. vitellina aurea. 30 to 40 ft. 4 to 6 ft.	Common Smoketree Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 25 10 00 Goat or European Pussy Willow 25 2 00 \$15 00 45 3 80 30 00 45 3 80 30 00 Thurlow Weeping Willow 90 7 50 60 00 Thurlow Weeping Willow 90 7 50 60 00 Laurel Willow 60 5 00 40 00 Russian Golden Willow 60 5 00 40 00
RHUS cotinus. 10 to 12 ft. 3 to 4 ft. ROBINIA hispida macrophylla. Standards, 6-ft. stem, 3-ft. crown. ROSE SPECIES (Shrub Roses). So SALIX babylonica. 50 to 60 ft. 6 to 8 ft. 8 to 10 ft. Caprea. 15 to 20 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. elegantissima. 60 to 70 ft. 6 to 8 ft. 8 to 10 ft. pentandra (laurifolia). 10 to 20 ft. 4 to 6 ft. vitellina aurea. 30 to 40 ft.	Common Smoketree Smooth Rose-Acacia B&B. 4 50 ee page 36. Babylon Weeping Willow 1 00 8 00 1 25 10 00 Goat or European Pussy Willow 25 2 00 \$15 00 30 2 50 20 00 45 3 80 30 00 60 5 00 40 00 Thurlow Weeping Willow 90 7 50 60 00 Laurel Willow 60 5 00 40 00 Russian Golden Willow 60 5 00 40 00 Russian Golden Willow 60 5 00 40 00 Russian Golden Willow 60 5 00 40 00



Each Per 10 Per 100

SAMBUCUS racemosus. 8 to 10 ft. 3 to 4 ft. \$0 4 to 5 ft. \$0 5 to 6 ft. \$0		\$3 00 \$3 00 4 00 5 00
SARCOCOCCA ruscifolia. 6 ft. 10 to 12 in	90	8 00
SCIADOPITYS verticillata. 18 to 20 ft. 15 to 18-in. diam. B&B. 1 1½ to 2-ft. diam. B&B. 2 2 to 2½ ft. B&B. 3 2½ to 3 ft. B&B. 4	10 00 25	Umbrella Pine 12 50 17 50 25 00 35 00
SORBUS Aucuparia. 25 to 30 ft. Euc 6 to 8 ft., 1 to 1½-in. cal. 1 8 to 10 ft., 1½ to 1½-in. cal. 1 10 to 12 ft., 1½ to 1¾-in. cal. 2	50 90	Mountain-Ash 12 50 \$100 00 15 00 125 00 18 50 150 00
SPIRÆA bumalda, Anthony Waterer. 3 ft 1½ to 2 ft	30 35	W a terer Spirea
Douglasi. 2 to 3 ft	36	Douglas Spirea 3 00 English Spirea
Frœbeli. 3 ft. 1½ to 2 ft	30 36	Froebel Spirea 2 50 3 00

20 DODDINK & Atkins, East Nutile	110	iu, iv. J.
T.	ach	Per 10 Per 100
Spiræa multiflora (arguta).		now Garland Spirea
1½ to 2 ft	30	\$2 50
2 to 3 ft	40	3 25
Reevesiana. 7 to 8 ft.	10	Reeves Spirea
2 to 3 ft	30	
trichocarpa. 5 to 6 ft.	00	Korean Spirea
3 to 4 ft	45	
Vanhouttei. 8 to 9 ft.		Vanhoutte Spirea
2 to 3 ft	25	2 00
STAPHYLEA trifolia.	40	nerican Bladdernut
2 to 3 ft	45	3 50
3 to 4 ft	55	
STEWARTIA serrata. 30 ft.	00	1 00
	80	15 00
,	00	13 00
STYRAX japonica. 12 to 15 ft.		$Japanese\ Snowbell$
6 to 8 ft	75	22 50
	75	_ 31 00
Obassia. 20 to 30 ft.		Fragrant Snowbell
4 to 5 ft	25	
5 to 6 ft	75	
6 to 8 ft	50	
8 to 10 ft	00	
10 to 12 ft 7	50	
SYMPHORICARPOS Chenaulti. 6 to 8 ft.		Chenault Coralberry
2 to 3 ft	25	2 00
racemosus. 5 to 6 ft.	_	Common Snowberry
2 to 3 ft	30	2 50 20 00
3 to 4 ft	38	3 25 25 00
vulgaris. 4 to 5 ft.	20	Coralberry
2 to 3 ft	30	2 50 20 00
SYRINGA, Henry Lutece. 8 to 10 ft.		
Rosy lilac flowers in early June.		
5 to 6-ft. specimen		
6 to 7-ft. specimen	50	
oblata dilatata. 10 to 12 ft.		
Pale lilac flowers. Rich bronzy coloring		
in early spring and autumn.	45	3 75 30 00
2 to 3 ft	45 65	3 /3 30 00
	00	
	00	
TAMARIX africana. 12 to 14 ft.	•	African Tamarix
3 to 4 ft	38	3 25 25 00
4 to 5 ft	45	3 75
3 to 4 ft	38	Odessa Tamarix 3 25 25 00
		nmon Bald Cypress
	00	
	50	
	00	
12 to 14 ft. B&B12	30	
Taxus. The Yew	•	
Taxus • The Tew	3	
TAXUS baccata argentea.	arie	egated English Yew
2 to 2½ ft. B&B	00	garca Brigitan 1 ca
2½ to 3 ft. B&B 4		•
3 to 3½ ft. B&B 5		
3½ to 4 ft. B&B 7		
4 to 5 ft. B&B10		
baccata Dovastoni aureo-variegata.	Ye	llow Dovaston Yew
1½ to 2-ft. spread. B&B 2	50	
2 to $2\frac{1}{2}$ -ft. spread. B&B	50	
2½ to 3-ft. spread. B&B 4	50	
baccata erecta.		
	25	
	00	
3½ to 4 ft. B&B	00	1. 7. 1
baccata repandens. 2 to 3 ft. S. 15 to 18-in. spread. B&B	pre	ading English Yew
15 to 18-in. spread. B&B	00	16 50
1½ to 2-ft. spread. B&B	90	24 00
2 to 2½-ft. spread. B&B	00	30 00
272 to 5-16. spread. D&D 4	50	

	Ea	ch	Per	10	Per 1	00
Taxus cuspidata. 12 to 15-ft. spread.	Spr	ead	ina Ja	ıvar	nese Y	ew
15 to 18-in. spread. B&B	. \$1	90				
1½ to 2-ft. spread. B&B	. 2	65	22			
2 to 2½-ft. spread. B&B	. 3	40	28	00		
2½ to 3-ft. spread. B&B	. 4	50	37	50		
cuspidata Andersoni. 10 to 14 ft.			A_{7}	nder	son Y	ew
1½ to 2 ft. B&B	. 2	75	23	00		
2 to 2½ ft. B&B	. 3	50	29	00		
3 to 4 ft. B&B	. 7	50	62	00		
cuspidata capitata. 20 to 25 ft.			$ight\ Je$	apar	nese Y	$^{\prime}ew$
1½ to 2 ft	. 2	25	18	50		
2 to 2½ ft						
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots$			50	00		
$4\frac{1}{2}$ to $\bar{5}$ ft	8	25	67	50	\$550	00
5 to 5½ ft			82	50	675	00
5 to $5\sqrt[4]{2}$ ft., extra heavy			100	00		
$5\frac{1}{2}$ to $\hat{6}$ ft			100	00	800	00
$5\frac{1}{2}$ to 6 ft., extra heavy	13	50	112	50		
6 to 6½ ft			115	00		
6 to $6\frac{1}{2}$ ft., extra heavy			135	00		
$6\frac{1}{2}$ to $\overline{7}$ ft., extra heavy						
7 to 8 ft., extra-heavy specimen						
8 to 10 ft., extra-heavy specimen						


Topiary Types

After painstaking efforts for many years, we are ready to offer the Japanese Yew in many shapes and figures ideally suited for formal gardens. They include spirals, globes, cubes, cones and other interesting figures, all closely clipped.

Ask for our special list, which will be mailed upon request

Ask for our special list, which will be main	cu	upo	n requ	icat	
TAXUS cuspidata nana (brevifolia). 5 to	6-	ft. s Dwe	arf Ja	l. ipanese	Yew
12 to 15-in. spread. B&B	1	65	13	50	
15 to 18-in. spread. B&B	2	40	21	00	
$1\frac{1}{2}$ to 2-ft. spread. B&B	3	00	27	50	
2 to 2½-ft. spread. B&B	4	50	41		
2 to 2½-it. spread. D&D	÷	50		•	
279 to 5-1t. spread. B&B	•		ate I	apanese	Yew
cuspidata ovata. 12 to 15 ft.	1	75		00	
1½ to 2 ft. B&B	2	65		00	
		50		00	
		50		00	
				00	
3½ to 4 ft. B&B	o	UU	34	Ward's	Voan
cuspidata Wardi, 6 to 8 lt.			16		1 ew
15 to 18-in. spread. B&B	1	90	10	00	Vom
media 12 to 15 ft.	_			Hybrid	r ew
15 to 18-in. spread. B&B	1	75		50	
11% to 9-ft spread. B&B	2	25		50	
2 to 21/6-ft, spread, B&B	3	25		00	
91% to 3-ft spread. B&B	-	30		50	
2 to 31%-ft spread. B&B	6	50	55	00	
3½ to 4-ft. spread. B&B	8	00			
modia Browni. 5 to 8 th.				Brown's	Yew
9 to 91% ft B&B	3	50		00	
2½ to 3 ft. B&B	4	25		00	
Jr. 11-46-14; 19 to 15 tt		Hu.	field	Upright	Yew
2 to 2½ ft. B&B	3	00		00	
2½ to 3 ft. B&B	4	00	33	00	
4 to 4½ ft., extra-fine specimen. B&B	12	00			
5 to 5½ ft., extra-fine specimen. B&B	16	50			
media Hicksi. 10 to 12 ft.				Hicks	Yew
15 to 18 in. B&B	1	35	11	00	
1½ to 2 ft. B&B	ī		14	00	
1½ to 2 it. D&D		50	21	00	
2 to $2\frac{1}{2}$ ft. B&B	_	A		an Arb	orvit x
1½ to 2 ft. B&B		75	6	00	
4 to 5 ft. B&B	2	50			
- 4. D. D.	3	00			
D. D	4	25			
6 to 8 ft. B&B 8 to 10 ft. B&B	7				
8 to 10 it. D&D	ġ	00			
10 to 12 ft. B&B	_		olum	bia Arb	orvit x
occidentalis, Columbia. 6 to 8 ft. 6 to 8 ft. B&B	5				
6 to 8 ft. B&B	8	00			
8 to 10 ft. B&B	٥		G^{I}	obe Art	orvitx
occidentalis globosa. 3 to 4 ft.		55		50	
10 to 12 in. B&B		55	-		







Hedge of Taxus cu: pidata capitata


TAXUS CUSPIDATA CAPITATA

The upright Japanese Yew develops into beautiful specimens and is the very best evergreen for a dark green hedge. A Yew hedge is easy to keep trimmed to height and width and retains its rich green color during winter. Bobbink & Atkins have a splendid stock of this Yew.

TSUGA CANADENSIS

- -----

As a specimen the Canadian Hemlock is one of the handsomest of lawn trees, both winter and summer. A Hemlock hedge is a thing of beauty and may be kept low or allowed to develop into a tall windbreak. We have all sizes of selected plants.



30 Bobbink & Atkins, East Ruthe	rior	<u>a, IV. J</u>	•
I	Cach	Per 10	Per 100
Thuja occidentalis, Little Gem. 2 ft.	Li	ttle Gem 🗵	Arborvitx
Thuja occidentalis, Little Gem. 2 ft. 2 to 2½-ft. spread. B&B	3 50		
occidentalis lutea, B.&A. 14 to 18 ft. 6 to 8 ft. B&B		B.&A.	Arborvitx
8 to 10 ft. B&B	7 50		
10 to 12 ft. B&B	00		
TILIA cordata (parviflora). 70 ft. Litt 8 to 10 ft., 1½ to 1¾-in. cal	leleaf	Europea	n Linden
8 to 10 ft., 1½ to 1¼-in. cal	3 40	28 00	225 00
10 to 12 ft., 2 to 2½-in. cal	3 75	31 00	250 00
12 to 14 ft., 2½ to 3-in. cal	1 75 5 75	42 50 52 50	375 00 475 00
14 to 16 ft., 3 to 3½-in. cal	25	68 50	550 00
14 to 16 ft., 4 to 4½-in. cal	. ^^		
platyphyllos (grandiflora). 70 ft. B 8 to 10 ft., 1½ to 1¾-in. cal	igleaf	Europea	$n\ Linden$
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ -in. cal	2 25	19 00 25 00	150 00
10 to 12 ft., 2 to 2½-in. cal	40	28 00	
12 to 14 ft., 2½ to 3-in. cal		35 00 45 00	
12 to 14 ft., 3½ to 4-in. cal	7 00	10 00	
14 to 16 ft., 4 to 4½-in. cal	00	Silve	er Linden
10 to 12 ft., 1½ to 1¾-in. cal	3 25	27 00	: Linaen
10 to 12 ft., $1\frac{3}{4}$ to 2-in. cal	75	31 00	
TRIPTERYGIUM Regeli. 4 to 5 ft.	75		
2 to 3 ft		anadian	Hemlock
2 to 3 ft. B&B	00	17 00	135 00
3 to 4 ft. B&B		23 50 34 50	190 00 275 00
4 to 5 ft. B&B		48 00	375 00
6 to 7 ft. B&B		56 00	450 00
7 to 8 ft. B&B		72 00 90 00	575 00
10 to 12 ft. B&B			
12 to 14 ft. B&B	7 50		
canadensis microphylla. 15 to 20 ft. 4 to 5 ft. B&B		Tountain	Hemlock
5 to 6 ft. B&B	60	45 00 55 00	
6 to 7 ft. B&B		65 00	
7 to 8 ft. B&B	, 00	85 00	
Sarge	nt's	Weeping	Hemlock
1½ to 2 ft. B&B	3 60	20 00 30 00	
2½ to 3 ft. B&B	80	40 00	
3 to 4 ft. B&B	80	65 00 100 00	
caroliniana. 50 to 60 ft.	(Carolina	Hemlock
	5 00 7 50	50 00 63 00	
7 to 8 ft. B&B	00	75 00	
8 to 10 ft. B&B	3 00	100 00	
ULMUS Molini. 80 to 100 ft. 10 to 12 ft., 1¾ to 2-in. cal	3 50	29 00	$pline\ Elm$
14 to 16 ft., 2 to 2½-in. cal	25	35 00	
14 to 16 ft., 2½ to 3-in. eal	50	54 00 62 00	
VACCINIUM corymbosum. 5 to 6 ft.			Blueberry
3 to 4 ft	25	i igrio asii .	Brueberry
VIBURNUM acerifolium. 5 to 6 ft.			$^{\prime}iburnum$
2 to 3 ft	60 75	5 00 6 00	
dentatum. 10 to 12 ft.		A:	rrowwood
2 to 3 ft	36 45	3 00 3 50	
4 to 5 ft	55	3 50 4 50	
dilatatum. 8 to 10 ft. 2 to 3 ft	50		$^{\prime}iburnum$
3 to 4 ft	60	4 00 5 00	
4 to 5 ft	80	6 50	
Lentago. 18 to 20 ft. 3 to 4 ft	75	1V 0	nnyberry

Viburnum Opulus. 10 to 12 ft.	Each <i>Eur</i> 30.36	Per 10 ropean C \$3 00	
Opulus nanum. $1\frac{1}{2}$ to 2 ft.		Dwarf C	ranberru
9 to 12 in	45	3 80	\$30 00
12 to 15 in	55	4 50	35 00
Sieboldi. 8 to 10 ft.	$Si\epsilon$	bold's V	iburnum
2 to 3 ft	45	3 80	30 00
3 to 4 ft	60	5 00	
4 to 5 ft	75	6 00	
5 to 6 ft	90		
tomentosum. 10 to 12 ft.	Doi		iburnum
2 to 3 ft	36	3 00	
3 to 4 ft	55	4 50	.,
Wrighti. 8 to 10 ft.			iburnum
2 to 3 ft	50	4 00	
3 to 4 ft	65	5 50	
4 to 5 ft	75	T 43 6/3	
VITEX macrophylla. 4 to 5 ft. Lan			$aste\ Tree$
2 to 3 ft	38	3 00	
Negundo incisa. 4 to 5 ft.			iste Tree
2 to 3 ft	30	2 50	20 00
3 to 4 ft	35	3 00	
WEIGELA amabilis. 7 to 8 ft.		Rose	Weigela
2 to 3 ft	30	2 50	-
3 to 4 ft	36	3 00	***
Eva Rathke. 4 to 5 ft.			Weigela
2 to 3 ft	40	3 30	25 00
3 to 4 ft	50	4 00	
Hendersoni.	20	2 50	
2 to 3 ft	30 36	2 50 3 00	
3 to 4 ft	30	3 00	
Mme. Lemoine. 3 to 4 ft	36	3 00	
nana variegata. 6 to 8 ft.			Weigela
2 to 3 ft		2 50	
rosea. 6 to 8 ft	Pink		Weigela
2 to 3 ft	30	2 50	20 00
3 to 4 ft	40	3 30	25 00
Wisteria			
Wisteria			٥
The following are all grafted stock scions	having	been tal	ken from
The following are all grafted stock scions old blooming plants. They are far superior to	having plants	been tal grown fr	ken from om seeds
The following are all grafted stock scions	having plants	grown ir	om seeds
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom.	plants	grown ir	ken from om seeds Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wister	plants ; ria.	grown ir Silky	om seeds Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wister brachybotrys alba	plants $ria.$ Wh	grown ir Silky ite Silku	om seeds Wisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisterschybotry alba.	plants ; ria. <i>Wh</i> teria w	grown ir Silky ite Silky ith silky	Wisteria Wisteria leaflets.
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisterschybotrys alba. A short-clustered, white Japanese Wisterschybotrys alba.	ria. Wh teria w	grown ir Silky ite Silky ith silky	Wisteria Wisteria leaflets. Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplementations.	ria. Wh teria w Long-	grown ir Silky ite Silky ith silky clustered ilac flow	Wisteria Wisteria leaflets. Wisteria ers with
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplementations.	ria. Wh teria w Long-	grown ir Silky ite Silky ith silky clustered ilac flow	Wisteria Wisteria leaflets. Wisteria ers with
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purple immense long clusters. White increase with purple immense long clusters.	ria. Wh teria w Long-ish or li	grown ir Silky ite Silky ith silky clustered ilac flow	Wisteria Wisteria leaflets. Wisteria ers with
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wistebrachybotrys alba. 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of floribunda longis	ria. Wh teria w Long-i ish or l	grown ir Silky ite Silky ith silky clustered ilac flow clustered	Wisteria Wisteria leaflets. Wisteria ers with Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extremental Parts.	ria. Wh teria w Long-i ish or l c Long-o vers. sima).	grown ir Silky ite Silky ith silky clustered ilac flow clustered	Wisteria Wisteria Vesteria Vesteria Vesteria Vesteria Wisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purpl immense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extre Similar to Multijuga but its immense for	ria. Wh teria w Long-ish or l c Long-c vers. i-Long-c	grown ir Silky ite Silky ith silky clustered ilac flow clustered clustered	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria Onger.
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria deficiency for the superior of the superior o	ria. Wh teria w Long-ish or l c Long-c vers. i-Long-c	grown ir Silky ite Silky ith silky clustered ilac flow clustered clustered	Wisteria Wisteria Vesteria Vesteria Vesteria Vesteria Wisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria deficiency for the superior of the superior o	ria. Wh teria w Long-ish or l c Long-c vers. i-Long-c	grown ir Silky ith Silky ith silky ith silky clustered ilac flow clustered re even l clustered clustered	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purpl immense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extremultijuga rosea (floribunda rosea). A variety with pink flowers.	ria. Wh teria w Long-e ish or l e Long-e vers. sima). e-Long-e bwers a	silky ite Silky ith silky ith silky clustered ilac flow clustered re even l clustered Chinese	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria brachybotrys alba. 35 to 50 ft. A rare species with purple immense long clusters. multijuga alba (floribunda alba). White immense for the floribunda longis alba (floribunda longis Extremental braches). Similar to Multijuga but its immense floribunda rosea (floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft.	ria. Wh teria w Long-i ish or l c Long-o vers. sima). c-Long-o wers a Pink-i	Silky ite Silky ith silky ith silky clustered ilac flow clustered re even l clustered Chinese ining tig	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extremental Similar to Multijuga but its immense flomultijuga rosea (floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high a pale green foliage and blooms early in	ria. Wh teria w Long-i ish or l c Long-o vers. sima). c-Long-o wers a Pink-i	Silky ite Silky ith silky ith silky clustered ilac flow clustered re even l clustered Chinese ining tig	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extra Similar to Multijuga but its immense flomultijuga rosea (floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters.	ria. Wh teria w Long-i ish or l c Long-o vers. j-Long-o wers a Pink-i and tw	Silky ite Silky ith silky clustered ilac flow clustered clustered clustered Chinese ining tig eer. Flow	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria Wisteria Wisteria Wisteria shtly. It
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow floribunda longis Extra Similar to Multijuga but its immense flow multijuga rosea (floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters.	ria. Wh teria w Long- ish or l Loug- vers. L-Long- vers a Pink- and tw a summ White	silky ite Silky ith silky ith silky clustered ilac flow clustered clustered clustered Chinese ining tig er. Flow	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extra Similar to Multijuga but its immense flomultijuga rosea (floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters. sinensis alba. 35 to 50 ft. Similar to the preceding in growth, but	ria. Wh teria w Long-i sh or l Long-c vers. L-Long-i wers a Pink-i and tw a summ White with	silky ite Silky ith silky clustered ilac flow clustered clustered clustered Chinese ining tig er. Flow Chinese chite flow	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria thly. It wers sky- Wisteria wers.
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wistebrachybotrys alba. 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). Whitebrachybotry alba (floribunda laba). Similar to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extre Similar to Multijuga but its immense flomultijuga rosea (floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters. sinensis alba. 35 to 50 ft. Similar to the preceding in growth, but sinensis rosea. 35 to 50 ft.	ria. Wh teria w Long- ish or l Long- vers. Long- owers a Pink- and tw n summ White with w Pink	Silky ite Silky ith silky clustered ilac flow clustered clustered clustered Chinese ining tig er. Flov Chinese chite flow Chinese	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria for junda macrobotrys). 35 to 50 ft. A rare species with purple immense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow flowing alba (floribunda longis floribunda longis simals floribunda longis. Similar to Multijuga but its immense flow floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters. sinensis alba. 35 to 50 ft. Similar to the preceding in growth, but sinensis rosea. 35 to 50 ft. A variety with pink flowers.	ria. Wh teria w Long- ish or l c Long-c vers. isima). L-Long-c wers a Pink- and tw n summ White with w Pink ble Blue	silky ite Silky ith silky ith silky clustered ilac flow clustered re even l clustered Chinese ining tig er. Flow Chinese thite flow Chinese	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria for junda macrobotrys). 35 to 50 ft. A rare species with purple immense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow flowing alba (floribunda longis floribunda longis simals floribunda longis. Similar to Multijuga but its immense flow floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters. sinensis alba. 35 to 50 ft. Similar to the preceding in growth, but sinensis rosea. 35 to 50 ft. A variety with pink flowers.	ria. Wh teria w Long- ish or l c Long-c vers. isima). L-Long-c wers a Pink- and tw n summ White with w Pink ble Blue	silky ite Silky ith silky ith silky clustered ilac flow clustered re even l clustered Chinese ining tig er. Flow Chinese thite flow Chinese	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria for blooming (floribunda macrobotrys). 35 to 50 ft. A rare species with purple immense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow floribunda longis alba (floribunda longis). Similar to Multijuga but its immense flow floribunda rosea. A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters. sinensis alba. 35 to 50 ft. Similar to the preceding in growth, but sinensis rosea. 35 to 50 ft. A variety with pink flowers. sinensis violacea plena. A magnificent blue Wisteria. Lovely double flowers.	ria. Wh teria w Long- ish or l e Long- vers. sima)Long- owers a Pink- and tw n summ White with w Pink ble Blue	Silky ite Silky ite Silky ith silky clustered ilac flow clustered re even l clustered Chinese ining tig ier. Flov Chinese chite flow Chinese clusters	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria Wisteria Whisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria for blooming (floribunda macrobotrys). 35 to 50 ft. A rare species with purple immense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow floribunda longis alba (floribunda longis). Similar to Multijuga but its immense flow floribunda rosea. A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters. sinensis alba. 35 to 50 ft. Similar to the preceding in growth, but sinensis rosea. 35 to 50 ft. A variety with pink flowers. sinensis violacea plena. A magnificent blue Wisteria. Lovely double flowers.	ria. Wh teria w Long- ish or l e Long- vers. sima)Long- owers a Pink- and tw n summ White with w Pink ble Blue	Silky ite Silky ite Silky ith silky clustered ilac flow clustered re even l clustered Chinese ining tig ier. Flov Chinese chite flow Chinese clusters	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria Wisteria Whisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wismultijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purplimmense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow flow floribunda longis Extra Similar to Multijuga but its immense flow floribunda rosea). A variety with pink flowers. sinensis. 35 to 50 ft. A very strong grower, climbing high has pale green foliage and blooms early in blue in long, pendulous clusters. sinensis alba. 35 to 50 ft. Similar to the preceding in growth, but sinensis rosea. 35 to 50 ft. A variety with pink flowers. sinensis rosea. 35 to 50 ft. A variety with pink flowers. sinensis violacea plena. A magnificent blue Wisteria. Lovely double flowers. All Wisterias, strong, 4-yr. pot-grown plants,	ria. Wh teria w Long- ish or l e Long- vers. sima)Long- owers a Pink- and tw n summ White with w Pink ble Blue	Silky ite Silky ith Silky ith silky clustered ilac flow clustered clustered clustered Chinese ining tig er. Flov Chinese chite flov Chinese clusters ach, \$13	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Vers. Wisteria Wisteria Of large,
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria for 50 ft. A rare species with purply immense long clusters. multijuga alba (floribunda macrobotrys). 35 to 50 ft. A rare species with purply immense long clusters. multijuga alba (floribunda alba). White immense long clusters. multijuga longissima (floribunda longis Extremental Extre	ria. Wh teria w Long- ish or l e Long- vers. Sima). Long- towers a Pink- and tw White with w Pink lole Blue long o \$1.65 e	Silky ite Silky ith silky cith silky clustered ilac flow clustered clustered chinese chinese chite flow Chinese chite flow Chinese clusters ach, \$13	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria Wisteria Whisteria Wisteria
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wisteria brachybotrys alba. A short-clustered, white Japanese Wisteria (floribunda macrobotrys). 35 to 50 ft. A rare species with purple immense long clusters. multijuga alba (floribunda alba). White 35 to 50 ft. Large white clusters of flow multijuga longissima (floribunda longis Extremental Extr	ria. Wh teria w Long- ish or l e Long- vers. Sima). Long- towers a Pink- and tw White with w Pink lole Blue long o \$1.65 e	Silky ite Silky	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Onger. Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Vers. Wisteria Of large, 50 for 10 Yellowroot Per 100
The following are all grafted stock scions old blooming plants. They are far superior to or suckers which take years to bloom. Wisteria brachybotrys. A short-clustered, blue Japanese Wistebrachybotrys alba. A short-clustered, white Japanese Wistebrachybotrys alba. Buttijuga (floribunda macrobotrys). 35 to 50 ft. A rare species with purple immense long clusters. Multijuga alba (floribunda alba). White similar to Multijuga but its immense flore floribunda longis. Extremal Extre	ria. Wh teria w Long- ish or l Long- vers. Sima). Long- owers a Pink- and tw n summ White with w Pink \$1.65 e Each \$0 35	Silky ite Silky ith silky clustered ilac flow clustered clustered clustered clustered clustered chinese ining tig er. Flow Chinese chite flow Chinese chitese clusters ach, \$13 Per 10 \$2 50 Dust	Wisteria Wisteria leaflets. Wisteria ers with Wisteria Wisteria onger. Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Wisteria Vers. Wisteria Vers. Wisteria Of large, .50 for 10 Per 100 Vellowroot Per 100 Vellowroot Vellowroot Vernobia \$100 00

HYBRID TEA ROSES

Novelties, Scarce and Recently Introduced

Field grown, two-year-old, low-budded, well-ripened h	eav	y stock
Apricot Queen. Patent rights reserved. Burnt-orange l	Each	Per 10 0 \$9 00
buds open to informal blooms of coppery orange-pink.\$ Better Times. Patent 23. Large, double, brilliant		
cerise-red	6	
mine, inside several shades lighter. Bonnie Jean. Single. Large, single, glowing pink	5 7	
blooms. Break o'Day. Sub-zero HT. Patent pending. Orange-		
California. Patent 443. Large, loose flowers of	1 0	
bronzy apricot, reverse coppery pink	10	
fused with soft gold	60 7.	
Daylight. Propagation rights reserved. Light peach;	1 0	0 9 00
Dicksons Red. Patent 376. Full red blooms Donald Prior. Floribunda. Patent 377. Red	7. 5	
Eclipse. Patent 172. Golden yellow Ellen Willmott. Single. The large petals are edged	6	
with rose, shading to ivory, with lemon at the base Gloaming. Patent 137. Pink overlaid with salmon.	7. 6	
Glowing Sunset. Patent 104. Orange-yellow and	6	
rose-pink. Golden Frills. Rich golden yellow	60	
Hon. Lady Lindsay. Propagation rights reserved. Shrub. The blooms in form, petalage and make-up		
	1 0	0 9 00
McGredy's Pink. Patent 341. Bright rose with a saffron-yellow base	7	5 7 00
McGredy's Sunset. Patent 317. Saffron blooms touched with orange and rich scarlet	7	5 7 00
McGredy's Triumph. Patent 190. Geranium-red, flushed orange	7.	5 7 00
McGredy's Yellow. Unfading canary-yellow of excellent form	6	0 5 50
Mme. Joseph Perraud. Nasturtium-orange, opening nasturtium-buff.	6	
Phyllis Gold. Yellow with tints of red; open flower	6	
	1 0	
President Macia. Lovely shade of pink, marked with heavy veins of darker pink.	7.	
R. M. S. Queen Mary. Patent 249. Lovely warm pink Signora. Patent 201. Warm burnt-sienna, opening	7.	
to a lighter hue	6	0 5 50
will Rogers. Patent 256. Velvety black-crimson	1 0 6	
World's Fair. Floribunda. Patent 362. Velvety black-scarlet.	6	0 5 50
M. H. L. Cr. 1. D.		
New Hardy Climbing Rose	S	
Carpet of Gold. Propagation rights reserved. Brilliant yellow	6	0 5 50
Chevy Chase. Patent 413. Double, deep crimson Copper Glow. Patent 458. Brilliant copper	1 0 1 0	0 9 00
Coral Creeper. Propagation rights reserved. Apricotorange fading to light pink		
Creeping Everbloom. Sub-zero. Propagation rights reserved. Large, double red flowers in clusters		
Doubloons. Patent 152. One of our hardiest vellow	1 0	
Climbers. Easlea's Golden Rambler. Patent 114. Large, semi-		0 5 50
double, golden yellow flowers	6	0 5 50
ter, shading to very pale yellow on the outer petals, deepening in color as the flowers open	6	0 5 50

New Hardy Climbing Roses, continue	Cach	Pe	r 10
Flash. Patent 396. Deep scarlet, yellow reverse	50 (50 \$5	5 50
yellow tints in center	(50 5	5 50
Golden Glow. Patent 263. Spectrum-vellow in large	(50 5	5 50
June Morn. Patent 375. Watermelon-pink with a	(50 5	5 50
Lady Bountiful. Single flowers of dazzling scarlet-	1 (00 9	9 00
rose with large white centers	(50 5	5 50
served. Single, deep rose-pink	(50 5	5 50
carmine, crimson and scarlet around the edges, giving the appearance of a red Rose	,	75 7	7 00
Ruth Alexander. Patent 178. Rich cadmium-orange with the outer third of each petal a glowing peach-red.	,	75 '	7 00
A New Hybrid Damask Ro	se		
Oratam. Patent 257. Large pink flowers with coppery			
tones at edges, and a yellow base; reverse yellow	1 (00 9	9 00
Hybrid Tea Roses			
Varieties marked with an asterisk * are also obtainab ROSES on 3½-ft. Rugosa stems, \$2.25 each, \$20	le i) foi	n TRI	EΕ
	Each	Pe	r 10 3 50
*Better Times. See Novelties		50	5 50 4 50
*Betty Uprichard. Salmon-pink			3 50
*Christopher Stone. Bright velvety scarlet-red			3 50 5 50
Comtesse du Cayla. Bengal. Reddish orange and yellow.			4 50
Condesa de Sastago. Fiery copper with a golden yellow reverse.			4 50
*Countess Vandal. See Novelties			5 50 4 50
Crimson Glory. See Novelties			7 00
flesh-pink in the center. Daylight. See Novelties.	1 (3 50 9 00
Dicksons Red. See Novelties	,	75 '	7 00 4 50
Donald Prior. See Novelties	•	•	4 50
Eclipse. See Novelties* *Edith Nellie Perkins. Inside of petals pale salmon-	(50	5 50
pink; outside dark coppery red Editor McFarland. Clear brilliant pink			3 50 4 50
E. G. Hill. Dazzling red, shading to darker crimson.			3 50 3 50
Etoile de Hollande. Dark velvety red			4 50
Gloaming. See Novelties			5 50 5 50
*Golden Dawn. Pale yellow; fragrant			3 50
Golden Rapture. Golden yellow			3 50
of rose-pink			4 50
reverse deep golden yellow			3 50 4 50
Hinrich Gaede. Orange-yellow	1 (3 50 9 0 0
*Imperial Potentate. Dark shining rose-pink			3 50
Innocence. Single. Pure white			4 50 4 50
Isobel. Bronzy tones and shades of flaming orange- pink. Single			4 50
Joanna Hill. Creamy white			3 50 3 50
Kardinal. Velvety black-red, changing to fiery			
scarlet			3 50

Hybrid Tea Roses, continued		
Kathleen Mills. Single. Delightful soft rose-pink Each		er 10 3 50
Lal. Deep salmon-pink, suffused a rich yellow. Margaret McGredy. Orange-scarlet. McGredy's Pink. See Novelties. McGredy's Scarlet. Vivid rose-red. McGredy's Sunset. See Novelties. 75 McGredy's Triumph. See Novelties. 75 McGredy's Yellow. See Novelties. 60 Miss Rowena Thom. Fiery rose. Mme. Butterfly. Perfectly formed light pink. Mme. Joseph Perraud. See Novelties. 60	7 5 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	50 7 00 8 50 7 00 7 00 6 50 6 50 5 50
*Mme. Jules Bouche. White, flushed pink in the center	3	50
*Mrs. E. P. Thom. Yellow	3 6	
Mrs. Pierre S. du Pont. Rich red-gold, almost orange in the depths of petals *Mrs. Sam McGredy. Scarlet-copper-orange and red. Old Blush. Bengal. Bright pink Ophelia. Creamy white with pale pink Phyllis Gold. See Novelties	3	
Picture. Velvety rose-pink	4	50 50 00 50
*President Macia. See Novelties	7	00 50
side of petals stained red. R. M. S. Queen Mary. See Novelties. 75 Signora. See Novelties. 60 Souvenir de Claudius Pernet. Unfading yellow Suntan. See Novelties. 1 00 Talisman. Variable flowers, rich scarlet and gold Vesuvius. Single. Glówing fiery crimson. Will Rogers. See Novelties. 60 World's Fair. See Novelties. 60	5 3 9 3 4 5	50 00 50 50 00 50 50 50
Polyanthas, Baby Ramblers		
Anne Poulsen. Patent 182. Brilliant scarlet-crimson	\$4 4 4	or 10 00 50 50 50
formed buds. Chatillon Rose. Bright pink. Donald Prior. See Novelties. Eblouissant. Ellen Poulsen. Cherry-red. Else Poulsen. Rose-pink. Frau Astrid Spath (Pink Lafayette). Clear pink. Golden Salmon Superieur. An improved form of Golden Salmon, with small, bright scarlet-salmon flowers, tinged	3 4 3 3 3 3	50 50 50 50 50 50 50
with yellow. Gruss an Aachen. Flesh-pink and salmon-yellow. Johanna Tantau. Soft creamy white. La Marne. Single flower of blush-white edged with vivid pink. Lafayette. Light cherry-crimson. Maman Turbat. Small, long-lasting china-rose flowers. Mrs. R. M. Finch. Bright rose-pink, paling lighter. Orange Triumph. Scarlet-orange. Pink Gruss an Aachen. Glowing salmon-pink. Sunshine. Golden orange when first opening, changing to soft pink. Triomphe Orleanais. Cherry-red	3 3 4 3 3 3 3 4 3	50 50 50
World's Fair. See Novelties. Yvonne Rabier. Small, pure white flowers with creamy base.	5 3	50 50

We will gladly ship Rose orders direct to your customers under your own tags, at 25 per cent discount from our Retail Catalogue prices

Hybrid Perpetual Roses

Hybrid Perpetual Roses		
Varieties which repeat are indicated by an (R).	Per	10
Annie Crawford. Bright pink	\$4	50
Baroness Rothschild. Light pink	4	50
Baronne Prevost. Rose; fragrant (R)	4	
Captain Christy. Shell-pink (R)	3	50 50
Captain Hayward. Scarlet-crimson; fragrant (R) Duchess of Sutherland. Pink tinted lemon	4	
Felbergs Rosa Druschki. Clear, bright rose-pink (R)		50
Ferdinand Pichard. Streaked pink and scarlet (R)	4	
Frau Karl Druschki. Snow-white (R)	3	50
General Jacqueminot. Red; fragrant (R)	3	50
Georg Arends. Soft pink; fragrant (R)		50
George Dickson. Dark red; fragrant		50 50
Henry Nevard. Crimson-scarlet; fragrant (R)		50
Hon. Ina Bingham. Pink (R)		50
Hugh Watson. Deep pink (R)	4	50
Jeannie Dickson. Silver and rose-pink	4	50
John Hopper. Bright rose; fragrant		50 50
Louise Crette. Pure white (R) Louis Van Houtte. Crimson-maroon with blackish outer petals		
Magna Charta. Bright pink; fragrant	3	50
Mrs. John Laing. Clear pink; fragrant (R)		50
Mrs. R. G. Sharman-Crawford. Rosy pink (R)	. 4	50
Oskar Cordel. Carmine: fragrant (R)	. 5	50
Paul Neyron. Dark lilac-rose; fragrant (R)	. 3	50 50
Philibert Boutigny. Silver rose		50
Prince Camille de Rohan. Dark crimson; fragrant (R)		50
Roger Lambelin. Crimson, streaked white	. 5	50
Roger Lambelin. Crimson, streaked white	. 4	50
Suzanne-Marie Rodocanachi. Cerise	. 4	50
Ulrich Brunner. Carmine; fragrant	. 3	50
Victor Hugo. Carmine-red, shaded dark purple		
Orders for less than 5 of a variety will be invoiced at an add	itio	nal
10 cents per plant		
· · · · · · · · · · · · · · · · · ·		
Hardy Climbing Roses	_	
Hardy Climbing Roses	Per	10
Alberic Barbier. Creamy white	. \$3	50
Alberic Barbier. Creamy white	.\$3 . 3 . 3	50 50 50
Alberic Barbier. Creamy white	.\$3 . 3 . 3	50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carnet of Gold. See Novelties.	.\$3 . 3 . 3 . 6	50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carnet of Gold. See Novelties.	.\$3 . 3 . 3 . 6	50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink.	.\$3 . 3 . 6	50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon.	.\$3 . 3 . 6	50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon.	.\$3 . 3 . 6 . 3	50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink.	.\$3 . 3 . 6 . 3	50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink.	.\$3 . 3 . 6 . 3 . 3	50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink.	.\$3 . 3 . 6 . 3 . 3	50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties.	.\$3 . 3 . 6 . 3 . 3	50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Flegance. See Novelties.	.\$3 . 3 . 6 . 3 . 3	50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Elegance. See Novelties.	.\$3 . 3 . 6 . 3 . 3	50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine.	.\$3 . 3 . 6 . 3 . 3	50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties.	.\$3 . 3 . 6 . 3 . 3	50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Fraderick S. Peck. See Novelties.	.\$3 . 3 . 6 . 3 . 3 . 3	50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white.	.\$3 . 3 . 6 . 3 . 3 . 3	50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties.	.\$3 . 3 . 6 . 3 . 3 . 3	50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties.	.\$3 . 3 . 6 . 3 . 3 . 3	50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties. June Morn. See Novelties.	.\$3 . 3 . 6 . 3 . 3 . 3	50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties. June Morn. See Novelties. Lady Bountiful. See Novelties.	.\$3 . 3 . 6 . 3 . 3 . 3	50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties. June Morn. See Novelties. Lady Bountiful. See Novelties. Little Compton Creeper. See Novelties.	.\$3 . 3 . 3 . 3 . 3 . 3 . 3 . 3	50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Climber. See Novelties. June Morn. See Novelties. Laty Bountiful. See Novelties. Little Compton Creeper. See Novelties. Mary Wallace. Large: bright pink.	.\$3 . 3 . 3 . 3 . 3 . 3 . 3 . 3	50 50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink. Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. June Morn. See Novelties. June Morn. See Novelties. Lady Bountiful. See Novelties. Little Compton Creeper. See Novelties. Mary Wallace. Large; bright pink. Mme. Gregoire Staechelin. Also called "Spanish Beauty. Huge deligate pink	.\$3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	50 50 50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties. June Morn. See Novelties. Little Compton Creeper. See Novelties. Mary Wallace. Large; bright pink. Mme. Gregoire Staechelin. Also called "Spanish Beauty. Huge, delicate pink. May Graf. Trailing. Shining pink. Disease-resistant foliage.	.\$3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	50 50 50 50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Eligance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties. June Morn. See Novelties. Little Compton Creeper. See Novelties. Mary Wallace. Large; bright pink. Mme. Gregoire Staechelin. Also called "Spanish Beauty. Huge, delicate pink. Max Graf. Trailing. Shining pink. Disease-resistant foliage.	.\$3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	50 50 50 50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Eligance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties. Lady Bountiful. See Novelties. Little Compton Creeper. See Novelties. Mary Wallace. Large; bright pink. Mme. Gregoire Staechelin. Also called "Spanish Beauty. Huge, delicate pink. Max Graf. Trailing. Shining pink. Disease-resistant foliage. Minnehaha. Bright pink.	.\$3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	50 50 50 50 50 50 50 50 50 50 50
Alberic Barbier. Creamy white. Alida Lovett. Bright shell-pink. American Pillar. Dazzling scarlet-rose. Bloomfield Courage. Small crimson flowers. Carpet of Gold. See Novelties. Christine Wright. Wild-rose-pink. Copper Glow. See Novelties. Coralie. Orange-salmon. Creeping Everbloom. See Novelties. Dorothy Perkins. Double; pink. Doubloons. See Novelties. Dr. W. Van Fleet. Shell-pink Easlea's Golden Rambler. See Novelties. Elegance. See Novelties. Emily Gray. Golden buff. Eugene Jacquet. Bright carmine. Flash. See Novelties. Frederick S. Peck. See Novelties. Gardenia. Ivory-white. Golden Climber. See Novelties. Golden Glow. See Novelties. June Morn. See Novelties. Little Compton Creeper. See Novelties. Mary Wallace. Large; bright pink. Mme. Gregoire Staechelin. Also called "Spanish Beauty. Huge, delicate pink. May Graf. Trailing. Shining pink. Disease-resistant foliage.	.\$3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	50 50 50 50 50 50 50 50 50 50 50

The Fairy Rose

The Fairy Rose	
In 3 or 4-in. pots Oakington Ruby. Ruby-red	Per 10 \$3 50 3 50
Rouletti. Light pink	3 50
Send for a copy of our Retail Catalogue. It lists and describ largest collection of Roses in America	es the
Rose Species	
Acicularis nipponensis. Single; rosy red. Red fruits. Arvensis. White. Climber. Blanda. Single pink flowers. Red fruits. Canina. Single; white to light pink. Orange-red hips. Carolina. Clear pink. Red fruits. Cinnamomea. Rosy red. Damascena. Double; rose-pink; fragrant. Red hips. Helenæ. Single, fragrant, white flowers in clusters. Hugonis. Light yellow. The earliest of the species to flower. Humilis. Clear pink. Inermis Morletti. Rose. Thornless branches. Lucida. Bright pink. Moschata Abyssinica. White flowers. Vigorous climber. Mutabilis. This unusual species gives flowers of several colors on the one plant. Single flowers of rose-pink, yellow, buff	4 50 4 50 3 00 3 00 4 50 4 50 4 50 3 50 6 50 6 50
and orange. Nitida. Deep pink. The true dwarf variety. Palustris. Bright rose-pink. Red fruits. Primula. Pale yellow. Blooms as early as Hugonis. Rubiginosa (Sweetbrier). Bright pink. Rubrifolia. Pink flowers. Red foliage. Sempervirens. White. Trailing. Setigera (Prairie Rose). Pink. Soulieana. Clusters of white flowers. Virginiana (R. lucida). Pink. Red fruits. Virginiana alba (R. lucida alba). White. Watsoniana (The Bamboo Rose). Pink. Wichuraiana (Memorial Rose). Pure white. Woodsi. Pink. Scarlet fruits. Xanthina. Golden yellow. Xanthina, Allard. Double; pure yellow.	3 00 4 50 4 50 3 00 4 50 3 00 4 50 4 50 3 00 4 50 6 50
Austrian Brier and Scotch Roses	
Harison's Yellow. Semi-double; yellow. Persian Yellow. Double; golden yellow. Spinosissima alba plena. Double; white. Spinosissima altaica. Creamy white. Spinosissima fulgens. Lilac-pink. Spinosissima lutea plena. Buttercup-yellow.	4 00 6 50 4 50 6 50
Shrub Roses	
Rugosas and Their Hybrids	
Agnes. Coppery yellow. Blanc Double de Coubert. Snowy white. Conrad Ferdinand Meyer. Silvery pink. Delicata. Mallow-purple. Dr. Eckener. Coppery rose and golden yellow. F. J. Grootendorst. Bright red. Golden King. New. Semi-double; pale yellow; richly fragram Max Graf. See Climbing Roses. Nova Zembla. Snow-white, tinted pink. Pink Grootendorst. Fringed; shell-pink. Rugosa. Pink and crimson shades. Rugosa alba. Single; white.	3 50 3 50 4 50 3 50 3 50 4 50 3 50 3 50 3 50
Rugosa alba. Double; white. Rugosa rubro-plena. Double; red. Sanguinaire. Ox-blood-red. Thusnelda. Soft pink.	. 4 50 . 4 50 3 50

Hardy Herbaceous Perennials

The stock offered in this list of Hardy Perennials is either field-grown or pot-grown. We supply fine, strong clumps or divisions of the field-grown items. The pot-grown stock extends your selling season, enabling you to fill perennial orders until midsummer.

5 plants of one variety at 10 rate 25 plants of one variety at 100 rate 250 plants of one variety at 1000 rate

We cannot supply less than 5 plants of a kind, excepting where stock is priced at the each rate

Varieties marked * are suitable for rock-gardens

	uc	ns	
	Per	10	Per 100
CHILLEA filipendulina, Parker's Variety.			Yarrow
$2\frac{1}{2}$ to 3 ft. June-Sept. Big clear yellow flower-heads	c D	00	\$25 OO
A. Milletolium roseum. 146 to 2 ft. June-Sent			\$25 00 $Milfoil$
Deep pink. Finely cut foliage	1	20	10 00
*A. tomentosa. 1 ft. June	$\bar{W}e$	polly	Yarrow
*A. tomentosa. 1 ft. June Bright yellow flowers.	1	20	10 00
ACONITUM Fischeri. 2 to 3 ft. Sept., Oct. Fine spikes.			
Fine spikes	1	50	12 00
A. Napellus, Spark's Variety.			
Dide. 5 to 6 ft. July, Aug	1	50	12 00
ACTINOMERIS squarrosa.			
Sprays of brilliant yellow, single flowers with	l		
brown discs are borne on 6-foot stems. It looks like a lovely yellow cosmos and is the last Sun-	3		
flower to bloom. Excellent for maintaining color			
and height in the border and as a cut-flower is			
lasts well. Blooms September to heavy frost	3	00	25 00
*AETHIONEMA grandiflorum. 1 ft. May, June.			
Rose flowers	1	75	15 00
*AJUGA genevensis. 6 in. May, June			
Compact; good foliage; dark blue flowers		50	12 00
*A. genevensis rosea. Pink variety of above	1	50	12 00
*A. reptans. 1 ft. May, June Vigorous; soon carpets ground. Blue	1	20	10 00
*ALYSSUM saxatile compactum.			Madwort
Yellow flowers. 6 in. April, May *A. saxatile flpl. 10 in. June	1	20 Gol	10 00 lden Tuft
Plants compact, never becoming leggy or loose		GO	aen Laji
Double, intense golden yellow flowers		50	20 00
ANCHUSA italica, Dropmore. 4 ft.			
Large, gentian blue	1	20	10 00
A. italica, Morning-Glory, 4 to 5 ft.			
Strong, branching. Very dark blue	1	=-	
A. italica, Pride of Dover. 3 to 4 ft.		50	12 00
Lovely heavenly blue.	1	20	10 00
*A. myosotidiflora (Brunnera macrophylla). Forget	1 -me	20	10 00 -flowered
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May	$-m\epsilon$	20	10 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers from	- <i>me</i> 1	20 -not	10 00 -flowered
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers from broad mats of heavy dark green foliage	- <i>me</i> 1	20 -not	10 00 I-flowered Bugloss
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage ANEMONE hupehensis. 1½ to 2 ft. Aug.	- <i>m</i> e	20 -not	10 00 I-flowered Bugloss
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose	-me	20 not 50 50	10 00 I-flowered Bugloss
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers from broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose	-me	20 not 50 50	10 00 I-flowered Bugloss
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white.	-me	20 -not 50 50 50	10 00 I-flowered Bugloss
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers from broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose	-me	20 -not 50 50 50	10 00 I-flowered Bugloss
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose	1 1 1 1 1 1 1 1	20 -not 50 50 50	10 00 I-flowered Bugloss
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink.	1 1 1 1 1 1 1 1	20 50 50 50 50	10 00 -flowered Bugloss 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose	-me 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 50 50 50 50 50	10 00 -flowered Bugloss 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose	-me 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 50 50 50 50 50	10 00 -flowered Bugloss 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink. A. japonica. September Charm.	-me 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 50 50 50 50 50	10 00 -flowered Bugloss 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink. A. japonica, September Charm. 2 ft. Sept., Oct.	-me	20 50 50 50 50 50	10 00 d-flowered Bugloss 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink. A. japonica, September Charm. 2 ft. Sept., Oct. Early. Silver-pink and rose. A. japonica, Whirlwind. 2½ to 3 ft. Sept., Oct.	-me	20 50 50 50 50 50	10 00 d-flowered Bugloss 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink A. japonica, September Charm. 2 ft. Sept., Oct. Early. Silver-pink and rose. A. japonica, Whirlwind. 2½ to 3 ft. Sept., Oct. Large, strong. Semi-double; white	-meme	20 50 50 50 50 50 50 50	10 00 t-flowered Bugloss 12 00 12 00 12 00 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink. A. japonica, September Charm. 2 ft. Sept., Oct. Early. Silver-pink and rose. A. japonica, Whirlwind. 2½ to 3 ft. Sept., Oct. Large, strong. Semi-double; white. *A Pulsatilla. 1 ft.	-me 1 1 1 1 1 1 1 1 1 1 1 P	20 c not 50 50 50 50 50 50 50 60 60 60 60 60 60 60 60 60 60 60 60 60	10 00 d-flowered Bugloss 12 00 12 00 12 00 ue Flower
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink. A. japonica, September Charm. 2 ft. Sept., Oct. Early. Silver-pink and rose. A. japonica, Whirlwind. 2½ to 3 ft. Sept., Oct. Large, strong. Semi-double; white.	-me 1	20 20 50 50 50 50 50 50 50 50 50 50 50 50	10 00 d-flowered Bugloss 12 00 12 00 12 00 12 00 ue Flower 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink. A. japonica, September Charm. 2 ft. Sept., Oct. Early. Silver-pink and rose. A. japonica, Whirlwind. 2½ to 3 ft. Sept., Oct. Large, strong. Semi-double; white. *A. Pulsatilla. 1 ft. April, May Blooms lilac to purple. Attractive woolly foliage *ANTHERICUM Liliastrum major.	-me 1	20 20 50 50 50 50 50 50 50 50 50 50 50 50	10 00 d-flowered Bugloss 12 00 12 00 12 00 ue Flower
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage. ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose. A. japonica alba. 2½ to 3 ft. Sept., Oct. Large; single; pure white. A. japonica, Alice. Rose-pink with lilac center. A. japonica, Max Vogel. Double; pink. A. japonica, Queen Charlotte. 2½ to 3 ft. Sept., Oct. Large; semi-double; pink. A. japonica, September Charm. 2 ft. Sept., Oct. Early. Silver-pink and rose. A. japonica, Whirlwind. 2½ to 3 ft. Sept., Oct. Large, strong. Semi-double; white. *A. Pulsatilla. 1 ft. April, May Blooms lilac to purple. Attractive woolly foliage *ANTHERICUM Liliastrum major. 2 ft. May, June	-me 1 1 1 1 1 1 1 1 St.	20 20 50 50 50 50 50 50 50 50 50 50 50 50	10 00 d-flowered Bugloss 12 00 12 00 12 00 12 00 ue Flower 12 00
*A. myosotidiflora (Brunnera macrophylla). Forget 1 to 1½ ft. April, May Panicles of forget-me-not-blue flowers fron broad mats of heavy dark green foliage ANEMONE hupehensis. 1½ to 2 ft. Aug. Mauve-rose	-me 1	20 50 50 50 50 50 50 50 50 80 80 80 80 80 80 80 80 80 80 80 80 80	10 00 d-flowered Bugloss 12 00 12 00 12 00 12 00 ue Flower 12 00

56 DODDINK & AIKINS, Last Kutherior	u, 1			
ANTHEMIS tinctoria.		er 10 w Man		
1 to 2 ft. July, Aug.			\$10	
Golden yellow, daisy-like flowers* *AQUILEGIA alpina superba. 1 ft. April, May		20	ФІО	00
Short-spurred: deep blue	1	50	12	00
A., B.&A. Long-spurred Hybrids. 2 to 3 ft. May, June				
Assorted colors, all shades. A fine strain A. cærulea. 2 ft. May, June	1	20	10	00
Blue with white throat	1	20	10	00
Blue with white throat. A. chrysantha. 2 to 3 ft. May, June Lovely golden yellow.	1	20	10	00
A., Crimson Star. 2 ft. May, June Large flowers with crimson sepals and sp	ure			
and white petals	2	00	15	
*ARABIS alpina nana compacta. 6 in. April, May	,	Roc		
Pure white, single flowers on compact plants	1			
*ARMERIA, Bees' Ruby. 1 to 1½ ft. June, July	Thri	ft; Se	a-Pi	$n\kappa$
Large heads of brilliant pink flowers on long ster	ns. 1	50		
*A. cephalotes rubra. Crimson flowers on 1-foot stems. May and Ju	ine			
and again in Sept., Oct*A., Corsica. 6 in. May, June			12	00
*A., Corsica. 6 in. May, June Terra-cotta-red *A. laucheana. Rosy red. 6 in. May, June.	1	50 20	12 10	
*A. maritima alba. Pure white. 6 in. May, June.	1	20	10	
*A., Vindictive. Crimson. 6 in. May, June	1	50	12	
ARTEMISIA, Silver King. 3 ft. Silvery foliage	1	Ghost 50	t Pie 12	
ASCLEPIAS tuberosa. 2 to 3 ft. July, Aug. Brilliant orange-scarlet flowers	Bi	utterfly	/-Ple	ant
*ASTER alpinus. 8 to 10 in. May, June	Mot	untain	Da	isy
*ASTER alpinus. 8 to 10 in. May, June Good lilac-blue bloom with yellow disc on lo	ng	20	10	00
*A. alpinus albus. White variety of the above			10	
A. Frikarti (Wonder of Staefa). Violet-blue flowers, 3 inches in diameter, de	ep			
golden centers, on plants $2\frac{1}{2}$ feet high. Flow	er-	50	20	00
stems are 10 to 12 inches long. August to fros A., Mauve Cushion. 9 in. Oct., Nov. Circular, cushion-like plant. Flowers mau	l 2	30	20	00
Circular, cushion-like plant. Flowers mau with silvery sheen	ve 1	20	10	00
with silvery sheen. *A. subcæruleus, Wartburg Star.				-,-
12 to 15 in. May, June Large lavender-blue flowers on long cutting sten		75	15	00
*DWARF HARDY ASTERS.				
Countess of Dudley. 9 in. Sept. Clear pink flowers with yellow centers	1	20	10	00
Lilac-Time. Lilac-blue. 15 in. Sept Marjorie. Clear rosy pink. 10 in	1	20	10	
Nandy. 10 in. Mid-Sept., O Pale pink. Very low and broad	$_{ m ct.}^{\cdot \cdot $		10	
Pale pink. Very low and broad	1	20 20	10 10	
Ronald, Lilac-pink, Mid-Sept.	1	20	10	
Victor. Clear lavender-blue. 9 in	1	20	10	00
ASTER, MICHAELMAS DAISIES. Barr's Pink. Pink. 4 to 5 ft. Sept	1	20		
Beechwood Challenger. 4 ft. Sept., Oct. Clear red, prominent yellow disc	2	00	18	00
Blue Eves. 4 ft. Sept. Oct			10	00
Large, single, violet-blue flowers		50		
Delicate pink. Endures heavy frosts Harrington's Pink. 4 ft. Sept., Oct.	1	50		
Soft clear rose	3	00	25	00
Mount Everest. 4 ft. Sept., Oct. Large; pure white	1	50		
Mrs. F. W. Raynor. Probably the nearest red of all Asters		20		
Novæ-angliæ. 3 ft. Aug., Sept. Bright violet-purple.	1		_	
Red Rover. 3 to 4 ft. Sept. to fre	ost.	20	10	00
Deep rosy red with golden centers	1	50	12	00
A low, spreading plant with large, light bl	ue,			
single flowers	1	80	15	00

15 00

	_			
Morr July	Pe	r 10	Per	100
way-July	\$1	7 at 86	2 1 na C 1 n	ngo
Aug Oot	.ΨΙ	20	ΨΙΟ	UU,
AugOct.	1	20	10	00
Aug., Sept.		20	10	v
	. 1	20	10	00
July, Aug.		$B\epsilon$	ellflo	wer
eyes	. 1	50	12	00
June. July				
	. 1	50	12	00
June, July		20		•
1	. 1	20 of D	10	00
iy autumin k	31UT	$\mathbf{o}_{\mathbf{n}}$	unien	em
July Peach	. 3 Jear	od R	23 allflo	UU TOOT
	. 1	20		
of above	. ī	20		00
July, Aug.			_	
	. 2	25	20	00
June, July	_			
July-Sept.	Am	erica		
· · · · · · · · · · · · · · · · · · ·	. 1	20	10	00
	. 1	20	10	00
owers	. 1	20	10	00
May, June	Snov	v-in-i	Sumi	ner
				00
	AugOct. Aug., Sept. July, Aug. eyes. June, July June, July ly autumn S July Peach of above. July, Aug. June, July June, July June-Sept. June-Sept. July, Aug. May, June	May-July	May-July False	

Hardy Chrysanthemums FOUR EXTRA-HARDY GARDEN "MUMS"

Originated by U. S. Bureau of Plant Industry. have been successfully wintered in North Dakota. These varieties

26 in. Early July to frost. Large, double, pure white Pocatello. flowers. Algonquin. 28 in. August 1 to frost. Large, double, golden yellow

flowers. ramie. 32 in. August 1 about 3 inches in diameter. Single, orchid-pink bloom August 1 to frost. Laramie.

Manantico. 24 in. August 1 to frost. Single; magenta-red.

Each of the above varieties, 21/4-in. pots, \$1.50 for 10, \$12 per 100

Two Hardy Pompon Chrysanthemums

Originated in New Hampshire and wintered outdoors there without protection.

Double, clear yellow pompon blooms from mid-Treasure Trove. September on. Orange Glow. Brilliant burnt-orange blooms from late September on.

Above varieties, 21/4-in. pots, \$2 for 10, \$17.50 per 100

Chaveanthemums of Recent Introduction of

Chrysanthemanis of Recent Introduction of	-
Special Merit	
ASTRID. Hybrid of C. arcticum. Single, daisy-like Per 10 flowers 3 inches across, shell-pink, tinged with old-	Per 100
rose, bright yellow center. One of the best and hardiest of the hardy varieties	\$10 00
AUTUMN LIGHTS. A very hardy early-flowering C. arcticum hybrid. Large; semi-double; coppery bronze. Unusual hardiness and compact, tidy	
growth. Height about 18 inches. From 2½-in. pots 2 00	17 50
clara curtis. Beautiful dwarf, single, clear shell-pink variety, either for cutting, for the rockery, or for display at the front of the perennial border. The plants form symmetrical little bushes about 8 inches high. In late August, and continuing until frost, the single flowers, about 1½ inches across, appear on 8-inch stems above the plant, thick group into a compact little bush about 15	

which grows into a compact little bush about 15 inches in diameter. Pot-grown plants ready in May 2 00

Large-flowering Chrysanthemums

Large-nowering Chrysanthemun	15			
	Pe	r 10	Per	100
Aglow. M 2. Large; double; golden orange	1	00		00 00
Cushion		00 50	12	00
Cydonia. M 1. Brilliant orange-mahogany		00		00
resistant. Granny Scovill. M 2. Double blooms of a warm	1	00	8	00
coral-bronze	1	00		00
King Midas. E 2. Double Korean. Soft yellow with	1	00	8	00
bronze shadings	1	80	15	00
Mandarin. M 2. Double Korean. Coral, salmon, copper, and bronzy gold blended. 2 ft. Oct. 10	1	50	12	00
Mrs. Sam F. Rotan. M 2. Huge; double yellow with buff tints	1	00	8	00
reliable pink	1 1	00 00	8 8	00 00
October Girl. E 2. Large; deep pink	ī 1	00 80	8	00
Pink Cushion (Amelia Azaleamum). E 3. Blooms from early Sept. to frost. Pink flowers	1	00	8	00
Pink Spoon. Dainty single flowers of a light rose or shell-pink. The petals are tubular for most of				
their length, flattening out near the tips so that each petal really assumes the shape of a miniature	2	00	15	00
Queen Cushion. E 3. White variety of Pink Cushion.		00		00
Rapture. E 1. Orange-yellow, suffused with cream and bronze-red		00	8	00
Sequoia. M 1. Large, well-shaped flowers of mellow amber	1	00	8	00
Silver Tips. E 2. Bright rosy carmine with the tips and reverse of the petals silvery white.	1	00	8	00
Symphony. M 1. Do the Forean. Mauve-roce overcast with soft coppery rose	1	50 00	12	00 00
The Chief. E 2. Bright scarlet flowers with a golden reverse.	1	00		00
The Moor. E 2. Double Korean. Amaranth-purple or port-wine-red—a unique color. Frost-resistant		00	8	00
Tints of Gold. M 2. Golden yellow		00	8	00
Spoon, and, like Yellow Spoon, is more double Yellow Spoon. Similar to Pink Spoon but is more double. This, however, does not in any way de-	2	00	15	00
tract from the grace and beauty of the plant and flowers.	2	00	15	00
Pompon Chrysanthemums				
Early Bronze. E 3. Bronze-yellow. Late August on.				
Dwarf and compact	1	00		00
Jules Lagravere. M 2. Deep crimson. Late Lillian Doty. M 1. Pale old-rose of true Pompon	1	00		00
type. Mrs. H. Harrison. M 1. Light lavender. Philadelphia. M 2. Clear pink.	1 1 1	00 00 00	8 8 8	00 00 00
Pink Popcorn. M 2. Old-rose of the small Pompon	1	00	8	00
Red Doty. M 1. Dark red. R. Marion Hatton. E 2. Bright canary-yellow.	1 1	00 00		00 00
Sunny Boy. E 3. A yellow variety of Early Bronze with the same habit		00	8	00
Yellow Doty. M 1. Orange-yellow.	1	00 00		00 00

		10	Per	
Judith Anderson. M 3. Clear buttercup-yellow flowers. Frost-resistant, the finest of all the			\$8	00
Button varieties		20 00	10 8	00 00
small		00 00		00 00
Single and Korean Chrysanthemus	n	s		
The most popular class of Chrysanthemums toda condensed list, the result of much careful selection,	зу	. Т		
the best of the new and older varieties. Apollo. E 2. Single Korean. Dazzling orange. Still I one of the best			Per \$8	
Autocrat. M 2. Single. Bright orange-scarlet with a golden halo. A most profuse bloomer		20		00
Clio. E 2. Duplex Korean. Deep carmine-rose. Dwarf and compact		00		00
Fortuna. E 2. Single Korean. Ox-blood-red; curled petals'		00		00
Grenadier. M 2. Single. Bright crimson-red Hebe. E 2. Single Korean. Pink; large	1	00 00	8	00 00 00
Louise Schling. E 1. Single Korean. Salmon-red. Lovelight. E 1. Duplex Single. Large; silvery pink. Mongolian. M 1. Single. Deep yellow. Strong	_	00	8	00
growing Niobe. E 2. Single Korean. Glistening white. Dwarf	1	20		00
and compact	1 1	00 00 00 00	8 8	00 00 00
Sappho. E 2. Single Korean. Pure yellow. Compact and dwarf		00 00		00 00
every petal broadly tipped scarlet, giving a unique effect	1	00	8	00
yellow	1	00	8	00
pact, bushy		00 00		00 00
Vulcan. M 2. Single Korean. Carmine-red and bronze-crimson.	1	00	8	00
Species Chrysanthemums				
Chrysanthemum arcticum.				
1 to 1½ ft. Sept. to frost White flowers. C. maximum, Admiral Byrd. 2½ ft. All summer	1	20	10	00
Semi-double flowers 4 to 5 inches across. Pure white, frilled petals encircle a rich golden center. C. maximum, King Edward. 3 ft. July-Oct. Large glistening white flowers like Marguerites	1	50	12	00
C. maximum, Mrs. C. Lothian Bell.	1	20	10	00
2 ft. Summer Single; pure white flowers 3 to 4 inches across C. maximum, White Swan.	1	20	10	00
2 ft. Memorial Day to mid-July Double; white; 2 inches across	1	50	12	00
CIMICIFUGA racemosa simplex. Sept. Feathery white flowers on graceful stems 3 to			Bugb	ane
4 feet high Aug.	4	00	35 Snake	00 root
(Rare.) As beautiful as <i>C. racemosa simplex</i> . Foliage heavier and it flowers earlier	4	00	35	00
CLEMATIS, HERBACEOUS VARIETIES. C. Davidiana. 3 ft. Aug., Sept. Fragrant lavender-blue flowers	1	75	15	00
C. Davidiana, Gerbe Fleuri. 4 ft. Multitudes of small tubular flowers of lovely the crils of large bandsome				
light violet-blue in the axils of large, handsome foliage. Vigorous, bushy plant	7	00	65	00

Clematis recta mandschurica. 4 ft. June, July				
White flowers borne on long stems in large, showy clusters. Desirable cut-flower			Per	100
C. serratifolia. A shrubby climber, a native of Korea, hand-				
some and quite odd. Produces long-stalked, yellow, nodding flowers 2 in across. Pot-grown plants	5	00 5	645	00
*CONVALLARIA majalis. Li		of-the-		
8 to 10 in. May, June White; fragrant. Strong clumps	1	75	15	00
Pips	•	80		00
COREOPSIS lanceolata, Mayfield Giant. 2 ft. June-Oct.				
Golden yellow		20		00
DELPHINIUM, Wrexham Strain.	•	20	10	00
5 to 6 ft. June-Sept. Our plants are grown from the seed of the finest named varieties. Assorted shades from pale blue to rich purple. Mixed colors only. Field-grown.	1	75	15	00
to her purple. Mixed colors only. Tield grown.	-	,,		
Delphinium, Pacific Hybrids Ready in May. Pot-grown	S			
Guinevere. Light pink-lavender self with white bee				
3-in. pots		00	18	
bee. 3-in. pots		00	18	
3-in. pots		00 00	18 18	
Mixed. Mixed colors. 3-in. pots.	1	75	15	00
Bellamosum. A deep blue form of Belladonna. Field-grown.	1	50	12	00
Cliveden Beauty. A splendid improved form of Belladonna. Blooms are larger and spikes taller. A good grower. Fine improvement over Bella-				
donna. Field-grown	1	50	12	00
produced on branching stems. Excellently suited for cutting as well as for colorful effects in the				
garden. Field-grown	1	50	12	00
*DIANTHUS Hybrids. Beatrix. 10 to 12 in. May-Nov.		Hardy	Pir	iks
Beatrix. 10 to 12 in. May-Nov. Fragrant; light salmon-pink Furst Bismarck. 10 to 12 in. May-Nov.	1	50		
Double, crimson-pink flowers	1	50		
Mrs. Sinkins. 8 to 10 in. Double; white	1	50		
*DIANTHUS arenarius. 5 to 8 in. July-Sept.	1	50		
White or light pink	1	20	10	00
*DICENTRA Cucullaria. Dutch 5 to 9 in. April, May		n's B	eeci	hes
White flowers like the bleeding-hearts* *D. eximia. 1 ft. May-Aug. Wild I Pink flowers	$\frac{1}{3le}$	20 $eding$ -	10 He	
D. formosa. 1 ft. May-Aug. Small rose-colored flowers	1	20	10	00
D. formosa. 1 ft. May-Aug. Small rose-colored flowers. D. spectabilis. 1½ ft. April-June Heart-shaped; rosy red.	3le 2	eding-	$\frac{He}{15}$	art 00
Forcing roots.	2	50	20	00
DICTAMNUS Fraxinella (albus). 2 to 3 ft. White flowers	2	Gas		
D. Fraxinella rubra. 2 to 3 ft. June-Aug.			18	
Rosy purple, with deeper-colored veins	2	UU	18	υŪ

Treneborus Blooms at Christmas Time 45
DIGITALIS gloxiniæflora, Mixed. 2 to 3 ft. Per 10 Per 100 Gloxinia Foxglove June, July\$1 20 \$10 00
DORONICUM caucasicum. Leopard-Bane
1 to 2 ft. May, June Large, bright yellow flowers on strong stems 1 80 *D. Clusi. April, May Large, sulphur yellow blooms and pril, May
Large; sulphur-yellow blooms on 1 to 1½-foot stems
stems 1 80 15 00 D. magnificum. 1½ to 2 ft. May, June Yellow flowers on stiff stems 1 80 15 00
ECHINOPS Ritro (Like a hedgehog). Globe Thistle
Metallic blue and held on silvery white stems with handsome cut prickly foliage
*EPIMEDIUM macranthum niveum. In May and June it is a perfect sheet of deli-
cately lovely white flowers offset by handsome foli-
age. Perfectly hardy, flourishing in shade, yet tolerating sun, and holding its foliage well into
winter. It is the most beautiful of all ground- covers
E. macranthum violaceum. A variety with violet spurs
E. Perralderianum. The flowers are paler yellow than E. pinnatum.
The young leaves have rich bronze markings. It
E. pinnatum elegans.
Pale yellow flowered 3 00 25 00 *ERICA and CALLUNA. Heath and Heather
A compact, low-growing evergreen, it is an ideal
plant for covering banks, for individual groups in the rock-garden, or in the foreground of evergreen plant-
ings. We recommend an annual clipping or shearing to keep it trim-looking. Grows best in a peaty soil.
ERICA carnea (herbacea). 1 ft. March-May Attractive foliage. Nodding, bell-shaped, red Heath
flowers along the stems
E., Mediterranean Hybrids. 8 to 12 in. March-May
Nodding, bell-shaped, light pink flowers 2 50 E. stricta. 1 to 2 ft. July-Sept. Corsican Heath
Pink 2 50
E. stricta erecta. 12 to 15 in. July, Aug. Light pink
Cilyan grazz foliogo Pink flowers 2 50
CALLUNA vulgaris. 1 to 1½ ft. July-Oct. Scotch Heather A dense-growing shrub having erect branches
covered with short, closely lapped leaves. Rosy
C. vulgaris alba. 1 to 1½ ft. July-Oct. White Heather
covered with short, closely lapped leaves. Rosy lavender
Dark crimson. Deep bluish green foliage. Bushy, medium grower
Bushy, medium grower
C. vulgaris cuprea. 12 to 15 in. June, July Foliage yellow, turning almost glowing red in
fall. Flowers purple
C. vulgaris flpl. 1 to 11/2 ft July-Oct 2 50
C. vulgaris Hammondi. 1 to 1½ ft. July-Oct. A handsome pure white Heather. Free flowering. 2 50
C. vulgaris rubra. Dwarf. The first Heather to flower. Deep red 2 50
C analysis Sparlei 1 ft July-Sept.
Clear white. Foliage keeps green in fall 2 50 ERIGERON mesagrande speciosus grandiflora.
11/2 ft June, July
Closely related to the asters, this is one of the finest and most reliable of the Dwarf Daisies.
Dark lilac flowers 1 30
2 to 3 in June-Sept.
Pink flowers veined with rose

,			
	Pe	r 10	Per 100
ERYNGIUM aquaticum (E. yuccaefolium).		$S\epsilon$	ea- Holly
ERYNGIUM aquaticum (E. yuccaefolium). 4 to 5 ft. July, Aug. White thistle-like flowers E. giganteum. 2 to 3 ft. July, Aug. Silver-white	\$1	20	\$10 00
Silver-white	1	20	10 00
*EUONYMUS radicans minimus (Kewensis). A valuable little trailer, with round green leaves		Baby	Winter Creeper
Excellent for the rockery. Pot-grown plants	1	80	15 00
EUPATORIUM cœlestinum. 2 ft. AugOct. Light blue flowers, similar to ageratum	1	Mis	t Flower
*FUCHSIA Magellanica Riccartoni,			
Scarlet Beauty. (Plant Patent 440.) Blooms all summer in full		ardy	Fuchsia
sunlight, but comes to greatest perfection in par-	-		
tial shade. Upright in habit, growing 2 to 3 feet high. The four sepals are deep purple, the corolla	i		
ruby-red. Requires the winter protection of a	ι	75	25 00
mulch north of Philadelphia	_	_	ain Lily
A very lovely variety with spikes of small purple bells. Flowers at the same time as F. minor alba			
Fine edging plants	1	20	10 00
F. japonica albo-marginata. Aug., Sept. Leaves edged white. Flowers blue	1	20	10 00
F. undulata media variegata.			
2½ ft. July, Aug. Leaves striped white. Purplish mauve flowers	1	20	10 00
GAILLARDIA grandiflora. 2 ft. June to frost	1	20	10 00
Red and gold flowers	•	20	10 00
1½ ft. June to frost Golden yellow 2½-inch flowers	1	50	12 00
G. grandiflora, Ruby. 1½ to 2 ft. June-Oct. Port-wine-red. Best pure red.		50	12 00
*GENTIANA cruciata. 1 ft. June-Aug.	1	30	12 00
(Rare.) Erect, spreading clusters of dark blue flowers with dotted throats. Plant in full sun)	50	20 00
*G. Olivieri $(G. \ dahurica)$.			
Dark blue flowers	3	Cra	30 00 ne's Bill
1½ to 2 ft.		0,4	,,,,
Lilac-blue flowers all summer. Attractive serrated foliage which turns bronzy red in fall and	1		
lasts nearly all winter	2	50	20 00
Red	1	50	12 00
*GEUM Borisi. 10 in. May-Sept. Dwarf brilliant orange-red	2	50	20 00
G., Fire Opal. 2 ft. May-Oct. 30 Brilliant orange-scarlet with an orange sheen		50	20 00
G., Lady Stratheden. 2 ft. June-Sept.	2		
G., Lady Stratheden. 2 ft. June-Sept. Rich yellow	. 1	20	10 00
Dark red	. 1	20	10 00
G., Princess Juliana. 2 ft. June, July Pure orange	. 2	50	20 00
GRASSES. Eulalia japonica zebrina. 5 to 6 ft.			
Leaves banded transversely with pale yellow			10 00
Festuca glauca. 1 ft. B Dense tufts of narrow blue leaves	lue . 1	F'esc 20	ue Grass 10 00
Pennisetum japonicum. 3 ft. Flowers rich mahogany, tipped white		20	10 00
GYPSOPHILA, Bristol Fairy. Double-flowerin			
2 to 3 ft June Sent	2	25	20.00
Large white flowers. G. paniculat flpl. True Double Dute	ch 1	Baby	's $Breath$
2 to 3 ft. Double, pure white flowers *G. repens Bodgeri. 1½ to 2 ft. July, Aug. July, Aug. July, Aug.	. 2	25	20 00
*G. repens Bodgeri. 1½ to 2 ft. June-Sept. Compact habit with large, double, white flow	-		
ers, tinted pink. Blooms two weeks earlier than	n		10.00
any other variety* *G. repens Rosenschlier. 8 to 12 in. June-Sept.			12 $oldsymbol{00}{cosy}$ $^{ extit{f}}eil$
A very interesting novelty of compact habit Flowers of a pronounced pink). 1	50	12 00
		50	12 00

HELENIUM autumnale, Riverton Beauty.				
5 ft. Aug., Sept. P	er'	10	Per 10	00
Rich lemon-yellow, with large purplish black cone. \$ H. autumnale, Riverton Gem. 5 ft. Aug., Sept.	1	20	\$10 (00
H. autumnale, Riverton Gem. 5 ft. Aug., Sept. Yellow, changing to red. Fine cut-flower on a	,	20	10 (٠.
long stem H. autumnale rubrum. 5 ft. Aug., Sept. Red	1	20	10 ()0
Red	1	20	10 (00
H. Hoopesi. 2 to 3 ft. May, June Yellow. H., Moerheim Beauty. July and later Large bronze-red flowers. Low-growing and early. If cut back, will bloom second time	1	20	10 (00
Large bronze-red flowers. Low-growing and				
early. If cut back, will bloom second time	2	00	15 (00
*HELIANTHEMUM, Ball of Fire. 6 to 10 in. June, July				
Double: red	1	50	12 (00
*H. citrinum. 6 t 12 in. June, July Yellow; single.	1	50	12 (00
Double rich crimson flowers.	1	50	12 (00
*H., Rosy Gem. 6 in. June, July Pink	1	50	12 (nn
HELIANTHUS, Miss Mellish. 6 ft. Sept., Oct.	1	S		
HELIANTHUS, Miss Mellish. 6 ft. Sept., Oct. Rich golden yellow. Fine for cutting H. mollis.	1	00	8	
Large flowers. Tall growth	1	00	8	00
H., Soleil d'Or. 4 to 5 ft. Aug., Sept. Deep golden yellow with quilled petals	1	00	8	00
H. orgyalis. 6 ft. Aug. He Yellow. Willow-like foliage	are	ly S	unflou	er
HELIOPSIS, Orange King. 3 ft. July, Aug.	1	20	10	00
Large, semi-double flowers of a real oran e color.			ъ	
Hardy perennial which blooms during mild	/h	rıstı	nas Re	08e
winters in December; during a severe season, un- less protected, it may not flower until spring. The				
anemone-like flowers are 2½ to 3 inches across	_			
and last for weeks, regardless of cold or snow H. atropurpurea.	7	00		
Brownish red flowers in February and March	7	00		
H. cyclophyllus. Yellowish green flowers in late winter	7	00	60	00
HEMEROCALLIS, Amaryllis. 3 ft. July, Aug. Large; golden yellow	1	50	Day-L	ily
H., Anna Betscher. 2½ ft. July Rich golden yellow.	•			
Wigy June		50	20	UU
Golden yellow flowers. A very early-blooming variety.	1	20	10	00
H citrina 3 ft June. July				
Large, very fragrant, sulphur-yellow flowers H. Dumortieri. 2 ft. May, June		20	10	00
Orange-yellow flowers. Good foliage	1	20	10	00
Golden yellow, marked darker yellow	1	20	10	00
H. fulva. 3 ft. July Coppery orange with crimson shadings	1	00	8	00
H., Gold Dust. 3 ft. June Buttercup-yellow flowers		20	10	00
H. J. A. Crawford, 4 ft. July, Aug.				
A very tall variety. Apricot and cadmium-yellow. H., Kwanso. July, Aug.		50	12	UU
Large; double; golden bronze. The only good	1	20	10	00
double				
Orange-scarlet	1	00	8	00
H. Middendorffi. 2 to 3 ft. June, July Deep orange-yellow.	1	00	8	00
H., Mrs. W. H. Wyman. 3 ft. Aug. Clear yellow	1	75	15	00
H., Sovereign. 2 to 3 ft. June, July	1	20	10	00
A very early-blooming variety. Deep orange H., The Gem. 3 ft. July, Aug. Yellow	1	50	12	00
Yellow H. Thunbergi. 3 ft. Aug.	_			
Vollow Sweet-scented	1	00	8	00
H., Winsome. 3 ft. June, July Pale creamy yellow; fragrant	2	50	20	00

			·
HEUCHERA. Alum-Bloom's Variety.			Per 100 Foral-Bells
Produces long sprays of dainty coral-red bell A two-year-old plant may produce several doze	en	. 00	
flowering stems Cascade. 2 ft. June, July Light pink.	. φυ	20	\$10 00
Edge Hall. 1 ft. June, July Flesh-pink June		20	10 00
Freedom.		20	10 00
Similar to the above variety but with light rose bells	. 3	00	25 00
A greatly improved Edge Hall with flowers ha again as large and produced more freely—a gli	s-		
tening rose-pink		00	25 00
Deep coral-red, tinted copper. Very ornaments bronze foliage	al . 3	50	
bronze foliage. Sanguinea, Pluie de Feu. 1½ ft. June, July Fiery red.	. 1	20	10 00
Saturnale. 1 to 1½ ft. June, July Flowers wine-red. Large foliage	. 1	20	10 00
Snowflake. Pure white. Considered the best white Heuchera		00	25 00
HIBISCUS Moscheutos Hybrids.			
$B.\&A.\ Giant$ -flowere The mammoth, hollyhock-shaped flowers rang	;e	tars	nmatiows
in color from white to intense crimson. The natural size of the flowers is 8 to 10 inches in	e n		
diameter. Separate Colors	. 1	50	12 00
Mixed	. 1	20	10 00 Candytuft
10 in. April, May			
*I. sempervirens, Little Gem. 6 in. April, May			10 00
Dwarf. Snow-white flowers* *I., Snowflake. 2 ft. April, May Pure white flower-heads	. 1	20	$\begin{array}{c} 10 & 00 \\ Candytuft \end{array}$
Pure white flower-heads	. 1	50	12 00
2 to 3 ft. June		20	10.00
Snow-white. Free flowering	ag;	Bean	10 00 rded Flag
Flowers yellow, shaded orange. I. sibirica. 2 to 3 ft. Purplish blue flowers. May, June	. 1	20	
Purplish blue flowers	. 1	20	10 00
Large, clear blue flowers on stiff stalks			10 00
IRIS KAEMPFERI. A. L. Sherwood. Purple, veined white. Three	e e	apa	enese Iris
petals	ζ-	80	15 00
quisite lavender shade	. 1	80	15 00
pink center. Three petals	. 1	80 80	15 00 15 00
Blue Flag. Indigo-blue, white veins; base yellowith a velvety sheen. Six petals	W	80	15 00
Bride. Rush-maroon, heavily veined white. Three petals	ee	80	15 00
Conadi. French gray; amaranth center, veined blue Dinah. Reddish purple, flaked white		80 80	15 00 15 00
Firefly. Deep purple, yellow center. Six petals Gold Bound. Large; pure white. Yellow center	. 1	80	15 00
Six petals La Favorite. French gray, heavily veined blue	. 1	80	15 00
Large flowers. Six petals	. 1	80 80	15 00 15 00
Painted Lady. Pink on gray background; silver	r-		
veined. Six petals	X	80	15 00
petals. Pink Progress. Lavender-pink overlaid silver. Blu	ıe	80	15 00
renter. Three petals	У	80	15 00
background. Six petals	. 1	80	15 00

Iris Kaempferi, continued Pyramid. Violet-blue; center of petals veined white, 1	P۵	r 10	Per 100
very large and beautiful. Six petals\$	1	80	\$15 00
Red Riding Hood. Amaranth, veined white. Three petals	1	80	15 00
Rosanne. Royal purple, overlaid and veined red;			
yellow center	1	80	15 00
Three petals	1	80	15 00
William Tell. Porcelain, veined blue; blue center. Six petals.	1	80	15 00
NAMED IRISES, Our selection of Varieties			12 00
LATHYRUS latifolius albus. 3 ft. June-Aug.	$P\epsilon$	eren	nial Pea
White	1	20	10 00
L., Pink Beauty. 3 ft. June-Aug. Pink	1	20	10 00
*LAVANDULA vera. 1½ ft. July-Sept. Fragrant blue flowers	Su	eet.	Lavender
ILATDIC			ayfeather
L. callilepis. 3 to 4 ft. July-Sept. Purplish red. Does well in semi-shade and		G.	agjeamen
	1	20	10 00
L. pycnostachya. Kan	isc	is G	ay feather
Purple in dense spilzes	1	20	10 00
L. punctata. 2 ft. Aug., Sept. Rosy lavender.	•		
Rosy lavender L. scariosa. 3 to 4 ft. Aug., Sept.	1	20	10 00
Spikes of deep purple flowers	1	20	10 00
L. scariosa alba. A white variety of this beautiful and unusual			
species. Very scarce	2	50	20 00
L. longifolia. Much like September Glory, but more dwarf			
and with longer foliage	2	50	20 00
L., September Glory. Purple flowers are produced on extra-long			,
snikes during late August and September	2	00	15 00
L. spicata. 2 to 3 ft. July-Sept. Purple	1	20	10 00
*I VCINIC Vice-ni- culondons A nl			
1 to 1½ ft. May, June Double rose-pink flowers	1	50	12 00
LYCORIS squamigera (Amaryllis Halli).			
2 ft. Late July, Aug. Pink flowers. A hardy Amaryllis that is becom-			
ing quite popular although still rare	6	00	50 00
LYSIMACHIA ciliata. 2 ft. July, Aug. Frin Dainty yellow flowers with dark bronzy foliage	ıge	dL	oosestrife
Dainty yellow flowers with dark bronzy foliage *L. Nummularia. Creeping Jenu	$\frac{1}{nn}$	2 0 ∵ M	10 00 Ioneuwort
2 to 3 in. June			_
A creeper, with yellow flowers	1	20	10 00
LYTHRUM Salicaria roseum superbum. 3 to 5 ft. July-Sept.			
Tall spikes of purple flowers on long, graceful	1	20	10 00
stems			
*M. Distinction, 1 to 1½ ft. April, May			receijou
Bluish pink April May	1	50	
Rosy nink	1	50	
*M. speciosa atropurpurea. 1 to 1½ ft. April-June Red	1	50	
MERTENSIA virginica.			Bluebell
Flowers blue, in nodding clusters	1	20	
MONARDA didyma, Cambridge Scarlet. 3 ft. June-Aug.			$Bee\ Balm$
3 ft. June-Aug. Scarlet	1	20	10 00
*NEPETA Mussini, Six Hills Giant.			
8 to 10 in. April-July An improved variety of Mussini with a more			
compact and neat habit. The nowers are larger		F۸	12.00
and a deeper mauve		30	12 00

	Pε		Per 1	
*NIEREMBERGIA rivularis. 8 in. June-Aug. Dwarf, creeping alpine plant with cup-shaped			nue-c	uр
creamy white flowers	61	50		
OPHIOPOGON (Mondo) Jaburan variegatus. Handsome grass-like plants producing brilliant				
blue flower spikes during July and August. About				
8 to 10 inches tall and of compact growth. Excellent for edging or pot-plant for the house	2	nn		
*OPUNTIA Rafinesquei. 8 in. June			ly Cact	us
Large sulphur-yellow flowers	1	50	\$12	00
ORIENTAL POPPIES. All from 3-in. pots.		- -		
Bracteatum. Blood-red, shaded orange Colonel Bowles. Deep bright red and a large flower		80 80		
E. A. Bowles. Delicate apricot, changing to shell-				
pinkGrand Mogul. Brilliant orange-scarlet		80 80		
Joyce. Old-rose color. One of the finest		80		
King George. Bright scarlet with deeply fringed netals	1	80		
petals				
petals	I	80		
salmon		80		
Mrs. Perry. Large; orange-apricot Perry's White. Satiny white with maroon blotches.		80 80		
Ridgewood Beauty. Large, lovely pink flowers	1	80		
Salmon King. A shade between salmon and scarlet Wurtembergia. Brilliant dark scarlet		80 80		
PACHYSANDRA terminalis.				
6 to 9 in. May, June				
A valuable evergreen for dense shade. It is especially useful for covering ground where other				
things will not grow. Spikes of greenish white	1	00	0.4	^^
flowers		00 Har	$dy\ Phl$	
Border Gem. Rosy purple. Makes a startling				
contrast with white for mass planting	1	20	10 (00
true lavender-blue, with large trusses		50	12 (
Count Zeppelin. White, crimson eye	1	50	12 (00
Remarkable for its enormous florets and huge				
trusses of lovely pink with a deeper eye. An outstanding variety	1	50	12 (ሰሰ
Enchantress. Bright salmon-pink with dark red				
eye. Medium height		50 20	12 (10 (
H. B. May. Soft clear pink. Large trusses and pips.		20	10	
Leo Schlageter. A very strong, healthy-growing novelty with large, pyramidal trusses of brilliant				
scarlet-carmine flowers, having a darker center	1	50	12 (00
Lilian. Produces large trusses of soft pink flowers with light blue eyes. Compact grower	1	50	12	იი
Margaret Gavin Jones. Large pink florets with				
carmine eyes. An improvement in this type Mary Louise. (New.) Pure waxy white flowers in	1	50	12	00
very large heads. The individual blooms are larger	_	a -	20	
than most. 2½ to 3 ft. Aug., Sept	Z	25	20	υυ
variety	1	20	10	
Mrs. Ethel Pritchard. Clear rosy mauve	1	20 50	10 12	
Swerg Wanadis. Deep layender toward center with	_		20	
lighter edges	2	25	20	UU
eye	1	20	10	00
PHLOX suffruticosa. Miss Lingard. Flowers pure white, with pale pink				
centers. 2 ft. May-Oct	1		12	
Miss Verboom. Rose-pink flowers in early June	1	50	12	00
PHLOX, Dwarf. P. divaricata (canadensis). Lavender. 10 in. May				
3-in. pots		20	10	00
*P. nivalis sylvestris, Dixie Brilliant. A true dwarf Phlox of the same habit as P. subulata. Rosy red				
flowers the size of a half dollar. Hardy. Blooms in		_		
early spring	1	75	15	00

	Dan	10	Per 100
*PHLOX subulata. Masses of bloom in April and May and often			oss Pink
again in late fall. Fine creeping plants for the rock- garden or border.		20	£10.00
Apple Blossom. Light pink	1	20 20	\$10 00 10 00
varieties. Salmon-pink flowers in spring, summer and fall. Grows 8 inches highLilacina. Lilac flowers. Strong creeping variety	1	20	15 00 10 00 10 00
Nelsoni. White	. 1	20	10 00
PHYSALIS Bunyardi (P. Alkekengi). A much-improved form. Orange-red pods	Chi.	nese 20	
PHYSOSTEGIA virginiana alba. Tall plants with long spikes of white flowers	. 1	20	10 00
Tall plants with long spikes of white flowers. *P., Vivid (virginiana grandiflora). 10 to 12 in. Rose-pink flowers. Aug., Sept.	alse	Dre	agonhead
P. virginiana speciosa rosea.			12 00
3 to 4 ft. July, Aug. Rose-pink. July	. 1	50	12 00
PLATYCODON grandiflorum. 2 ft. June, July	Ba	illoo	n Flower
Deep blue. Balloon-shaped buds and star shaped flowers. Strong branching habit	- 1	20	10 00
P. grandiflorum album. White variety of the above			10 00
*PLUMBAGO Larpentæ (Ceratostiama plumbaginoi	des)		
6 to 12 in. Aug., Sept. Deep blue flowers. Very attractive in the fal	11		
because of the reddish brown leaves POLEMONIUM reptans. 8 to 12 in. April, May	$\frac{1}{Gr}$	20	Valerian
Dwarf. Light blue flowers	. 1	50	12 00
*POLYGONATUM multiflorum. 2 ft. May, June			on's Seal
Greenish white flowers POTENTILLA, Emile. 10 to 12 in.	. 1	50	12 00
Light yellow flowers	. 1	50	12 00
P., Fairy Queen. Double; clear yellow	. 1	50	12 00
*P. tridentata. 6 in. May, June Dark glossy evergreen foliage. Clusters of white flowers	of . 1	50	12 00
*P. verna nana. 4 to 6 in. April, May Compact; low growing. Yellow flowers	. 1	50	12 00
POTERIUM obtusum (Sanguisorba obtusa). 3 ft. June, July	Jap	ane	se Burnet
Crimson flowers in spikes 3 inches long	. 1	50	12 00
*PRIMULA Auricula. 4 to 5 in. Early April, May Various colors	. 1	50	12 00
P. japonica. Flowers vary from crimson to pink and nearl	У		
white, in whorls on long stems		50	
Various colors	. 1	50	12 00
6 to 9 in. April, May	. 1	50	12 00
P. polyantha, Red Shades. 1 ft. April, May A selected strain with rich red and crimson florets		50	12 00
*P. veris duplex. An unusual type of Primrose, each pale yello flower having a duplicate within itself. Ver	W		
hardy, and a good strong plant, it is one of the best in this class	10	80	15 00
P., Wanda. 4 to 5 in. May Compact tufts of crisp green leaves and larg			
crimson-purple flowers with yellow eyes, on 4-mo	en es	. 80	15 00
best in moist shade* *PULMONARIA angustifolia azurea.			
1 ft. April, May Attractive dark green leaves and lovely head of deep gentian-blue flowers	ls 1	1 20	10 00

	D	ar 10	Per 100
PYRETHRUM roseum. 2½ ft. May, June All colors from deep red to various shades of			ted Daisy
rose to pure white Single	\$1	20	\$10 00
RUDBECKIA purpurea. 3 to 4 ft. July-Oct. Prine purple-red petals; cone-shaped center	$\frac{urp}{1}$	le C 20	oneflower 10 00
R. laciniata, Golden Glow. 6 ft. June-Sept. Double; yellow	1	20	10 00
R. laciniata, Golden Glow. 6 ft. June-Sept. Double; yellow. R. maxima. 6 ft. June-Sept. Double; yellow.	1	20	10 00
SALVIA nemorosa virgata. 2 ft. May, June Blue	2	00	18 00
S Ditabasi Rh	10 /	Mea	dow Sage
3 to 4 ft. Aug., Sept. Flowers deep indigo-blue			
*SANTOLINA Chamæcyparissus (incana). 1½ ft. July	La	vend	ler Cotton
Dwarf evergreen. Small yellow flowers. \$60 per 1000	1	20	10 00
SCABIOSA caucasica alba. 2 to 3 ft. June-Aug.		50	12 00
Pure white	1		12 00
*SEDUM acre. 3 in. May, June Golden Bright yellow. S. album. 3 in. May, June White. May, June	1	50	10 00
White	1	50	10 00
Yellow flowers. Glaucous foliage in spirals	1	50	
S. kamtschaticum. 8 in. July, Aug. Yellow	1	50	10 00
6 to 8 in. July, Aug.			
Handsome golden variegated foliage which blends with the orange-yellow flowers	1	50	
S. reflexum. 3 in. July Yellow. S. sarmentosum. 6 in. May Yellow.	1	50	10 00
Yellow	1	50	10 00
S. Selskianum. Bright yellow flowers on 1½-foot stems	1	50	10 00
S. spectabile, Brilliant. 1 ft. Aug., Sept. A deep rosy crimson variation of Spectabile	1	50	10 00
S. spurium splendens. 6 in. June Pink. S. stoloniferum coccineum. 6 in. July	1	50	10 00
Red	1	50	10 00
*SEMPERVIVUM in variety		50	10 00
SENECIO pulcher. 2 to 3 ft. July-Sept. Large, red-purple, daisy-like flowers with yel-			
low discs on strong, erect stems* *SPIRÆA Filipendula (Filipendula hexapetala).	1		12 00 Dropwort
1½ ft. May, June Creamy white	1	20	
11/ ft	ou		Dropwort
Double white flowers	$\frac{1}{n}$	50 Mea	12 00 dowsweet
3 to 4 ft. June-Aug. Heart-shaped leaves. Strong spikes of pink flowers			12 00
S. ulmaria flpl. 4 ft. July, Aug. Double creamy white flowers		20	10 00
*STATICE latifolia (Limonium latifolium).			Lavender
Blue flowers	1	20	10 00
*STOKESIA lævis (cyanea). Cornflower Ast 2 ft. July-Oct.	er;	Sto	kes Aster
Sky-blue flowers, 3 to 4 inches across* *S. lævis alba. 2 ft. July-Oct		20	10 00
A white form of the above	1	20	10 00
*TEUCRIUM Chamædrys. 1 ft. July, Aug. Lavender-pink flowers. Ideal dwarf hedge	. 1	75	ermander 15 00
T. Scorodonia. 1 to 2 ft. Yellow flowers	. 1	50	12 00
THERMOPSIS caroliniana. 4 ft. June, July Long spikes of bright yellow, lupine-like flowers.		50	12 00
, 5 2 , rapino line nowers.		- 50	12 00

*THYMUS Serpyllum album. 3 to 4 in. 3 to 4 dark green foliage White flavors White flavors			Per l	
Mats of dark green foliage. White flowers. Fine for rockwork	1	50	¢ 12	00
*T. Serpyllum coccineus. 3 to 5 in. June. July				
Dark green foliage. Bright red flowers *T. Serpyllum lanuginosus. Woolly 5 in June-Aug	1 /-l	50 eavec	l Thy	me
5 in. June-Aug. Flowers reddish pink.	1		10	
TRILLIUM grandiflorum. 1 ft. May Large, white, three-petaled flowers in a whorl of			ke- Rol	
three large leaves. Moist leaf-mold and shade. TRITOMA Pfitzeri (Kniphofia uvaria grandis). R				
3 ft. Aug., Sept. Spikes of orange-scarlet shading to salmon-rose.	ea -	$T\epsilon$	rch L	ily
T., Royal Standard. 3 ft. Aug., Sept. Lower part light yellow, upper part rich scarlet.	1	50 To	rch~L	ily
Lower part light yellow, upper part rich scarlet T. uvaria grandiflora. 3 to 4 ft. Sept.	1	50		
Bright red spikes changing to salmon-pink	1	50	12	00
*TUNICA saxifraga rosea flpl. 6 in. June-Sept. Double, rosy pink flowers	1			
VERONICA. V., Blue Spire. 2 ft.		S	peedu	vell
Deep rich blue spikes on a bushy plant* *V. incana. 1 ft. July, Aug.	1	50	12	00
Silvery gray foliage and spikes of violet-blue	1	20	10	00
V. longifolia subsessilis. 2 ft. Aug., Sept. Very attractive blue flowers. Continues to	_			
*V. Lvalli. 5 to 6 in. July	1	50	12	00
Attractive, small notched leaves. Spreading habit. White flowers tinged with pink, on willowy				
branches*V. rupestris, Royal Blue. 1 to 1½ ft. July	1	50		
Gentian-blue	1	20	10	00
V. spicata alba. 2 ft. June, July White	1	20		
*V. spicata erica. 1 ft. June, July Delicate pink	1	50		
*V. spicata erica. 1 ft. June, July Delicate pink. *V. Teucrium prostrata. 6 in. June, July Blue.	1	20	10	00
VINCA.	•		eriwin	
V. alpina. Plants like V. Minor with flowers of deep violet-				
purple. Very pretty* *V. minor. 3 in. April, May	1	50		
*V. minor. 3 in. April, May Lilac-blue flowers \$70 per 1000 *V. minor alba. 3 in. April, May	1	00	8	00
A white variety of the above. Very useful as a	,			
ground-cover*V. minor, Bowles' Variety. 3 in. April-Oct.	1	50		
This is an improvement over the old <i>V. minor</i> , having richer foliage and larger, deeper blue flow-				
ers. It blooms profusely in early spring and again in the fall	1	00	8	00
*V. minor variegata. A variegated form of the above				00
VIOLA.			Pan	
V., Apricot. 6 in. May-Aug. Rich apricot tinged orange	1	50	12	00
*V., Blue Perfection. 6 in. May-Aug. Blue, with yellow eye.	1	20	10	00
*V., Jersey Gem. 6 in. May-Nov. Pure violet; large and fragrant	1	20		00
*V. lutea splendens. 6 in. May-Aug. Golden yellow				
*V., Papilio. 6 in. May-Aug. Violet and white.		20		00
*V White Pertection, 6 in May-Allg.	1	50	12	00
White	1	20	10	00
*V., Double Russian. 10 in. April, May	_			٠-
Double, sweet-scented, dark blue flowers V. Gov. Herrick. 3 to 6 in. April-June		50	12	00
Large, single, somewhat scented flowers of a clear, choice shade of blue	1	20	10	00
V., Rosina. 6 in. April-Oct. Vigorous. Old-rose; very fragrant. Single		50		00
vigorous. Oid-rose, very iragiant. Single	1	50	12	00

Greenhouse Department

OUR GREENHOUSE DEPARTMENT CONSISTS OF APPROXIMATELY 250,000 SQUARE FEET OF GLASS

Azaleas for Growing-On

We believe we are the largest growers of Azaleas in the world, and during the past years have been gratified to see the great increase there has been in the public's liking and acceptance of these plants, flowering, as they do, from Christmas on to Mother's Day, according to the varieties selected.

For those who can grow on their own Azaleas for one summer, potting them up as early as they wish, we have splendid, bushy, young stock in the following varieties suitable for this purpose.

Large-flowered Belgian Indica Azaleas

Blushing Bride. Large; double; shell-pink.

Eclaireur. Deep crimson. Empress of India. Large; semi-double; rosy salmon.

Jean Haerens. Very double; rosy carmine.

*Mme. Petrick. Large; double; bright rose.

Mme. Van der Cruyssen. Semi-double; deep rose.

Mrs. Fred Sanders. Early; double; dark rose.

Niobe. Large; double; white.

Prof. Wolters. Large; single; pink with darker center; fringed.

Raphael. Large; double; white.

Simon Mardner. Large; double; bright red.

Triomphe. Vivid double red.

Vervæneana. Large; double; salmon-rose, light border.

Varieties marked with an asterisk (*) can be flowered for Christmas under suitable forcing conditions

Dwarf Own-root Varieties

Suitable for flowering from mid-January; fine for Valentine's Day.

Charles Encke. Single; light pink. Hexe (Firefly). Semi-double; crimson. Lorraine. Semi-double; deep rose.

Azalea Rutherfordiana

Glorious new Azaleas produced after twelve years of hybridizing, all covered by Patents Nos. 145, 146 and 147. Characteristics of these Azaleas are:

Exceptional free-flowering qualities.

Keep in good condition longer than any other type of Azaleas. Come in a much wider color-range than has heretofore been available for Christmas flowering.

Varieties marked with an asterisk (*) can be flowered for Christmas under suitable forcing conditions

*Alaska. Early. Large; double; pure white.

*Constance. Single cerise-pink blooms, frilled and ruffled, borne in immense trusses.

*Dorothy Gish. Large hose-in-hose flowers of deep salmon with darker blotch. Blooms in trusses; very attractive.

*Delight. Double; shell-pink, overlaid orange.

*Firelight. Bright, glowing rich crimson hose-in-hose flowers in large trusses.

Mrs. A. W. Muller. Double bright rose-pink flowers produced in large trusses.

Orange Queen. Double orange-salmon flowers in clusters. Beautiful color and excellent grower.

*Orange King. Double orange-red flowers produced in large trusses.

*Pink Ruffles. Bright rose-pink hose-in-hose flowers produced in large trusses.

*Salmon Glow. Bright salmon, semi-double flowers in trusses.

Snow Queen. Large; double; pure white.

In addition to the above list of tender varieties, we also have a complete list of Kurume and Japanese Evergreen kinds.

We shall be glad to send samples and submit prices on receipt of your list of requirements.


These are nice, bushy, heavy plants, cut back several times, not thin stock which has been forced to grow in high temperatures.

Greenhouse and Decorative Plants

All Certified Stock.—We ship in paper pots wherever possible to cut down transportation charges. Per 10 Per 100 ACORUS communis.

Dwarf, grassy tufts—intensely dark green.
Hardy. An oddity for terrariums or Japanese Common Acorus gardens.\$1 75 3 00 \$15 00 2^{1}_{4} -in, pots. 3-in. pots 4-in. pots 25 00 35 00 4 00 (Trichosporum Lobbianum) AESCHYNANTHUS Lobbiana. A slow-growing, tropical trailing plant with fleshy leaves. Brilliant scarlet flowers, shaped like small pine-stems. Ideal for hanging-baskets. Quite pipe-stems. Ideal for hanging-baskets. scarce.
 Strong plants, 214-in, pots
 2 00

 Strong plants, 3-in, pots
 3 00
 18 00 25 00 African Lily AGAPANTHUS umbellatus. An unusually fine ornamental plant. Large clusters of brilliant, sky-blue flowers appear in July clusters of brilliant, sky-blue nowers appear mony and August. Entirely hardy outdoors south of Washington, D. C Strong plants, 5½-in. pots. 4 50 5 50 40 00 Strong plants, 6-in. pots. 5 50
Specimens in 10-in. tubs \$3.00 each 25 00 Giant, Round-petaled Red AMARYLLIS Hybrids. A specially selected variety originated by us. Great care is given to selecting only the best. Bulblets from proven stock are pot-grown for early foreing. Amazing flowers—deep red overlaid with a velour sheen borne on long stems. Commands attention with its showy blooms from January to Easter-time. Semi-dormant stock shipped October 5 00 40 00 to March. Pot-grown..... ANTHERICUM picturatum. St. Bernard's Lily Long, narrow, green foliage with creamy white stripe long the edges. For window-boxes, or as an individual plant in a sun-parlor. Easy of culture. 4 50 5 50 $4\frac{1}{2}$ -in. pots.... $5^{\frac{1}{2}}$ -in. pots. . ARALIA Sieboldi. Siebold's Fatsia A decorative, subtropical plant with shiny, green axes, that resemble the castor-oil plant. These leaves that resemble the castor-oil plant. leaves look somewhat like an outstretched hand, giving a unique effect. Long-lived. A popular plant in America and abroad. 50 00 6 00 4-in, pots.....



Azalea Rutherfordiana



Araucaria excelsa

ARAUCARIA excelsa.

Per 10 Per 100 Norfolk Island Pine

Lively, attractive, light green foliage, usually two-toned. The light new growth blends harmoniously with older foliage. A symmetrical, tree-like house-plant, delightfully graceful. Can be trimmed as a Christmas tree for table use.			
4-in. pots, ready for repotting. 5-in. pots, ready for repotting. 6-in. pots, ready for repotting. 82.00 each. 6½-in. pots, ready for repotting. \$2.50 each.	\$8 11	00	\$75 00 100 00
AUCUBA. The Evergreen Win	do	w- B	ox Plant
crotonifolia. Large green leaves, splashed and			
spotted creamy yellow, resembling a croton. 10 to 12-in. plants, 4-in. pots. 12 to 15-in. plants, 41/2-in. pots. 15 to 18-in. plants, 5-in. pots.	7	00 00 00	45 00 65 00 75 00
 japonica. Plain green leaves. Especially suitable for outdoor window-boxes from April to October. 8 to 10 in. high, 4-in. pots. 12 to 15 in. high, 5-in. pots. 	4	00	35 00
12 to 15 in. high, 5-in. pots	5	00	45 00
japonica variegata. Large green leaves, spotted with bright yellow. Used as summer and winter decorations in hotel and residence window-boxes.		00	35 00
8 to 10-in. plants, 4-in. pots	5	00	35 00 45 00
10 to 12-in. plants, 4½-in. pots	7	00	65 00
18 to 20-in. plants, 6-in. pots	8	00	75 00
CAMPANULA isophylla. St	ar	of B	ethlehem
A dainty, trailing plant yielding masses of bright blue, star-shaped flowers from July to September. Splendid for window decoration. A rapid-selling plant for the summer-resort florists. 3-in. pots.	2	00	25 00
	9		
CRASSULA arborescens. Heavy, stubby stems and thick, fleshy leaves		Ja	de Plant
about 2 inches long. For miniature and indoor rock-gardens.			
3-in. pots		25 50	20 00 30 00
5-in. pots		50	40 00
DIEFFENBACHIA braziliensis. A popular and unusual foliage plant. Dark green		7	"uft Root
leaves, generously splashed with white.			
3-in. pots. 4-in. pots. 5-in. pots.	6	50 00 00	30 00 50 00 75 00
DRACAENA fragrans. Plain green leaves. Its ex-			
treme hardiness permits any decorative work. 12 to 14-in. plants, 4-in. pots. 16 to 18-in. plants, 5-in. pots. 18 to 20-in. plants, 6-in. pots.	4 6 8	00 50 50	35 00 55 00 75 00
Godseffiana Kelleri. A trailing species with dark green, leathery foliage spotted creamy white. A plant for baskets and terrariums.			
21/4-in. pots		25	20 00
3-in. pots.			30 00

Dracaena Massangeana: Green leaves with yellow stripes through the center. 9 to 10-in. plants, 3-in. pots. \$3 12 to 14-in. plants, 4-in. pots. 5 16 to 18-in. plants, 5-in. pots. 8 18 to 20-in. plants, 6-in. pots. 12	50 00 50	Per 100 \$30 00 45 00 75 00 100 00
Ferns		
NEPHROLEPIS exaltata Bostoniensis.	Bos	ton Fern
Perfect plants, pot-grown from infancy, incomparably superior to newly potted bench-grown plants. 5½-in. pots	50	75 00
6-in. pots	50 50	100 00 150 00
Dwarf Bostoniensis. A rapid grower, more com-		
pact than Bostoniensis.8 $5\frac{1}{2}$ -in. pots.86-in. pots.12Trevillian. An improved form of the dwarf	50 50	75 00 100 00
Trevillian. An improved form of the dwart Whitmani. Upright in growth, with remarkable ability to withstand the conditions of dwelling house culture. Will not turn brown at the bottom.		
4-in. pots 6 5-in. pots 8 6-in. pots 12	50	50 00 75 00
FICUS repens (pumila). Trailing to Used as a covering for greenhouse walls, and for hanging-baskets.		er Plant
2 14-in. pots. 2 4-in. pots. 2 4-in. pots. 6	50	15 00 20 00 50 00
FITTONIA argyroneura. Leaves a vivid green with		
silver veins. Trailing in habit. For baskets and		
combination pans. 2½-in. pots. 1 4-in. pans. 4	50 00	12 00 35 00
HEDERA Helix.	En	glish Ivy
3-in. pots, bushy plants, ready for transplanting or	25	10 00
repotting	75	22 50
4½-in. pots, extra heavy, bushy, 2½ to 3 ft., staked 3 7-in. pots, extra heavy, bushy, 5 to 6 ft., staked. 17	50	27 50 135 00
7-in. pots, extra heavy, bushy, 6 to 7 ft., staked. 20 Special—8-in. pots, extra heavy bushy plants, 6 to 7 ft\$2.50 each. 22	00	160 00
Helix baltica.		Baltic Ivy
-/2 Po	50	25 00
Helix Dankeriana. A dense bushy Ivy growing erect and without trailers. Curious and novel.		bany Ivy
	00	25 00 35 00
Helix gracilis. Small-leave		
2½-in. pots 2 3-in. pots 3 4-in. pots 4	00	18 00 25 00 35 00
HOYA carnosa.	W	ax Plant
	00	35 00 50 00
Standard Fuchsias, Heliotrope, and L	anı	tanas
FUCHSIA, Black Prince. Cerise-red with purple cen 2½-ft. stems in 7-in. pots, crowns about 15-in. diam	••••	
HELIOTROPE. A fine subject for accent points in flower bedding. 2½-ft. stems, 15 to 18-in. heads, from 7-in. pots		
LANTANA. Orange with yellow center, pink with		
center and crimson. 2½-ft. stems, 15 to 18-in. heads, from 7-in. pots		

MARANTA conspicua. A handsome tropical plant useful for combination pans. Lustrous, dark green leaves with lighter green streaks, running diagonally from the mid-rib. 3-in. pots. 4-in. pots. conspicua Kerchoveana. Light bluish green foliage with distinct dark brown spots. 3-in. pots. 4-in. pots.	Pe \$3 4	50	Per 100 \$25 00 35 00 30 00 45 00
NEPHTHYTIS Afzellii (liberica). Arrow-Hea	d.	Phil	odendron
A worth-while climbing and hanging vine. Large leaves are arrow-shaped and deep green. Thrives in soil or water. Can be trained on a trellis or used in hanging-baskets. 3-in. pots. 4-in. pots. 5-in. pots, trained on cork bark. 5½-in. pots, trained on cork bark. 6-in. pots, trained on cork bark.	1 2 8 12	75 75 50 50	15 00 25 00 75 00 100 00 125 00
OLEANDER (Nerium Oleander). Standards, white and pink. 32-in. stems, 30 to 36-in. diam. crowns, 16-in. tubs. Height 6 ft., including tub. Price \$15.00 each			Oleander
PANICUM variegatum. A trailing tropical grass with white and pink markings. For hanging-baskets and other uses. 2 ¹ ₄ -in. pots		00	9 00
PEPEROMIA obtusifolia. Lustrous dark green leaves, useful as a house-plant and for filling pans. 2½-in. pots	14	00 75 00	8 00 15 00 35 00
PHILODENDRON cordatum. An excellent trailing plant with dark green, heart-shaped leaves. Most useful as a basket- or pot-plant. 214-in. pots. 3-in. pots, well branched. 4-in. pots, staked. PLUMBAGO coccinea. Large trusses of scarlet flow-	3		12 00 25 00
ers are borne successively. Utilized for summer bedding or under glass.	2 4	50 00	20 00 35 00
Variegated foliage on many pendent runners. A perfect subject for hanging-baskets.	eri	$y G \epsilon$	eranium
2¼-in. pots. 3-in. pots.	1	25 75	10 00 15 00
Mario (C)			
Graceful, dainty trailing vine with dark, glossy green leaves. Grows equally well in soil or water. Superior to ivy in many respects. Strong plants from 3-in. pots. Strong plants from 4-in. pots.	2	00	15 00 30 00



Greenhouse Grapes - Specialties

in 9-inch pots for forcing. Strong fruiting canes

The half-dozen varieties offered are the very best of the Forcing Grapes and our plants are from selected strains. Well-developed root systems assure strong growth and early fruiting.

BARBAROSSA. A late variety producing heavy bunches of large, black, roundish oval berries. A very attractive show Grape.

BLACK HAMBURG. Very large, roundish oval berries; flesh very rich and juicy. One of the best varieties in cultivation.

FOSTER'S SEEDLING. Berries large, white, roundish oval; very sweet and richly flavored.

GROS COLMAN. Very large bunches of round, black berries of monstrous size; flesh juicy and sweet. Habit vigorous and robust.

MADRESFIELD COURT. A superb Grape with very large black berries of rich Muscat flavor when ripe.


MUSCAT OF ALEXANDRIA. Berries large and oval, pale amber when ripe; flesh firm and rich.

Price: \$4.50 each, \$42 per 10

Not less than 5 of any one variety sold at the 10 rate

ALL ROADS—AND GOOD ROADS, TOO—LEAD TO BOBBINK & ATKINS NURSERIES

10 Miles—30 Minutes—From the Heart of New York City



How to reach our Nurserles. Visitors are always welcome. Easily reached by following Routes Nos. 1, 6 and 2 from the George Washington Bridge. Use Routes Nos. 1 and 3 from the Holland and Lincoln Tunnels. Inter-city Transportation Company buses from the Mid-Town Bus Terminal, 143 West 43d St. (east of Broadway) (also stops at west end of Penn Station) to E. Rutherford whence frequent local buses pass our office. The Carlton Hill Station of the Erie Railroad from New York City is a five-minute walk from our office.

Important Notice

We are going to clear land for a new real estate development and further highway construction on our Clifton-Richfield acreage. Many of the choice trees and shrubs thereon which are listed in this Catalogue will be offered at reduced rates by special arrangements.

It will pay all Nurserymen and Landscape Planters to visit this present nursery acreage during spring 1941. Substantial price reductions will be made if you arrange to dig the material and do your own trucking.

Write, Wire, or Telephone Rutherford 2-0700 or Sherwood 2-2284 before coming so we can arrange to give you the best reception and service.

Bobbink & Atkins

Nurserymen Since 1898

588 Paterson Ave., EAST RUTHERFORD, N. J.